

DAILY RAINFALL

PEMBROKE SMIRE

1921

1930

BONCATH.	BLAENFFOS SCHOOL	1921	1924
"	FFYNONE	1922	1926
CRUNWERE	SCHOOL	1922	1924
FISHGUARD	LANGTON DWRBACH	1921	1930
"	GOODWICK STATION	1921	1923
HAVEFORD WEST	GRAMMAR SCHOOL	1921	1930
"	PORTFIELD	1921	1930
LLANRHIAN	N.P. SCHOOL	1924	1925
MANORBIER	SCHOOL	1925	1929
MILFORD	HAVEN. COUNTY SCHOOL	1924-27, 29-1930	
"	" W.W.	1928	1929
MOYLGROVE	COUNCIL SCHOOL	1922	1923
MYNACHLOGDDU	COUNCIL SCHOOL	1921	1930
NARBERTH.	CWMDEIWELL	1929	1930
PEMBROKE	DOCK ADMIRALTY RES	1921	1930
"	" COUNTY SCHOOL	1921	1930
"	INTERMEDIATE SCHOOL.		1928
"	STACKPOLE COURT	1925	1930
PENFFORD	COUNTY SCHOOL		1925
ST ANNE'S	HEAD MET OFFICE	1921-22, 26-1930	
ST DAVID'S		1921, 23 - 1925	
SAUNDERSFOOT	HEAN CASTLE	1921	1930
TENBY		1921-22, 26-1930	

Kept at Blaen

in the County of W.T.

by W.T.

IMPORTANT NOTE

If an Observer prefers not to read at 9 a.m. on 1st of this paragraph. Full instructions and particulars as to the form sent post-free on application to the Meteorological Office, 5, Whitehall Square, London, N.W. 1, or

BONCATH

BLAENFFOS SCH

PEMBROKESHIRE

1921-24

ORGANIZATION.

4.45 W.

10 a.m.

Boncath

in Gauge 5 in.

above Ground 1 ft. — in.

Sea Level 500 ft.

entered to the previous day.

added to add

at the end of

rain gauges,

if Observers,"

62, Camden

St. Edinburgh.

Jan. 1, following.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98		.4										1
2	1.96										.28	.12	2
3	.34		.3							.43			3
4	1.36					.04						.08	4
5												.11	5
6			.34							.15	.64		6
7						.44						.07	7
8	.92		.18										8
9						.02							9
10	.31									.04			10
11		.16						.35				.16	11
12								.56				.15	12
13		.08						.11	.20	1.57			13
14			1.82	.47				.22					14
15						.36						.24	15
16	.53		2.08								.16		16
17	.11		.22	.67									17
18												.28	18
19													19
20			.27		.06								20
21				.02							.18		21
22												.38	22
23			.18						1.5	.01			23
24	.18				.31								24
25					.49							.39	25
26	.54												26
27													27
28													28
29			.83	.21									29
30	.47	~~X~~									.07		30
31	.36	~~X~~		~~X~~	~~X~~	~~X~~	~~X~~	~~X~~	.05	~~X~~			31
TOTAL	8.06	.24	6.67	1.37	.50	.06	1.16	4.87	1.24	3.02	2.91	1.98	YEAR'S TOTAL 32.08
Days with .01 in. or more	12	2	10	4	3	1	3	4	7	7	10	63	
Days with .04 in. or more	12	2	10	3	2	1	3	4	7	6	10	60	

Kept at Blaen Ffos School.
in the County of Pembroke.
by W. T. Williams

Lat. 52° 10' N. Long. 4° 45' W.
Time of Observation 9.19 a.m.
Nearest Railway Station Boncath
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 500 in.
Sea Level 500 ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.98		.42										1
2	1.96									.65	.28	.12	2
3	.34		.33							.43			3
4	1.36				.04							.08	4
5												.11	5
6			.34							.15	.64		6
7					.44							.07	7
8	.92		.18										8
9					.02								9
10	.31									.04			10
11		.16							.35			.16	11
12									.56			.15	12
13		.08							.11	.20	1.57		13
14			1.82	.47					.22				14
15							.36					.24	15
16	.53		2.08								.16		16
17	.11		.22	.67									17
18												.28	18
19													19
20			.27			.06							20
21				.02							.18		21
22												.38	22
23			.18							1.5	.01		23
24	.18						.31						24
25							.49					.39	25
26	.54												26
27													27
28													28
29			.83	.21									29
30	.47	X									.07		30
31	.36	X		X		X			X	.05	X		31
TOTAL	8.06	.24	6.67	1.37	.50	.06	1.16	4.87	1.24	3.02	2.91	1.98	YEAR'S TOTAL 33.08
Days with .01 in. or more	12	2	10	4	3	1	3	4	4	7	7	10	63
Days with .01 in. or more	12	2	10	3	2	1	3	4	4	7	6	10	60

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Blaenffyn School
in the County of Pembroke
by W. P. Williams

Lat. 52° N. Long. 5° W.
Time of Observation 9.0 a.m.
Nearest Railway Station Bonmahon R.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

63

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		46	56		05		96						1
2		41	23		10		16				08		2
3		52	18	1 00	16		39						3
4			67		48								4
5			86	29			1 97		1 26	22	1 18		5
6			60				09			17	20		6
7			50	04								20	7
8			24				97					12	8
9	2 21		24	19		25							9
10	09		06								64		10
11									11	15		19	11
12				32		52	15		1 12			(2 28)	12
13							25		15				13
14	48	27				47			16			92	14
15	1 41	08											15
16					54						04	40	16
17	53	34			28		72		16				17
18	60				08				52			37	18
19	23	14	11									49	19
20	83	47	03				08					13	20
21		26			15		63					1 09	21
22		45			10	20	21					52	22
23		23		2 20		18	32						23
24			35										24
25	02			31		28			67		17		25
26		68				02			28				26
27	23	41	52	44		03					03		27
28		86				06							28
29	83		02			02							29
30	38		27	15		38			48				30
31	07		2							1 17		2 62	31
TOTAL	7 91	5 58	7 44	4 94	1 94	1 94	6 96	7 84	4 91	1 71	2 34	7 28	54 73
Days with 01 in. or more	13	14	17	9	9	10	13	?	10	4	7	12	118
Days with 04 in. or more	12	14	15	9	9	8	13		10	4	6	12	123

REGISTER OF RAINFALL IN 1923.

Kept at Blaenffos School.in the County of Pembroke.by W.T. Williams.Lat. 52°N. Long. 5°WTime of Observation 9 a.m.Nearest Railway Station Boncath G.W.R.Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.15	.42		.02		.09			.14	.23	1.01	1
2	.25		.27		.39		.09			.26			2
3					.01	.09	.09			.52	.52	.37	3
4	.36						.02			.02	.51	.54	4
5	1.04	.56			.23								5
6		1.38	.26										6
7		.71				.11	.40			.52	.25	1.20	7
8	.28									.23			8
9					.10						.53		9
10		1.93		.58	.11					.35		.11	10
11	.09		.07	.76		.41				.25		.13	11
12		.25	.35	.28	.22	.04					.60		12
13	.12	.19		.27			.19		.05		1.42	.17	13
14				.38	.20				.45	.58			14
15		.17		.15		.51					.11	.06	15
16				.46	.15				.23				16
17	.08								1.32		.46		17
18		1.82		.13		.23				.71			18
19									.21		1.27		19
20	.11	.34											20
21		.10											21
22		.57			.29					.90		.78	22
23	.04	.49	.06		.13		.34		.43	.99			23
24				.47			.20			.32			24
25		.72		.21		.28			.75	.123			25
26		1.07		.08									26
27		.04	.32		.52				.04				27
28	.38		.26							1.31			28
29	.33			.18						1.05			29
30	.04	X		.17	.37					.16			30
31	.12	X		X		X		X	X		X	1.72	31
TOTAL	3.79	10.49	2.01	4.12	2.74	1.67	1.38	2.47	3.48	9.54	5.90	6.09	53.63
Days with .01 in. or more	14	16	8	13	13	7	7	?	8	17	10	10	123
Days with .04 in. or more	4	16	8	13	11	7	6	—	8	16	10	10	119

REGISTER OF RAINFALL IN 1924.

Kept at Blaenffos School
 in the County of Pembroke
 by W. T. Williams.

Lat. 52° N Long. 5° W.
 Time of Observation 9 a.m.
 Nearest Railway Station Boncath. G.W.R.
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 500 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

32.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1						(50)						'81	WRR
2						~~1.15~~	'81			.18		.76	WRR
3								'76		'82	'63	'12	3
4			(Snow) '30			'46	'73	'09					4
5		'08				'58						'76	58
6			1.14					'12		'60			6
7				Snow	'43							'41	7
8	'5			'18	'15				(1.90)	'30			8
9		'41			'63							'13	9
10										'81			10
11	1.87					1.55				1.05	'24		11
12						.16	'56	'08					12
13	1.75			1.53	'74		'86						13
14	'06				'32				'38			1.10	14
15	'10								'42				15
16					'02				'31			'52	16
17	'30							1.23	'53				17
18	'68					'12	'53	'05				'75	18
19					'04					'42	'14	'45	19
20					'15	'08		'16					20
21	1.02				'31		2.01				'16		21
22	'07		'11		'55			'23	'82	'22		1.12	22
23	'36				(27) '29	'36			'98			'35	23
24			1.42				'34		'28		'81		24
25									'42				25
26					'46			'45			'61	1.67	26
27					'02			'07	'22	'3			27
28	'19						2.53	'72		'50		'16	28
29												'37	29
30	'08	X		2.26	'06	'16			'54	1.35		'12	1563 30
31		X		X	65	X		'54	X		X	'24	(61.54) YEARS TOTAL
TOTAL	6.89	4.9	2.97	3.97	4.80 ~~4.15~~	3.97 ~~4.62~~	8.37	4.20	(6.90) ~~4.80~~	6.55	2.59	10.04 ~~9.04~~	106.64
Days with '01 in. or more	✓12	✓2	✓4	✓3	✓14	✓19	✓8	✓12	✓10	✓11	✓6	✓17	✓106
Days with '04 in. or more	✓12	✓2	✓4	✓3	✓12	✓19	✓8	✓12	✓10	✓11	✓6	✓17	✓106

Blancoffo School

Pemb

18/1/23

Dear Sirs.

P.C. JAN 1923

I enclose herby record of
Rainfall for 1922—

Kindly note total alone is given
for August as this is our holiday month
& daily Record is not kept.

Faithfully yrs

W.T. Williams

Superintendent

Meteorological office.

Rugsway WC 2

REG

BONCATH

FLYNONE

PEMBROKESHIRE

1922 - 26

34' W.

FORM A.
BRITISH RAINFALL

m.
Boncath.

auge 4 3/4 in.

Ground 1 ft. in

Sea Level ~~300~~ 300 ft.

he result entered to the
rsal rule, he is earnestly
in the space provided
ent of rain,
ish Rainfall
pplication to
.W.1.

Jan. 1, following.

IMPORTANT NC
previous day. If an C
requested to add the re
for it at the end of t
the selection and plac
Organization are given
THE DIRECTOR, British

Date.	Jan.	Feb.	March	Nov.	Dec.	Date.
1	0.07	0.31	0.02	0.07	0.02	1
2	0.02	0.37	0.02	0.00	0.00	2
3	0.19	0.27	0.40	0.04	0.10	3
4	0.19	0.22	0.00	0.20	0.40	4
5	0.15	0.00	0.90	0.30	1.00	5
6	0.14	0.00	0.41	0.00	0.20	6
7	0.13	0.00	0.05	0.00	0.03	7
8	0.19	0.00	0.40	0.00	0.14	8
9	0.08	0.00	0.31	0.00	0.60	9
10	0.00	0.00	0.00	0.00	0.05	10
11	0.00	0.00	0.00	0.15	0.00	11
12	0.00	0.00	0.00	0.40	0.00	12
13	0.00	0.00	0.00	0.00	0.00	13
14	0.13	0.28	0.00	0.00	0.31	14
15	0.99	0.10	0.00	0.00	0.21	15
16	0.00	0.00	0.13	0.00	0.13	16
17	0.40	0.25	0.00	0.00	0.13	17
18	1.01	0.10	0.00	0.00	0.23	18
19	0.14	0.12	0.07	0.00	0.60	19
20	0.02	0.65	0.00	0.00	0.05	20
21	0.05	0.35	0.00	0.00	1.07	21
22	0.00	0.39	0.00	0.00	0.78	22
23	0.00	0.29	0.00	0.00	0.00	23
24	0.00	0.03	0.48	0.00	0.95	24
25	0.02	0.62	0.22	0.00	0.05	25
26	0.90	0.38	0.15	0.00	0.19	26
27	0.51	0.82	0.31	0.00	0.17	27
28	0.19	0.44	0.00	0.00	0.14	28
29	0.22	0.05	0.00	0.00	0.47	29
30	0.24	X	0.29	0.00	0.13	30
31	0.29	X	0.26	0.00	X	31
Total	7.25	6.00	5.43	4.05	4.26	1.92
Rain Days	24	19	19	13	15	6
W. 1.	22	8	14	16	12	13

REGISTER OF RAINFALL

FORM A.
BRITISH RAINFALL.

Kept at Llynone, Boncath
in the County of Pembroke

Lat. 52° 1' N. Long. 4° 34' W.

Time of Observation 9 a.m.

Nearest Railway Station Boncath

Diameter of Funnel of Rain Gauge 4 3/4 in.

Height of top of Gauge above Ground 1 ft.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.07	0.31	0.20	0.00	0.05	0.00	0.30	0.00	0.46	0.00	0.07	0.02	1
2	0.02	0.37	0.02	0.02	0.10	0.00	0.32	0.10	0.15	0.00	0.00	0.00	2
3	0.19	0.27	0.40	0.15	0.10	0.00	0.45	0.22	0.00	0.04	0.00	0.10	3
4	0.19	0.22	0.00	0.00	0.55	0.00	0.17	0.00	0.00	0.20	0.40	0.00	4
5	0.15	0.00	0.90	0.32	0.01	0.00	1.50	0.00	0.00	0.30	1.00	0.00	5
6	0.14	0.00	0.41	0.01	0.00	0.00	0.11	0.00	0.00	0.00	0.20	0.00	6
7	0.13	0.00	0.05	0.02	0.00	0.00	0.46	0.25	0.00	0.00	0.03	0.00	7
8	0.19	0.00	0.40	0.09	0.00	0.00	0.58	1.32	0.00	0.00	0.00	0.14	8
9	0.08	0.00	0.05	0.31	0.00	0.42	0.02	0.00	0.00	0.00	0.60	0.00	9
10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.00	10
11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.22	11
12	0.00	0.00	0.00	0.16	0.00	0.45	0.10	0.12	1.05	0.04	0.00	0.20	12
13	0.00	0.00	0.00	0.01	0.00	0.02	0.27	0.00	0.15	0.00	0.00	0.00	13
14	0.13	0.28	0.00	0.61	0.00	0.00	0.13	0.00	0.15	0.00	0.00	1.31	14
15	0.99	0.10	0.00	0.59	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.21	15
16	0.00	0.00	0.00	0.13	0.70	0.00	0.00	1.05	0.07	0.00	0.00	0.13	16
17	0.40	0.25	0.00	0.00	0.05	0.00	0.71	0.00	0.52	0.00	0.00	0.13	17
18	1.01	0.10	0.00	0.00	0.08	0.00	0.00	0.00	0.00	0.00	0.00	0.23	18
19	0.14	0.12	0.07	0.10	0.00	0.00	0.00	0.00	0.32	0.00	0.04	0.60	19
20	0.82	0.65	0.15	0.00	0.02	0.00	0.57	0.00	0.00	0.00	0.00	0.00	20
21	0.05	0.35	0.00	0.03	0.00	0.00	0.11	0.00	0.32	0.00	0.00	1.07	21
22	0.00	0.39	0.00	0.06	0.17	0.23	0.10	0.15	0.00	0.00	0.05	0.78	22
23	0.00	0.22	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00	23
24	0.00	0.03	0.43	0.04	0.00	0.36	0.00	0.24	0.00	0.00	0.03	0.95	24
25	0.02	0.62	0.22	0.30	0.00	0.15	0.00	0.00	0.45	0.00	0.00	0.05	25
26	0.90	0.32	0.15	0.09	0.00	0.00	0.11	0.20	0.43	0.00	0.05	0.19	26
27	0.51	0.82	0.31	0.34	0.00	0.02	0.00	0.11	0.06	0.00	0.04	0.17	27
28	0.47	0.44	0.00	0.03	0.00	0.14	0.00	0.02	0.00	0.00	0.00	0.14	28
29	0.22	0.00	0.05	0.00	0.00	0.00	0.05	0.00	0.04	0.00	0.00	0.47	29
30	0.24	X	0.29	0.22	0.00	0.42	0.00	0.10	0.37	0.00	0.13	0.40	30
31	0.29	X	0.26	X	0.00	X	0.16	X	1.19	X	0.00	0.00	31
Total	7.25	6.00	5.43	4.44	1.72	2.21	6.60	4.05	4.26	1.92	3.59	7.89	55.39
Rain Days	24	19	19	21	8	9	20	13	15	6	13	22	189
	22	18	14	16	4	4	10	12	13	6	11	21	169

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Hypnone
in the County of Pembroke
by Col. Spence-Colby

Lat. 51° 11' Long. 4° 24'
Time of Observation 9 a.m.
Nearest Railway Station Hypnone
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	40	14	39	10	00	00	00	00	54	09	17	56	1
2	25	05	11	00	40	00	08	40	00	29	20	08	2
3	00	00	15	00	00	10	00	00	18	35	00	30	3
4	27	00	09	10	00	00	00	00	04	02	30	63	4
5	75	15	00	09	44	00	00	00	00	06	16	02	5
6	38	15	22	00	00	00	12	04	00	00	11	17	6
7	12	73	04	00	00	00	08	04	07	40	01	73	7
8	26	00	00	00	00	22	00	06	00	44	43	00	8
9	07	45	00	00	06	00	00	12	00	02	14	06	9
10	00	58	00	24	15	00	00	00	00	34	01	06	10
11	15	03	10	40	04	08	00	00	00	16	42	09	11
12	09	25	40	00	09	11	00	00	00	39	00	17	12
13	03	27	00	00	07	00	00	06	49	41	53	00	13
14	00	00	00	40	27	10	00	00	00	04	44	02	14
15	00	22	00	40	21	46	20	00	09	00	27	00	15
16	00	43	00	23	03	00	00	07	07	02	23	04	16
17	05	07	00	00	02	09	00	09	44	08	16	00	17
18	00	17	00	12	00	10	00	00	11	45	05	04	18
19	09	00	00	00	00	00	00	06	16	00	98	26	19
20	00	41	00	00	04	00	00	00	14	49	15	00	20
21	04	00	00	00	00	00	00	57	05	36	05	06	21
22	00	54	00	00	21	00	00	00	09	40	00	05	22
23	05	30	42	00	00	00	37	100	20	36	00	47	23
24	00	08	00	51	05	10	10	00	00	35	00	24	24
25	02	70	00	28	30	30	25	54	00	108	00	43	25
26	00	25	00	00	04	00	00	04	02	77	00	39	26
27	00	06	30	03	07	00	50	00	00	46	00	24	27
28	31	14	16	05	00	00	00	22	00	00	00	00	28
29	29	00	00	15	00	00	10	42	00	80	00	26	29
30	06	X	15	00	21	00	24	00	00	21	21	00	30
31	11	X	04	X	00	X	25	00	X	00	X	02	31
TOTAL	379	1117	257	316	270	146	229	466	461	910	602	439	5622
Days with 01 in. or more	20	22	13	15	18	8	11	13	15	26	20	24	206
Days with 04 in. or more	18	21	13	14	16	8	11	13	14	23	18	21	191

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

Kept at Hynone
 in the County of Pembrokeshire
 by Colonel SPENCE-COLBY

Lat. 52° 1' N Long. 4° 34' W
 Time of Observation 9 A.M.
 Nearest Railway Station BONCATH
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. 0 in.
 " " " " Sea Level 250 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	06	00	09	00	04	50	65	27	00	00	21	28	RWR
2	00	00	34	00	01	00	05	05	00	02	55	38	F/c 2
3	22	00	09	00	00	41	51	17	00	23	04	02	3
4	00	00	01	00	00	77	25	02	00	00	00	06	4
5	00	09	37	00	23	00	85	01	00	00	00	73	5
6	25	00	00	00	45	05	11	10	01	45	00	00	6
7	12	00	00	00	34	32	01	00	76	17	00	00	7
8	03	16	00	01	13	00	02	00	68	31	00	30	8
9	13	10	00	09	48	40	00	00	24	03	00	10	9
10	32	03	00	04	15	55	00	00	06	45	01	00	10
11	139	00	00	48	09	25	00	03	08	142	09	00	11
12	109	00	00	20	73	00	02	09	08	63	05	00	12
13	42	00	00	70	26	00	00	00	29	01	00	00	13
14	05	00	00	14	06	00	00	21	07	00	00	70	14
15	11	16	00	00	00	00	04	54	26	00	00	21	15
16	17	00	00	00	00	00	00	25	44	00	00	50	16
17	12	19	00	00	00	10	45	09	19	03	00	01	17
18	49	00	00	00	06	05	00	05	00	00	00	17	18
19	10	00	00	00	13	00	08	05	40	43	07	28	19
20	21	00	00	00	12	39	164	20	15	05	00	20	20
21	83	00	05	00	57	03	33	18	16	18	03	01	21
22	10	00	75	00	9	00	00	28	73	04	00	00	22
23	30	00	50	06	37	00	09	27	55	00	08	106	23
24	02	07	00	42	24	00	00	03	82	00	05	46	24
25	00	00	00	142	04	00	25	00	17	00	04	35	25
26	10	00	00	22	02	00	01	06	00	06	35	129	26
27	00	00	00	33	00	00	63	06	00	24	30	202	27
28	00	00	00	17	00	03	10	34	00	48	50	32	28
29	05	05	00	27	00	12	00	12	62	03	29	00	29
30	02	X	00	25	14	01	01	16	13	159	25	155	30
31	01	X	00	X	60	X	16	01	X	13	X	42	156 31
TOTAL	6.77	85	2.20	4.80	5.05	3.98	6.26	3.66	6.39	6.38	2.71	11.42	YEAR'S TOTAL
Days with 01 in. or more	25	8	8	15	23	15	21	25	21	21	16	23	228
Days with 04 in. or more	21	7	7	14	20	12	16	20	20	15	13	20	185

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 192

Kept at Ffynone. Gardens
Boncath
in the County of Pembrokeshire
by Col. J. J. C. Cally

Lat. 52° 1' N Long. 4.34 W
Time of Observation 9 AM
Nearest Railway Station Boncath
Diameter of Funnel of Rain Gauge 4 1/2 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 300 ft.

County No. _____
River Dist. _____
Station No. _____

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	48	42	8	00	00	00	00	09	13	00	160	11	1
2	172	00	02	00	02	00	25	01	00	00	32	00	2
3	27	23	00	09	23	00	00	02	00	00	31	00	3
4	37	09	00	00	16	00	00	25	00	00	10	00	4
5	19	03	05	63	15	00	00	46	15	00	01	00	5
6	03	34	00	58	43	00	51	04	03	00	86	00	6
7	00	02	00	07	04	00	00	54	00	00	12	58	7
8	00	60	18	00	00	00	00	102	07	00	28	30	8
9	28	12	03	33	05	00	16	25	20	00	20	00	9
10	00	24	05	00	02	00	01	153	14	00	00	04	10
11	00	110	03	00	22	00	00	22	16	00	00	08	11
12	00	76	00	01	05	00	00	39	00	00	00	03	12
13	00	45	00	00	00	00	00	01	00	21	00	00	13
14	59	30	18	37	00	00	00	00	00	00	00	00	14
15	28	41	00	08	01	00	00	00	45	98	00	53	15
16	00	04	00	00	12	00	07	00	02	02	00	00	16
17	13	10	01	00	62	00	18	00	06	18	00	00	17
18	00	08	00	18	73	00	58	00	00	00	00	00	18
19	00	42	00	00	01	00	24	00	67	64	00	27	19
20	00	00	05	00	00	00	10	20	30	64	00	05	20
21	00	07	41	00	10	00	10	32	58	74	00	04	21
22	00	45	14	36	16	00	00	00	59	100	00	30	22
23	10	85	00	14	10	00	00	00	11	38	00	14	23
24	13	23	03	03	00	00	00	05	00	15	18	00	24
25	43	90	38	00	00	00	21	01	40	45	00	08	25
26	02	89	08	00	100	00	101	07	00	78	12	23	26
27	00	53	00	03	35	00	42	01	00	00	54	42	27
28	00	48	00	02	09	00	00	00	00	134	09	62	28
29	34	X	04	00	49	00	11	00	00	77	19	62	29
30	04	X	05	29	03	02	04	00	00	44	39	10	30 1460
31	12	X	13	X	019	X	00	243	X	00	X	02	31 5749
TOTAL	546	1015	214	316	424	02	399	553	406	792	531	456	YEAR'S TOTAL 5749
Days with 01 in. or more.	17	26	18	15	24	1	15	20	16	15	15	19	201
Days with 04 in. or more.	15	24	13	11	18	0	14	15	14	14	14	17	169

The daily amounts appear to be entered irregularly but monthly totals are reasonable

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3548

Register of Rainfall in 1926.

Kept at *Agynone Sands Boncath*
in the County of *Pembrokeshire*

Diameter of Funnel of Gauge *4 1/2* in.
Height of top of Gauge above Ground *1* ft. in.
" Ground " Sea Level *300* ft.

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	68	10	—	—	2	3	—	—	24	—	160	15	1
2	47	8	5	2	—	—	—	—	5	—	—	—	2
3	7	—	27	14	—	—	7	—	—	—	—	5	3
4	10	15	6	—	—	—	—	—	33	—	227	10	4
5	27	95	5	—	11	—	42	24	3	—	44	18	5
6	43	12	—	1	10	—	10	3	6	16	37	—	6
7	9	3	—	10	16	14	—	—	9	65	37	7	7
8	20	—	14	24	5	—	3	5	1	55	2	—	8
9	18	—	4	—	8	55	6	130	—	10	38	—	9
10	16	—	—	—	17	26	1	43	—	5	74	—	10
11	—	—	—	—	6	31	—	5	—	3	5	—	11
12	—	—	—	—	15	21	—	32	—	40	90	5	12
13	—	6	—	—	4	1	—	5	4	14	59	13	13
14	25	108	—	161	—	5	—	21	—	—	10	2	14
15	66	6	—	23	—	1	—	10	1	88	64	—	15
16	50	16	—	5	—	—	—	31	3	—	105	—	16
17	4	26	—	—	—	59	—	44	—	—	32	12	17
18	24	11	—	7	—	—	98	6	—	—	48	10	18
19	—	2	—	—	—	—	64	22	15	—	35	—	19
20	25	22	—	20	—	—	—	48	—	—	15	—	20
21	53	15	—	4	—	—	20	—	—	—	46	6	21
22	51	44	—	—	—	—	1	—	—	—	88	—	22
23	57	6	—	—	—	6	—	4	5	—	—	—	23
24	47	5	11	—	—	—	67	6	13	85	—	—	24
25	6	—	2	—	—	—	22	—	5	55	13	—	25
26	41	10	—	—	36	—	—	—	19	—	20	—	26
27	23	2	—	2	27	—	2	—	3	9	5	2	27
28	23	—	—	—	2	—	23	—	—	11	42	10	28
29	2	X	—	—	27	—	—	—	—	—	—	—	29
30	13	X	—	14	—	—	—	39	—	—	—	—	30
31	67	X	9	X	8	X	—	6	X	—	X	—	31
TOTAL	8.42	4.17	.83	2.87	1.94	2.22	3.66	4.84	1.49	3.76	12.96	1.15	YEARS TOTAL
Days with 0.1 in. or more.	27	20	9	13	15	11	14	19	16	13	24	13	4831
Days with 0.4 in. or more.	26	17	8	10	13	8	10	18	11	12	23	11	194
													167

(Cair. Spencer) (Signed) Col. Spencer Collyer to 2nd 200.

REG:

CRUNWÈRE

SCHOOL

PEMBROKESHIRE

Kept at... Crunwre... Sd

in the County of.....Pembr.

by School Pupils.

IMPORTANT NOTE.—R

If an Observer prefers not to attend the reading at 9 a.m. on 1st Jan, please send this paragraph. Full instructions and particulars as to the British Association will be sent post-free on application to the General Secretary, 1, Bedford Square, London, N.W. 1.

Reco:

w

ett-4

1ge. 6 in.

ound.....ft.....in.

a Level 410 ft

l to the previous day.

to add
end of
gauges,
servers,"
Camden

Jan. 1, following.

• 04

1922-24

Date	Jan.	Feb.	March	1922-24								Nov.	Dec.	Date
	in.	in.	in.									in.	in.	
1	(.04)	.06	.72									.35	.19	1
2		.81	.2									.01	.01	2
3		.45	.16	.42	.26	-	.29	.07	-	-	.15	-	-	3
4		.24	.3	-	.18	-	.30	.39	.2	.18	.15	-	-	4
5		.02	.4	-	.33	-	.04	-	-	.3	.7	.01	-	5
6		-	-	.12	-	-	.03	-	-	.09	.51	.01	-	6
7		-	.28	.01	-	-	.29	-	-	-	.47	-	-	7
8		-	.14	.07	-	.01	.38	.31	-	-	.16	-	-	8
9		-	.22	-	-	-	.65	.36	-	-	-	.47	-	9
10		-	.06	-	-	.16	-	-	-	-	.65	-	-	10
11		-	.01	-	-	-	.06	.16	-	-	.08	-	-	11
12		-	-	.02	-	-	-	.05	.12	-	-	.28	-	12
13		.04	-	.4	-	.3	.14	.73	.81	-	-	.15	-	13
14		.04	-	.71	-	.02	.41	-	.18	-	-	.05	-	14
15		.31	-	.32	-	.07	-	-	.02	-	-	.87	-	15
16		.26	-	.05	-	-	-	.11	-	-	-	.52	-	16
17		.2	-	.17	.06	-	-	.06	.01	-	-	.24	-	17
18		.4	-	-	.24	-	.24	-	.2	-	-	.41	-	18
19		.24	-	-	.24	-	.31	-	.98	-	.01	.13	-	19
20		.65	.1	-	.11	.08	.15	.01	.28	-	-	.62	-	20
21		.72	.02	-	.31	.06	.83	-	-	-	-	.08	-	21
22		.72	-	-	.04	-	.01	.01	-	-	-	.87	-	22
23		.61	-	-	.28	.21	-	.23	-	-	-	.46	-	23
24		.13	-	.01	-	.13	.01	-	.05	-	.07	.19	-	24
25		.02	.63	.04	-	.25	-	.29	-	-	.01	.51	-	25
26		.24	.65	.66	-	.36	-	-	.81	-	-	.03	-	26
27		.18	-	.15	-	-	.4	.23	.52	-	-	.18	-	27
28		.38	.33	-	-	.1	-	.05	.06	-	.04	.25	-	28
29		-	-	-	-	.04	-	-	-	-	-	.58	-	29
30		~~X~~	-	-	-	.02	.07	.25	.21	-	-	.39	-	30
31	.06	~~X~~	-	~~X~~	-	~~X~~	.01	.3	~~X~~	-	~~X~~	.01	-	31
TOTAL	5.16	6.72	4.22	4.57	3.07	1.81	7.61	5.73	6.19	1.60	4.36	7.51	58.55	✓
Days with .01 in. or more	5.18	7.38	3.92	4.17	3.05	2.29	7.13	5.98	6.97	1.92	3.20	7.36		
Days with .04 in. or more		21	15	15	11	15	21	19	16	4	14	25		
		19	13	12	10	12	17	16	14	4	11	20		

Kept at Crunwene School
in the County of Pembrokeshire
by School Pupils

Lat. 51° 46' 30" Long. 4° 38' W
Time of Observation 10 a.m.
Nearest Railway Station Kilgetty
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 410 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W.1.

Jan. 1, following.
04.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	(.04)	.06	.72	.42	.02	—	.48	—	.25	1.03	1.35	.19	1
2		.81	.2	—	—	—	.51	.12	.49	—	.01	.01	2
3		.45	.16	.42	.26	—	.29	.07	—	—	.15	—	3
4		.24	.3	—	.18	—	.30	.39	.2	.18	.15	—	4
5		.02	.4	—	.33	—	.04	—	—	.3	.7	.01	5
6		—	—	.12	—	—	.03	—	—	.09	.51	.01	6
7		—	.28	.01	—	—	.29	—	—	—	.47	—	7
8		—	.14	.07	—	.01	.38	.31	—	—	.16	—	8
9		—	.22	—	—	—	.65	1.36	—	—	—	.47	9
10		—	.06	—	—	.16	—	—	—	—	.65	—	10
11		—	.01	—	—	—	.06	.16	—	—	.08	—	11
12		—	—	.02	—	—	—	.05	.12	—	—	.28	12
13		.04	—	.4	—	.3	.14	.73	1.81	—	—	.15	13
14		.04	—	.71	—	.02	.41	—	.18	—	—	.05	14
15		.31	—	.32	—	.07	—	—	.02	—	—	.87	15
16		.26	—	1.05	—	—	—	.11	—	—	—	.52	16
17		.2	—	.17	1.06	—	—	1.06	.01	—	—	.24	17
18		.4	—	—	.24	—	1.24	—	.2	—	—	.41	18
19		.24	—	—	.24	—	.31	—	.98	—	.01	.13	19
20		.65	.1	—	.11	.08	.15	.01	.28	—	—	.62	20
21		.72	.02	—	.31	.06	.83	—	—	—	—	.08	21
22		.72	—	—	.04	—	.01	.01	—	—	—	.87	22
23		.61	—	—	.28	.21	—	.23	—	—	—	.46	23
24		.13	—	.01	—	.13	.01	—	.05	—	.07	.19	24
25		.02	.63	.04	—	.25	—	.29	—	—	.01	.51	25
26		.24	.65	.66	—	.36	—	—	.81	—	—	.03	26
27		.18	—	.15	—	—	.4	.23	.52	—	—	.18	27
28		.38	.33	—	—	.1	—	.05	.06	—	.04	.25	28
29		—	—	—	—	.04	—	—	—	—	—	.58	29
30		~~X~~	—	—	—	.02	.07	.25	.21	—	—	.39	30
31	.06	.72	—	~~X~~	—	~~X~~	.01	.3	~~X~~	—	~~X~~	.01	31
TOTAL	5.16	6.72	4.22	4.57	3.07	1.81	7.61	5.73	6.10	1.60	4.36	7.51	58.55 ✓
Days with ".01 in. or more	5.18	7.38	3.92	4.17	3.05	2.29	7.13	5.98	6.97	1.92	3.20	7.36	
Days with ".04 in. or more		21	15	15	11	14	21	19	16	4	14	25	
		19	13	12	10	12	17	16	14	4	11	20	

REGISTER OF RAINFALL IN 1923

Kept at Crunwre School
in the County of Pembrokeshire
By Scholar 9 11/11/23
Head Teacher

Lat. 51° 46' 30" Long. 5° 38'
Time of Observation 9 a.m.
Nearest Railway Station Wigglitz G.B.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 410 ft.

3726
JAN 1924

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.
(—)

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.38	.1	.06	.10	—	—	.23	.01	.01	—	.21	1
2	~~1.34~~	.39	.56	.01	.02	—	—	.15	.06	.08	.19	.44	2
3	.86	.28	.02	.01	.21	—	.14	.20	.30	.36	.24	.07	3
4	.01	.0	.01	.07	.01	.04	.60	—	.61	.14	.07	.43	4
5	.3	.02	.14	.19	—	—	.17	—	—	.03	.35	.5	5
6	.55	.39	.05	.03	.83	—	.01	.07	—	.19	.05	—	6
7	.7	1.21	.23	.14	—	—	.14	—	.07	.05	.21	.43	7
8	.28	.44	.05	—	—	.03	.05	.02	—	.46	—	.32	8
9	.28	.13	—	—	—	.38	—	.09	.01	.44	.34	.04	9
10	—	1.09	—	.01	.16	.11	.08	.2	.01	.06	.08	.04	10
11	—	.63	—	.35	.14	—	—	—	—	.31	—	.1	11
12	.05	.15	.13	.74	.15	—	—	—	—	.36	—	.12	12
13	.01	.45	.33	.03	.22	.11	—	.09	.37	.15	.64	.14	13
14	.07	.36	—	.28	.05	—	1.74	.01	.20	.09	1.16	—	14
15	—	—	—	.32	.15	.13	.01	.06	.12	—	.36	.06	15
16	—	.37	—	.26	.03	.36	.23	—	.06	.05	.93	—	16
17	—	.31	—	.06	.40	—	—	.25	.01	—	.16	.01	17
18	.03	1.32	—	—	—	.14	.02	.2	1.03	.36	.06	.01	18
19	—	.13	—	.50	—	.01	.03	—	.05	.43	.14	.01	19
20	.11	.03	—	—	.01	—	.05	.09	.18	—	.78	.19	20
21	.01	.33	—	—	.14	—	.03	.19	.17	.15	.21	.04	21
22	.01	.07	—	—	.05	—	—	.2	.08	.38	—	.02	22
23	—	.64	—	—	.04	—	.43	.01	.32	.57	—	.13	23
24	—	.36	—	—	.01	—	.29	.77	.21	.32	—	.22	24
25	—	.07	—	.50	—	—	.14	—	.66	.33	—	.21	25
26	.01	.93	—	.07	.02	—	.15	.73	.01	.30	.05	.69	26
27	.01	.36	.03	—	.11	—	—	.06	—	.38	—	.57	27
28	—	.05	.21	—	.12	—	.53	.07	.08	.07	—	.31	28
29	.22	—	1.10	.19	.02	—	—	.61	.05	.62	—	~~.04~~	29
30	.15	X	—	.13	—	—	.11	.91	.01	.62	—	.43	30
31	.07	X	.19	X	—	X	.16	.4	X	.10	X	—	31
TOTAL	5.14	10.79	3.15	3.95	2.99	1.31	5.14	5.61	4.88	6.79	5.12	5.77	YEAR'S TOTAL
Days with "01 in. or more	21	26	14	29	22	9	21	23	24	22	18	22	60.60
Days with "04 in. or more	14	24	11	15	15	7	16	22	18	25	17	22	251.250

2045
203

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

AIR MINISTRY.

FOR OFFICIAL USE.

3525

County No.

River Dist.

Station No.

Kept at Crunwre School

in the County of Pembroke

by Mr H. J. Parr

Lat. Long.

Time of Observation 10 o'clock

Nearest Railway Station Kilgetty

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

Sea Level 410 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	—	.04	—	.14	.19	.91	.07	—	.07	.65	.27	WRW
2	.02	—	.19	—	.14	.02	.2	.02	—	.75	.03	.08	WRW
3	.28	—	.04	—	.01	.44	.77	.49	—	.01	—	.34	3
4	.03	—	.15	—	.05	.46	.04	.07	—	.02	—	1.18	4
5	.01	—	.19	—	.04	—	.54	.02	—	.47	.04	—	5
6	.17	—	—	—	.35	.22	.11	.14	.07	.09	—	.01	6
7	.15	—	—	—	.08	.81	.01	—	1.01	.59	—	.15	7
8	.12	.28	.15	.08	.01	.01	.01	—	.55	.02	—	.2	8
9	.31	.06	.15	.28	.31	.46	.01	—	.12	.91	.04	.1	9
10	.46	.06	—	.02	.04	.46	.01	—	.24	.42	.11	—	10
11	.48	—	—	.8	.16	.09	—	.04	.12	.03	.04	.01	11
12	.64	—	—	.05	.78	.01	—	.08	.14	.01	—	—	12
13	.45	—	—	.8	.5	—	—	—	.06	.01	—	.54	13
14	—	—	—	.04	.03	.01	—	.41	.01	.01	—	.63	14
15	.20	.12	—	—	—	—	.21	.79	.35	—	.02	.38	15
16	.39	—	—	—	—	—	.04	.69	.58	.01	—	—	16
17	.27	.12	—	—	—	.17	.48	.08	.14	—	.01	.33	17
18	.17	—	—	—	.06	.01	—	.05	.01	.46	.01	.35	18
19	.09	—	—	—	.28	—	.41	.03	.4	.99	—	.12	19
20	1.01	—	.02	—	.1	.08	1.54	.1	.38	.11	.01	—	20
21	1.31	.01	.21	—	.64	—	.29	.47	.21	—	.01	—	21
22	.06	—	1.24	—	.15	—	—	.08	.28	—	.14	.49	22
23	.36	—	.45	.04	.56	.04	.01	.18	.19	—	.15	.35	23
24	.01	.09	.02	.22	.36	.01	—	.02	.67	.20	.05	.37	24
25	.01	—	—	.71	.02	.04	.18	.05	.10	.15	.49	.78	25
26	.04	—	—	.21	.01	.03	.01	.11	.02	.45	.36	1.12	26
27	—	.05	—	.31	—	—	1.37	.06	.02	.15	.16	.22	27
28	—	—	—	.04	—	.01	.03	.58	—	.54	.42	.04	28
29	—	.02	—	.41	.25	.05	—	.16	.37	.34	.16	1.16	29
30	.03	X	—	.1	.14	—	—	.84	.03	.23	.05	.32	30
31	.05	X	—	X	.19	X	.12	—	X	—	X	.17	31
TOTAL	4.34	0.81	2.55	3.61	5.37	3.62	7.30	5.13	6.07	8.04	2.95	9.71	62.50
Days with 01 in. or more.	27	9	10	15	26	21	22	26	24	25	20	25	249
Days with 04 in. or more.	20	7	8	14	21	13	14	21	19	17	14	21	188

193

Kept at *Lishquana*
in the County of *Le*
by *E. L. Gibson*

GOODWICK
STATION

PEMBROKE SHIRE

1921, 23

IMPORTANT NOTE

If an Observer prefers
the reading at 9 a.m. or
this paragraph. Full ins
and particulars as to t
sent post-free on appli
Square, London, N.W. 1

ANIZATION

in Gauge _____ in.
above Ground _____ ft.
Sea Level _____ ft.
entered to the previous day.

requested to add
at the end of
of rain gauges,
fall Observers,"
n, 62, Camden

Jan. 1, following.

Date	Jan.	Feb.											Oct.	Nov.	Dec.	Date
	in.	in.											in.	in.	in.	
1	.06	.02														1
2	1.00															2
3	.17		.25		.02											3
4	.39		.02		.03											4
5	.04		.05		.28											5
6	.22		.10		.25											6
7	.20	.02	.19		.05											7
8	.18	.09	.05		.10											8
9	.04		.02	.03												9
10	.25		.30		.03											10
11	.80		.13		.10											11
12	.23	.06	.70	.22												12
13	.02		.58	.04												13
14	.13		.15	.03												14
15	.13		1.10	.04	.10											15
16	.14		.12	.20	.15											16
17	.08		.24	.19												17
18	.04		.03	.06												18
19	.01		.20	.06	.03	.05										19
20	.02		.10	.01												20
21	.06		.10													21
22	.02		.05													22
23	.08															23
24	.05	.24														24
25	.28															25
26	.24		.28		.05											26
27	.08		.22													27
28	.12		.56													28
29	.10		.06		.50											29
30	.21				.10											30
31	.06		.02													31
TOTAL	5.45	.43	5.81	.90	1.83	.05										YEAR'S TOTAL
Days with ".01 in. or more	31	5	26	11	15	1										
Days with ".04 in. or more	27	3	22	7	11	1										

ANIZATION
3584
COPY TO B.R.O.

Kept at Fishguard, Llandudoch Station
in the County of Pembrokeshire
by L. L. Gibson

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following:

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06	.02	.19	.02									1
2	1.00				.04								2
3	.17		.25		.02								3
4	.39		.02		.03								4
5	.04		.05		.28								5
6	.22		.10		.25								6
7	.20	.02	.19		.05								7
8	.18	.09	.05		.10								8
9	.04		.02	.03									9
10	.25		.30		.03								10
11	.80		.13		.10								11
12	.23	.06	.70	.22									12
13	.02		.58	.04									13
14	.13		.15	.03									14
15	.13		1.10	.04	.10								15
16	.14		.12	.20	.15								16
17	.08		.24	.19									17
18	.04		.03	.06									18
19	.01		.20	.06	.03	.05							19
20	.02		.10	.01									20
21	.06		.10										21
22	.02		.05										22
23	.08												23
24	.05	.24											24
25	.28												25
26	.24		.28		.05								26
27	.08		.22										27
28	.12		.56										28
29	.10		.06		.50								29
30	.21	~~X~~			.10								30
31	.06	~~X~~	.02	~~X~~		~~X~~			~~X~~		~~X~~		31
TOTAL	5.45	.43	5.81	.90	1.83	.05							YEAR'S TOTAL
Days with .01 in. or more	31	5	26	11	15	1							
Days with .04 in. or more	27	3	22	7	11	1							

AIR MINISTRY.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Fishguard R.C. School
in the County of Pembrokeshire
by Elizabeth Boulger

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									.18		-		1
2									.18		.25		2
3									.44		.24		3
4									-		.05		4
5									-		.15		5
6									.04		.58		6
7									-	.19	.10		7
8									-	.41	-		8
9									.02	.37	.45		9
10									-	.02	-		10
11									.01	.34	.11		11
12									-	.05	.02		12
13									.01	-	.45		13
14									.28	-	.95		14
15									.15	-	.22		15
16									-	-	.14		16
17									-	.13	.10		17
18									.95	.01	.05		18
19									.09	.01	.04		19
20									.05	-	.37		20
21									.45	-			21
22									.05	.47			22
23									.04	.25			23
24									-	.45			24
25									.02	.50			25
26									.01	.81			26
27									-	-			27
28									-	1.02			28
29									.02	-			29
30		X							.02	.65			30
31		X		X		X			X	.13	X		31
TOTAL									3.01	5.81			YEAR'S TOTAL
Days with 01 in. or more									19	17			
Days with 04 in. or more									12	14			

REGISTER OF RAINFALL IN 1923

Kept at AC Lichfield
in the County of Hampshire
by Elizabeth Boulger

Lat. 52 Long. 5 W
Time of Observation 9.15
Nearest Railway Station Goodrich
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

Jan. 1, following.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									10.8		0		1
2									10.8		20.5		2
3									40.4		20.4		3
4									0		.5		4
5									0		10.5		5
6									.4		50.8		6
7									0	10.9	10		7
8									0	40.1	0		8
9									.2	30.7	40.5		9
10									0	.2	0		10
11									.1	30.4	10.1		11
12									0	.5	.2		12
13									.1		40.5		13
14									20.8		90.5		14
15									10.5		20.2		15
16											10.4		16
17										10.3	10		17
18									full & over 40.5	.1	.5		18
19									.9	.1	.4		19
20									.5		30.7		20
21									40.5				21
22									.5	40.7			22
23									.4	20.5			23
24									0	40.5			24
25									.2	full = 60			25
26									.1	80.1			26
27									0				27
28									0	100.2			28
29									.2	0			29
30									.2	60.5			30
31										10.3			31
TOTAL													YEAR'S TOTAL
Days with .01 in. or more													
Days with .01 in. or more													

Kept at Langton, E
in the County of Pemb
by J.C. Yorke, Esq

FISHGUARD
LANGTON. DURBACH
PEMBROKE.

IMPORTANT NOTE.—R
If an Observer prefers not to c
the reading at 9 a.m. on 1st Ja
this paragraph. Full instruction
and particulars as to the Britis
sent post-free on application t
Square, London, N.W. 1, or to Th

1921

1930

ALL ORGANIZATION.

1921.....
N Long 4° 54' W.
vation 9 a.m.
ay Station Godwick, C.W.R.
unnel of Rain Gauge 5 in.
of Gauge above Ground 1 ft. - in.
,, ,, Sea Level 320 ft.
the result entered to the previous day.

earnestly requested to add
vided for it at the end of
nd placing of rain gauges,
s for Rainfall Observers,"
Organization, 62, Camden
Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.01	.15	.	.	.	.	1.33	.01	.	.18	.08	1
2	.51	.01	.01	.	.	.	.	.25	.	.35	.10	.06	2
3	.19	.	.	.	.	.	.	.04	.	.48	.	.	3
4	.47	.	.03	.	.03	.	.	.95	.	.	.63	.05	4
5	.07	.	.20	.	.42	.	.	1.76	.	.	.43	.27	5
6	.21	.	.01	.	.26	.	.	.	.	.	.02	.11	6
7	.20	.	.25	.	.15	.	.	.40	.	.	.10	.	7
8	.42	.07	.02	.	.02	.	.	.	.	.	.01	.	8
9	.09	.	.03	.04	.02	.	.	.42	.20	.	.	.	9
10	.27	.	.41	.	.01	.	.	.	.13	.01	.	.25	10
11	.09	.	.02	.	.17	.	.	.36	.26	.04	.	.	11
12	.14	.05	.98	.	.02	.	.	.20	.77	.	1.32	.22	12
13	.01	.	.56	.20	.01	.01	.	.08	.13	.12	.65	.	13
14	.	.	.20	.02	.30	.	.	.	.15	.	.	.25	14
15	.45	.	1.22	.02	.	.	.15	.01	.	.	.30	.03	15
16	.38	.	.12	.53	.03	.	.22	.52	.	.	.01	.02	16
17	.05	.	.23	.06	.	.	.	.02	.	.	.	.	17
18	.04	.	.03	.	.	.	.	.01	.	.04	.	.12	18
19	.	.	.40	.	.05	.02	.	.01	.	.31	.	.10	19
20	.02	.	.03	.02	.	.	.	.	.	.	.05	.03	20
21	.17	.	.06	.03	.	.	.	.	.01	.08	.09	.19	21
22	.	.	.18	.31	.	.	.04	.	.01	.53	.08	.04	22
23	.04	.	.	.03	.	.	.03	.	.05	.48	.	.14	23
24	.01	.31	.	.	.	.	.21	.08	.	.	.	.32	24
25	.35	.	.09	.	.05	.	.75	.	.	.	.	.10	25
26	.39	.01	.	.	.02	.	.05	.09	.	.	.24	.60	26
27	.11	.	.17	.	.	.	1.40	.	.	.	.09	.38	27
28	.29	.	.37	.	.02	.	.	.67	.	.	.01	.	28
29	.17	~~X~~	.09	.	.61	.	.02	.05	.	.	.	.18	29
30	.19	~~X~~	.	.	.26	.	.18	.03	.	.	.02	.03	30
31	.05	~~X~~	.	~~X~~	.09	~~X~~	.06	.30	~~X~~	.01	~~X~~	.	31
TOTAL	7.01	0.46	5.86	1.26	2.54	0.03	3.11	7.58	1.72	2.45	4.33	3.57	YEAR'S TOTAL
Days with 0.1 in. or more	28.	6.	25.	10.	19.	2.	11.	21.	10.	11.	18.	22.	183
Days with 0.1 in. or more	25.	3.	17.	5.	10.	0.	9.	16.	7.	9.	13.	18.	132

FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921.

Lat. 52° N Long. 4° 54' W.

Time of Observation 9 a.m.

Nearest Railway Station Goodwick. C.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 320 ft.

Kept at Langton, Durbach,
in the County of Pembroke
by J.C. Yorke, Esq.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.63	.01	.15	.	.	.	.	1.33	.01	.	.18	.08	1
2	.51	.01	.01	.	.	.	.	.25	.	.35	.10	.06	2
3	.19	.	.	.	.	.	.	.04	.	.48	.	.	3
4	.47	.	.03	.	.03	.	.	.95	.	.	.63	.05	4
5	.07	.	.20	.	.42	.	.	1.76	.	.	.43	.27	5
6	.21	.	.01	.	.26	.	.	.	.	.	.02	.11	6
7	.20	.	.25	.	.15	.	.	.40	.	.	.10	.	7
8	.42	.07	.02	.	.02	.	.	.	.	.	.01	.	8
9	.09	.	.03	.04	.02	.	.	.42	.20	.	.	.	9
10	.27	.	.41	.	.01	.	.	.	.13	.01	.	.25	10
11	.09	.	.02	.	.17	.	.	.36	.26	.04	.	.	11
12	.14	.05	.98	.	.02	.	.	.20	.77	.	1.32	.22	12
13	.01	.	.56	.20	.01	.01	.	.08	.13	.12	.65	.	13
14	.	.	.20	.02	.30	.	.	.	.15	.	.	.25	14
15	.45	.	1.22	.02	.	.	.15	.01	.	.	.30	.03	15
16	.38	.	.12	.53	.03	.	.22	.52	.	.	.01	.02	16
17	.05	.	.23	.06	.	.	.	.02	.	.	.	.	17
18	.04	.	.03	.	.	.	.	.01	.	.04	.	.12	18
19	.	.	.40	.	.05	.02	.	.01	.	.31	.	.10	19
20	.02	.	.03	.02	.	.	.	.	.	.	.05	.03	20
21	.17	.	.06	.03	.	.	.	.	.01	.08	.09	.19	21
22	.	.	.18	.31	.	.	.04	.	.01	.53	.08	.04	22
23	.04	.	.	.03	.	.	.03	.	.05	.48	.	.14	23
24	.01	.31	.	.	.	.	.21	.08	.	.	.	.32	24
25	.35	.	.09	.	.05	.	.75	.	.	.	.	.10	25
26	.39	.01	.	.	.02	.	.05	.09	.	.	.24	.60	26
27	.11	.	.17	.	.	.	1.40	.	.	.	.09	.38	27
28	.29	.	.37	.	.02	.	.	.67	.	.	.01	.	28
29	.17	~~X~~	.09	.	.61	.	.02	.05	.	.	.	.18	29
30	.19	~~X~~	.	.	.26	.	.18	.03	.	.	.02	.03	30
31	.05	~~X~~	.	~~X~~	.09	~~X~~	.06	.30	~~X~~	.01	~~X~~	.	31
TOTAL	7.01	0.46	5.86	1.26	2.54	0.03	3.11	7.58	1.72	2.45	4.33	3.57	YEAR'S TOTAL
Days with .01 in. or more	28.	6.	25.	10.	19.	2.	11.	21.	10.	11.	18.	22.	183
Days with .01 in. or more	25.	3.	17.	5.	10.	0.	9.	16.	7.	9.	13.	18.	132

FISH GUARD

Kept at Lang

in the County of

by J. C.

IMPORTANT 1
previous day. If an O
to add the reading at 9
this paragraph. Full in
particulars as to the Bri
on application to THE
Kingsway, London, W.C.

DWR BACH
LAUGHTON ~~DURBACH~~

PEMBROKESHIRE

1922

ORGANIZATION.

2

ig. 9 a m
Fishguard

Rain Gauge 5 in.

Above Ground 1 ft. - in.

Sea Level 320 ft.

(me) and the result entered to the
earnestly requested
for it at the end of
of rain gauges, and
vers." sent post-free
Office, Air Ministry,
y Place, Edinburgh.
091.

Jan. 1, following.

Date	Jan.	Feb.											Oct.	Nov.	Dec.	Date
	in.	in.											in.	in.	in.	
1	1	54												9		1
2	5	44													1	2
3	12	19	22	30	10		33	33	27	9	22	1				3
4	12	3	51		56					30	1					4
5	14		50	15			91			2	112					5
6	11		73				13				18					6
7	12		47			3	36	37			5	4				7
8	18		11	5			65	120			2	10				8
9	10		11	2		33	1				47	1				9
10			2								4					10
11				9				7	8	10		18				11
12		1		20		38	10	53	109			11				12
13	55	35		56			30		31		1	17				13
14	27		1	43					1		1	107				14
15	44	25		58				12	9			34				15
16		20		19	114			102	24			23				16
17	78	37		2	7		86					10				17
18	40	13			8				96		2	32				18
19	20	10	9		3	3	15		24		2	36				19
20	63	35		1	1		35					8				20
21	12	30			21		10	1				83				21
22	1	60		4	14	23	15	15			9	45				22
23		20	3	1		5			8			15				23
24		1	40	4		31	20	22			2	73				24
25	2	45	10	40		18			75			6				25
26	2	11	2	25		1	35	47	20		15	25				26
27	68	90	10	10		3		3	1		1	18				27
28	20	22				2		8				23				28
29	11			8		42	7	10	10			40				29
30	21	X	25	10			8	15	42	1	12					30
31	4	X	41	X	31	X		25	X	133	X					31
TOTAL	596															
Days with 01 in. or more	25	20	19	21	10	12	19	14	16	6	18	24				51.84
Days with 4 in. or more	21	17	15	17	9	7	18	14	14	4	10	21				207

Kept at Langdon Down
 in the County of Pembrokeshire
 by J. C. Yorke Esq.

Time of Observation 9 a.m.
 Nearest Railway Station Felhampton
 Diameter of Funnel of Rain Gauge 5 in.
 Height of top of Gauge above Ground 1 ft. - in.
 " " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1	54	19	.	.	.	43	.	14	.	9	.	1
2	5	47	15	12	15	.	12	2	.	.	.	1	2
3	1.2	19	22	30	10	.	33	33	27	9	22	1	3
4	1.2	3	51	.	56	.	.	.	.	30	1	.	4
5	1.4	.	50	15	.	.	91	.	.	2	112	.	5
6	11	.	73	.	.	.	13	.	.	.	18	.	6
7	12	.	47	.	.	3	36	37	.	.	5	4	7
8	18	.	11	5	.	.	65	120	.	.	2	10	8
9	10	.	11	2	.	33	1	.	.	.	47	1	9
10	.	.	2	.	.	.	.	.	.	.	4	.	10
11	.	.	.	9	.	.	.	7	8	10	.	18	11
12	.	1	.	20	.	38	10	53	109	.	.	11	12
13	55	35	.	56	.	.	30	.	31	.	1	19	13
14	27	.	1	43	.	.	.	.	1	.	1	107	14
15	74	25	.	58	.	.	.	12	9	.	.	34	15
16	.	20	.	19	114	.	.	102	24	.	.	23	16
17	78	37	.	2	7	.	86	.	.	.	.	10	17
18	40	13	.	.	8	.	.	.	96	.	2	32	18
19	20	10	9	.	3	3	15	.	24	.	2	36	19
20	63	35	.	1	1	.	35	.	.	.	.	8	20
21	12	30	.	.	21	.	10	1	.	.	.	83	21
22	1	60	.	4	14	23	15	15	.	.	9	45	22
23	.	20	3	1	.	5	.	.	8	.	.	15	23
24	.	1	40	4	.	31	20	22	.	.	2	73	24
25	2	45	10	40	.	18	.	.	75	.	.	6	25
26	2	11	2	25	.	1	35	47	20	.	15	25	26
27	68	90	10	10	.	3	.	3	1	.	1	18	27
28	20	22	.	.	.	2	.	8	.	.	.	23	28
29	11	.	.	8	.	42	7	10	10	.	.	40	29
30	21	X	25	10	.	.	8	15	42	1	12	.	30
31	4	X	41	X	31	X	.	25	X	133	X	.	31
TOTAL	596	578	442	374	249	252	565	511	479	185	265	641	5188
Days with 0.1 in. or more	25	20	19	21	12	12	19	14	16	6	18	24	207
Days with 0.1 in. or more	21	17	15	17	9	7	13	14	14	4	10	21	167

REGISTER OF RAINFALL IN 1923.

Kept at Langton Durbach
in the County of Pembroke
by J C Yorke

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station Goodwick GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
" " " " Sea Level 32.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	.14	.31	-	.05	-	-	.27	-	.12	.25	.58	1
2	.12	.04	.02	-	.40	-	.06	.03	-	.22	.26	.05	2
3	-	-	-	.09	-	.04	.11	-	.62	.05	.03	.33	3
4	.40	.01	.18	.35	-	-	.04	.03	-	.02	.23	.51	4
5	.35	.36	.03	.04	.08	-	-	.01	-	.16	.34	.01	5
6	.30	.98	.51	.04	-	-	.35	-	.02	-	.18	.29	6
7	.33	.89	.04	-	-	.03	.06	.03	-	.38	-	.50	7
8	.21	.08	-	-	-	.21	.06	.10	-	.31	.33	.01	8
9	.04	.01	-	-	.18	-	.05	.11	.04	.33	.02	.08	9
10	-	.95	-	.22	.15	-	-	-	-	.33	-	.04	10
11	-	.03	.16	.40	.12	-	-	-	-	.26	-	.05	11
12	.06	.34	.36	.25	.02	.30	-	.13	.04	.10	.56	.23	12
13	-	.18	-	.28	.03	-	2.04	-	.30	.02	1.36	-	13
14	-	.02	-	.34	.26	.10	-	.04	-	.03	.56	-	14
15	-	.23	-	.11	.04	.38	.14	-	.08	.03	.04	-	15
16	-	.10	-	.35	.04	-	-	.28	.08	-	.06	.02	16
17	-	1.24	-	-	-	.15	-	.02	.84	.06	.06	.01	17
18	-	.13	-	.10	-	.02	.03	-	.03	.38	.02	.01	18
19	.04	-	-	-	-	-	.03	.04	.09	.15	.20	.03	19
20	.04	.41	-	-	.10	-	.01	.22	.10	.25	.25	.02	20
21	.05	.10	-	-	.01	-	.01	.20	.08	.26	.06	.13	21
22	-	1.12	-	-	.12	-	5.35	-	.42	.23	-	.02	22
23	-	.28	-	.04	-	-	-	.48	.33	.30	-	.36	23
24	-	.06	-	.54	-	-	5.14	-	.49	.38	-	.24	24
25	.01	.45	-	.15	.03	.10	5.11	.64	-	.69	.01	.55	25
26	.01	.65	.06	-	.31	-	5.45	-	.01	.54	.01	.58	26
27	-	.02	.12	-	.11	-	-	.02	.03	.81	-	.21	27
28	.15	.09	.01	.09	.01	-	.14	.26	.01	.01	-	.41	28
29	.25	X	-	.04	-	-	.05	.46	.01	.42	-	.41	29
30	.06	X	.29	.24	.03	-	.14	.01	.12	.11	.20	.02	30
31	.16	X	.12	X	-	X	.26	.11	X	-	X	.01	31
TOTAL	2.99	12.30	3.44	2.09	1.33	1.33	4.42	4.12	3.44	6.44	5.03	5.33	YEAR'S TOTAL
Days with 0.1 in. or more	18	26	13	18	19	9	21	21	20	26	21	27	52.42
Days with 0.4 in. or more	16	22	10	18	13	7	17	14	14	21	16	14	239

Kept at Langton Durbach
in the County of Pembrokeshire
by J. E. Yorke

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38	14	31		05			27		12	25		1
2	12	07	02		40		06	03		22	26		2
3				09		04	11		62	05	03		3
4	40	01	18	35			04	03		02	23		4
5	35	36	03	04	08			01		16	34		5
6	30	98	51	07			35		02				6
7	33	89	04			03	06	03		38	18		7
8	21	08				21	06	10		31	33		8
9	04	101			18		05	11	04		02		9
10		95		22	15					33			10
11		03	16	40	12					26			11
12	06	37	36	25	02	30		13	04	10	56		12
13		18		28	03		204		30	02	136		13
14		02		37	26	10		04		03	56		14
15		23		11	04	38	14		08	03	04		15
16		10		35	04			28	08		06		16
17		127				15		02	84	06	06		17
18		13		10		02	03		03	38	02		18
19	04						03	07	09		20		19
20	07	41			10		01	22	10	25	25		20
21	05	10			01		01	20	08	26	06		21
22		112			12		35		42	23			22
23		28		04				78	33	30			23
24		06		54			17		49	38			24
25	01	75		15	03	10	11	64		69	01		25
26	01	65	06		31		45		01	54	01		26
27		02	12		11			02	03	81			27
28	15	09	01	09	01		17	26	01	01			28
29	25			07			05	76	01	72			29
30	06	X	29	27	03		17	01	12	11	20		30
31	16	X	12	X		X	26	11	X		X		31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	299	1030	221	379	209	133	472	412	374	677	503	533	5242
Days with 04 in. or more	18	26	13	18	19	9	21	21	20	26	21	27	239
	16	22	10	18	13	7	17	14	14	21	16	17	185

REGISTER OF RAINFALL IN 1920.

Kept at Fishguard, Langton, Dwrbach
 in the County of Pembrokeshire
 by J. E. Yorke

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	10		09		05	40	45	19		02	49	12	1
2			34				04			78			2
3	28		10		04	50	27	25		03	03	19	3
4	01		02			33	02	02				72	4
5	01		31		04		39			37		01	5
6	20	01			27	10	12	15	01	06	07	01	6
7	27	03			05	50			85	17		25	7
8	11	03		02	39				34	02		07	8
9	18	01		08	04	31			14	74	06		9
10	28			05	08	41	01		16	88	09	01	10
11	88			53	10	03		01	11	02	01		11
12	62			06	61			09	18	01			12
13	54			67	33			14	34			69	13
14	05			01	02			29	01			49	14
15	22	08					06	78	30			22	15
16	15							28	40	05		07	16
17	19	26					32	02				07	17
18	30				04			10	13	39	10	20	18
19	06				12	04	03	08	25	01	01	14	19
20	22		02		13	09	141	12	08	09	03	01	20
21	87		13	04	07		08	04	19	01		01	21
22	02		96		08			03	47		20	61	22
23	30		28	08	30		01	05	28		16	35	23
24		05		30	05				34		01	44	24
25	01		02	65		01	24	02	03	12	61	63	25
26	04	01		12				06		12	25	1.15	26
27		05		27			82	08		41	32	32	27
28	05			06		01	01	54		08	22	02	28
29	04	04		25	08			10	35	84	54	1.07	29
30	07	X		15	05			28	05	17	49	25	30
31	03	X		X	30	X	30		X	10	X	27	31
TOTAL	6.10	57	2.27	3.34	3.24	2.73	4.58	3.72	5.01	5.49	3.69	8.39	YEAR'S TOTAL
Days with 01 in. or more	28	10	10	16	22	12	17	23	21	23	18	27	227
Days with 04 in. or more	23	5	7	14	21	9	12	18	18	16	13	21	177

57

AIR MINISTRY.
FORM 1090 METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

3563

Kept at Langton, Durbach
in the County of Pembrokeshire
by J. B. Yorke

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.
Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	74	01	04						17	01	89	06	1
2	05	12		03			27	04			30		2
3	25	04			09			28	01		22		3
4	10	02	02	42	12			12		02	16		4
5		30		19	15			22	16		01		5
6		01	02	02	23		38	16		01	39	02	6
7		54	02	01	01			92	01	01	10	41	7
8	12	01						68	03		15	42	8
9		15		06	09		29		10		02		9
10		61	03		04		01		68		43		10
11		30	03		19		02	29	04			09	11
12	35	32		24	11			30				10	12
13	21	38	21		04				01	04		05	13
14	13	26	01	23			02						14
15		10		03			03		25	05		51	15
16	11	28			10		05			03		03	16
17		18		04	05		16		07	05			17
18		10		13	99		44					04	18
19		03	01		02		11		36	48		14	19
20	01	04	10		09		05	18	52	27		02	20
21		29	11		04		04	20	40	44		09	21
22	09	57		33	14		01	01	55	115		11	22
23	06	18	13	02	04				06	11		15	23
24	31	48	05					14		15	05	02	24
25	02	77	06				22	04	35	29		10	25
26		20		01	96		75	10		63	04	28	26
27	06	08		06	30		65	02	04	04	20	09	27
28	26	41			04		01		03	96	08	86	28
29	02			01	39		08		02	59	18	24	29
30	04	X			01		04		02	25	62	05	30
31	32	X	06	X		X			X	01	X	01	1045 31
TOTAL	3.25	6.78	90	1.83	4.24	nil	3.63	370	3.88	5.59	3.44	3.82	YEAR'S TOTAL 45.16
Days with 01 in. or more	19	28	15	16	23	0	20	16	21	21	16	23	218
Days with 04 in. or more	16	23	8	9	20	0	14	14	14	15	14	18	165

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

3562

Kept at Langton, Durbach
in the County of Pembrokeshire

Cons by Gns monthly return

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 6 in.
" Ground " Sea Level.....320 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.42	.15	.02	.04	.04	.02	—	—	—	—	.56	.06	1
2	.47	.08	.04	.02	—	—	—	—	.19	—	.05	.04	2
3	.08	.06	.27	.10	—	—	.03	—	.02	—	—	.11	3
4	.10	.04	.12	.03	.02	—	—	—	.01	—	1.65	.13	4
5	.21	1.10	.04	.01	.08	—	.19	.34	.47	—	.27	.08	5
6	.34	.09	—	.06	.06	—	.01	—	.04	.08	.23	—	6
7	.01	.04	—	.23	.25	.35	—	—	.08	.89	.24	.12	7
8	.07	—	.17	.32	.02	.03	.11	.11	.03	.31	.08	.01	8
9	.01	—	.02	.01	.19	.41	—	1.26	.03	.04	.25	.02	9
10	.16	—	—	—	.08	.15	.08	.27	—	.07	.39	—	10
11	.01	—	—	—	.07	.44	.01	.01	.95	.02	.04	—	11
12	—	—	—	—	.09	.12	—	.26	—	.37	.56	.03	12
13	.01	.08	—	—	.04	.05	—	.05	.02	.10	.57	.09	13
14	.06	.74	—	1.13	.01	—	—	.18	.10	.52	.13	.06	14
15	.11	.04	—	.25	—	—	—	.11	.01	.05	.57	—	15
16	.76	.09	—	.02	—	.01	—	.14	.06	.01	1.03	—	16
17	.02	.23	—	.05	—	.35	.08	.29	.01	—	.20	.02	17
18	.18	.19	—	.02	—	.03	2.44	.01	—	—	.34	.09	18
19	.05	.02	—	.07	—	.01	.34	.21	.16	—	.18	.01	19
20	.58	.10	—	.10	—	.01	.02	.24	.01	—	.32	—	20
21	.57	.04	—	.16	—	.04	.09	.03	—	—	.22	.01	21
22	.34	.67	—	.04	—	—	.04	.01	—	—	.36	—	22
23	.30	.13	.02	—	.01	—	.19	.02	.04	.12	—	—	23
24	.35	.14	.01	—	.07	.03	.35	.07	.05	.54	.02	—	24
25	.02	.01	—	—	—	—	.49	.01	.02	.32	.22	—	25
26	.32	.17	—	—	.43	—	.08	—	.30	.01	.27	—	26
27	.12	.03	—	.01	.39	—	—	—	.01	.11	.08	.02	27
28	.10	.02	—	.01	.01	—	.05	—	—	.02	.34	.10	28
29	.01	X	—	—	.21	—	—	—	—	.04	.37	.01	29
30	.09	X	—	.03	.06	—	—	.54	—	—	—	—	30
31	.36	X	.22	X	.09	X	—	.01	X	.01	X	—	31
TOTAL	6.23	4.26	0.93	2.71	2.22	2.08	4.60	4.17	1.81	3.63	9.54	1.01	YEARS TOTAL
Days with ".01 in. or more.	30	23	10	21	20	15	17	21	21	19	23	18	242
Days with ".04 in. or more.	23	19	6	12	15	8	13	14	11	14	26	10	171

Please read the Notes and Instructions Overleaf.

308

FOR OFFICIAL USE.

3562

FORM 1090. AIR MINISTRY. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION. REGISTER OF RAINFALL IN 1926.

County No. River Dist. Station No.

Kept at Langton, Durbach
in the County of Pembrokeshire
by J. E. Yorke

Lat. Long. Time of Observation Nearest Railway Station Diameter of Funnel of Rain Gauge in. Height of top of Gauge above Ground ft. in. Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	42	15	02	04	04	02			19		56	06	1
2	47	08	04	02					02		05	04	2
3	08	06	27	10			03		01			11	3
4	10	04	12	03	02				47		1.65	13	4
5	21	1.10	04	01	08		19	34	04		27	08	5
6	34	09		06	06		01		08	08	23		6
7	01	04		23	25	35			03	89	24	12	7
8	07		17	32	02	03	11	11	03	31	08	01	8
9	01		02	01	19	41		1.26		04	25	02	9
10	16				08	15	08	27		07	39		10
11	01				07	47	01	01	15	02	04		11
12					09	12		26		37	56	03	12
13	01	08			04	05		05	02	10	57	09	13
14	06	74		1.13	01			18	10	52	13	06	14
15	11	04		25				11	01	05	57		15
16	76	09		02		01		14	06	01	1.03		16
17	02	23		05		35	08	29	01		20	02	17
18	18	19		02		03	2.44	01			34	09	18
19	05	02		07		01	34	21	16		18	01	19
20	58	10		10		01	02	24	01		32		20
21	57	04		16		04	09	03			22	01	21
22	34	67		04			04	01			36		22
23	30	13	02		01		19	02	04	12			23
24	35	14	01		07	03	35	07	05	54	02		24
25	02	01					49	01	02	32	22		25
26	32	17			43		08		30	01	27		26
27	12	03		01	39				01	11	08	02	27
28	10	02		01	01		05			02	34	10	28
29	01				21					04	37	01	29
30	09	X		03	06			54					30
31	36	X	22	X	09	X		01	X	01	X		31
TOTAL	6.23	4.26	.93	2.71	2.22	2.08	4.60	4.17	1.81	3.63	9.54	1.01	YEAR'S TOTAL 43.19
Days with 11 in. or more.	30	23	10	21	20	15	17	21	20	19	27	18	242
Days with 01 in. or more	23	19	6	12	15	8	13	14	11	14	26	10	171

contd. by cards

3543
FOR OFFICIAL USE.

Section **A** for the entry of Daily Observations.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Langton Burchard
in the County of Pembrokeshire
Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 12 in.
" Ground " Sea Level.....320 ft.

390

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.30	0.03	—	—	—	0.02	—	0.13	0.32	0.11	—	1
2	0.55	0.04	0.06	0.14	0.30	—	—	—	—	0.03	0.15	—	2
3	—	0.12	0.18	0.10	0.39	0.04	0.54	—	—	—	0.17	0.03	3
4	0.13	0.05	0.16	0.46	0.04	—	0.43	—	—	—	0.08	—	4
5	0.10	—	0.20	0.38	0.01	0.03	0.14	0.01	0.01	—	0.09	0.57	5
6	0.06	0.01	0.22	0.02	—	0.06	0.10	0.08	0.04	—	0.93	0.25	6
7	0.04	0.01	0.01	0.02	—	0.09	0.20	0.05	0.15	—	0.03	0.01	7
8	0.01	—	0.01	0.45	0.07	—	0.02	0.21	—	—	0.04	0.18	8
9	0.01	—	—	0.01	0.05	—	0.03	0.03	0.13	—	0.21	0.02	9
10	0.02	—	—	0.02	—	—	—	0.21	0.34	—	0.64	0.01	10
11	0.04	—	—	—	—	—	—	0.43	0.04	—	0.30	—	11
12	0.20	—	—	0.03	0.01	—	—	0.05	0.08	—	—	—	12
13	0.22	0.01	—	0.05	—	—	0.20	0.37	0.09	0.13	—	0.05	13
14	0.01	—	—	0.15	0.07	—	—	0.04	0.47	—	0.05	0.08	14
15	—	0.02	0.03	—	0.58	—	—	0.50	0.14	—	0.24	—	15
16	0.35	0.03	—	—	0.06	0.88	—	—	0.55	0.08	0.01	—	16
17	0.10	—	0.08	0.01	—	0.02	—	0.06	0.04	—	0.19	—	17
18	0.08	0.01	0.02	—	—	0.31	0.01	0.05	0.08	0.02	0.15	—	18
19	0.02	0.73	0.01	—	—	—	0.04	0.49	0.02	0.05	0.21	—	19
20	0.16	0.12	—	—	0.02	0.48	0.32	0.32	0.12	—	0.25	0.14	20
21	0.25	0.31	0.16	—	0.02	—	0.04	0.59	0.40	0.41	0.01	0.43	21
22	0.04	0.49	0.47	0.10	—	0.10	0.13	0.03	0.06	0.31	—	0.12	22
23	0.04	0.05	0.37	—	—	0.38	0.05	—	0.13	0.02	0.44	0.25	23
24	0.08	0.06	0.46	0.02	—	—	0.02	0.20	0.12	0.25	—	0.03	24
25	0.29	0.02	0.25	0.01	—	0.05	0.22	0.01	0.11	0.34	0.01	0.20	25
26	0.13	0.34	0.03	—	—	0.09	0.15	—	0.16	0.18	—	—	26
27	0.01	0.15	—	—	—	0.02	0.30	0.63	0.01	0.19	0.09	—	27
28	0.55	0.38	0.20	—	—	0.05	0.05	1.02	0.80	0.18	0.39	—	28
29	0.20	0.01	0.14	—	—	0.10	0.44	—	0.07	0.54	0.07	—	29
30	0.06	×	0.01	—	—	0.01	0.12	0.09	0.33	0.10	0.01	0.09	30
31	0.11	×	0.55	×	0.01	×	0.05	—	×	—	×	—	31
TOTAL	4.87	3.25	3.64	1.97	1.73	2.66	3.62	5.47	4.62	3.15	6.17	2.36	YEARS TOTAL
Days with "01 in. or more.	29	20	21	16	13	16	23	22	26	16	25	16	243
Days with "04 in. or more.	22	13	14	8	8	12	18	18	23	13	20	11	189

Section

A

for the entry of Daily Observations.

3621
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Langston Down

in the County of Wiltshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground above Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.19	.01	.01	X	.02	X	.25	X	X	X	X	X	1
2	X	.15	.03	.16	X	X	.02	X	X	X	.03	.12	2
3	.02	.33	.06	.05	X	X	X	X	X	X	.05	X	3
4	.03	.93	.05	.04	X	.04	.64	X	X	.48	.44	.10	4
5	.12	.02	.02	.05	.03	X	.12	X	.49	.24	.03	.10	5
6	.06	.01	.02	.01	X	.12	.01	.06	.05	.04	X	.06	6
7	.04	.15	X	.02	X	.15	.02	.24	.25	.40	X	X	7
8	.02	.10	X	.15	X	.28	.19	X	.49	.34	X	.06	8
9	.06	.02	X	.11	X	.30	X	X	.02	.11	X	.27	9
10	.28	.25	.05	.10	X	.01	.02	.04	.02	.34	.36	1.00	10
11	.02	X	.02	.01	X	X	X	.36	X	.40	.50	X	11
12	.50	.50	.01	X	X	.12	X	.28	X	.53	.22	X	12
13	.02	.71	X	.02	X	.43	X	.15	X	X	.33	X	13
14	.46	.15	.09	.08	X	.06	X	.06	X	X	.46	X	14
15	.08	.53	.02	.03	.03	.02	X	X	X	.18	.49	.46	15
16	X	.05	.50	X	.01	X	X	X	X	.30	.12	.48	16
17	.12	.01	.06	X	.08	.02	X	X	X	.06	X	X	17
18	.64	X	.12	.03	.09	.36	X	X	.04	.33	.41	.25	18
19	.30	X	.49	.02	.03	.01	X	.13	X	.51	.44	.26	19
20	.20	X	.32	.03	.04	.12	X	X	X	.25	.68	.01	20
21	.44	.02	.34	X	.03	.16	X	X	X	.38	.30	.03	21
22	.03	.02	.02	.16	.01	X	X	.40	X	.06	1.00	.11	22
23	.89	X	.20	.12	.03	X	.06	.19	X	.40	.04	.05	23
24	.06	X	.02	.01	X	.01	X	.22	X	.18	.11	.44	24
25	.31	X	X	.01	.02	.64	X	.32	.05	.40	X	.60	25
26	.20	X	.14	X	.16	.04	.06	.19	X	.10	X	X	26
27	.14	X	.02	.02	.04	X	.04	.25	.08	.01	X	.41	27
28	.41	.11	.40	X	.01	1.02	.04	.12	.14	.06	.04	.20	28
29	.60	.26	.09	X	X	.53	.03	X	.00	.22	.04	.40	29
30	.05	X	.44	.02	X	X	.55	X	X	.31	X	.05	30
31	.49	X	.03	X	X	X	.46	.01	X	.05	X	X	31
TOTAL	4.84	3.51	3.92	1.29	.66	4.44	2.48	3.05	1.98	2.31	6.45	5.46	YEARS TOTAL 48.43
Days with ".01 in. or more.	29	20	26	22	15	20	15	16	11	26	20	21	241
Days with ".04 in. or more.	24	12	15	10	5	15	10	14	9	25	18	19	176

Section **A**

for the entry of Daily Observations.

with cards days

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Langton Swislock Pans

in the County of Bromwich

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

above Ground „ Sea Level 322 ft.

The total rainfall for 1929 was 46.58 inches. The first half of the year was above - mainly dry, the latter part equally dry. **400**

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.28	—	—	—	.20	—	.05	.05	.75	—	.70	1
2		.18	—	—	—	.22	—	.10	.61	.22	.05	.50	2
3		—	—	—	.11	—	—	1.54	—	.05	—	.39	3
4		—	—	.03	.85	—	.35	.02	—	.58	.04	.58	4
5		.11	—	.08	.62	.25	.37	.83	—	.61	1.27	.06	5
6		.10	—	—	.25	.08	.03	.20	—	.09	.05	.81	6
7		—	—	—	.25	.06	—	—	—	.36	.23	.38	7
8		.38	—	—	—	—	—	.05	—	.05	—	.49	8
9	.25	.05	—	—	—	—	—	.04	—	—	.84	.25	9
10	.08	.10	—	—	.05	—	.05	.04	—	.20	.24	.53	10
11		.45	—	—	.39	—	.10	—	—	—	1.30	.03	11
12		—	—	.04	—	.46	—	—	—	—	.03	—	12
13		—	—	—	.15	.31	—	.12	—	—	.03	.12	13
14		—	—	—	.04	.09	—	—	.11	—	.25	.11	14
15	.03	.02	—	—	—	.15	—	—	.04	.02	.40	—	15
16		—	—	.04	—	—	—	.12	—	—	.12	—	16
17		—	—	.03	—	—	.02	—	.03	.18	—	.01	17
18	.05	—	—	—	—	—	—	—	—	.01	1.51	—	18
19		—	—	—	—	—	—	—	—	.04	.75	.34	19
20		.04	0.60	—	—	—	—	—	—	.33	.35	1.11	20
21		—	0.15	—	.03	—	.13	.06	—	.05	.45	—	21
22		—	—	—	—	.05	.09	.05	—	.03	.53	.38	22
23		.08	.01	—	.51	—	—	.03	—	.82	.44	.48	23
24		—	.17	—	.41	—	—	.03	—	.47	.62	.45	24
25	.03	.03	.03	.08	.03	—	—	—	—	.21	.58	.09	25
26	.04	—	—	—	—	—	—	—	—	.03	.12	.29	26
27	.08	—	—	.15	—	—	.13	.50	—	.26	.31	.09	27
28	1.06	—	—	.43	.12	—	1.04	—	.22	.08	.38	.72	28
29	.11	X	—	—	—	—	—	.11	—	.03	.40	.34	29
30	.15	X	—	—	—	—	.10	—	.41	.04	.09	.28	30
31	.34	X	.03	X	—	X	.04	.24	X	—	X	.10	31
TOTAL	2.26	1.82	.99	.88	3.84	1.84	2.48	4.16	1.47	5.57	11.41	9.63	YEAR'S TOTAL
Days with .01 in. or more.	11	12	6	8	14	10	12	18	7	124	26	26	46.58
Days with .04 in. or more.	9	10	3	6	12	10	10	15	6	19	24	24	148

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Langton Downin the County of Pembrokeshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. in.

,, Ground ,, Sea Level.....ft.

Sept. corr'd. by cards
T.V.V.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.02	—	.22	—	X	.07	.36	—	—	.35	—	1
2	.15	—	—	—	—	—	.15	.10	—	.04	.31	.05	2
3	.42	.02	.01	.12	—	—	.42	.42	—	.85	.03	.02	3
4	.45	—	.51	.04	—	—	—	—	.04	.42	.03	.01	4
5	.04	—	.05	.39	.12	—	.01	.06	.03	.18	.02	—	5
6	.16	—	.44	—	.03	—	.02	.04	.80	.01	.03	.45	6
7	.49	—	—	—	—	—	—	—	.03	.20	.70	.46	7
8	.28	—	—	.45	—	—	.02	.16	.51	.09	.02	.14	8
9	.31	—	.11	.11	.06	.18	—	.04	.15	—	.01	.02	9
10	.94	—	.03	.04	.30	.08	.01	.40	.10	.18	—	.73	10
11	.16	—	.04	.14	.04	.02	.02	.02	.01	.17	.01	.22	11
12	.13	—	.06	.05	.18	—	—	.18	.05	.02	—	.23	12
13	.25	—	.14	.09	.05	—	.14	.14	.15	.05	—	.43	13
14	.24	.12	.13	.04	.06	.03	.15	—	.10	.04	.04	.05	14
15	—	.04	.35	—	.04	.04	.54	.02	.15	—	.31	.68	15
16	.16	.06	.03	—	—	—	.02	.02	.03	.43	.02	.04	16
17	.05	—	—	—	.55	.03	—	.24	.44	.26	—	.45	17
18	.02	—	.08	—	—	—	.04	.09	.14	.03	.30	.04	18
19	.03	—	.04	.02	.12	.35	.30	.02	.48	.38	.28	.04	19
20	.06	—	.03	—	.04	.19	.58	.14	.40	.26	.12	.03	20
21	.24	—	.21	—	—	.40	.02	.10	.07	.02	.32	.01	21
22	.12	—	.03	—	—	.03	—	.25	.14	.93	.20	.02	22
23	.10	—	.08	.07	—	.12	—	.02	.25	—	.51	.12	23
24	.52	—	—	—	—	—	—	—	—	.10	—	.07	24
25	.14	.13	.03	.10	—	—	.14	—	.09	.04	.62	.28	25
26	.43	.02	.02	—	.24	.04	.02	—	.20	.08	.23	.30	26
27	.02	—	.05	—	.02	—	.34	—	—	.10	.02	.03	27
28	.12	—	.15	—	.02	—	.04	—	.01	.07	—	.154	28
29	.29	X	—	—	—	.03	.08	.16	—	.15	—	.13	29
30	.04	X	.18	—	.12	.04	—	.04	—	—	—	.40	30
31	.64	X	.21	X	—	X	.04	—	X	.09	X	.06	31
TOTAL	7.14	.44	3.04	2.18	2.09	1.58	3.18	4.11	4.40	7.43	4.48	6.95	YEAR'S TOTAL 47.05
Days with ".01 in. or more.	30	7	24	14	16	14	22	22	23	27	22	29	250
Days with ".04 in. or more.	27	4	17	13	13	9	14	17	18	23	13	21	189

FORM A. 1. METEOROLOGICAL
REGIS

HAVERFORDWEST
GRAMMAR SCHOOL

ORGANIZATION.
1921.....

Kept at Haverfordwest
in the County of Pembrokeshire
by J. R. Phillips

1921 - 1930

Long.....
on.....
tation.....
l of Rain Gauge.....in.
uge above Ground.....ft.
,, Sea Level.....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.55		11				-	1.47			.18	.02	1
2	.49		.02					.27		.20		.05	2
3	.29	.04	.39		.05			.01		.78	.80		3
4	.45		.04					.95		.01	.02	.03	4
5	.04		.20		.45			1.55			.37	.20	5
6	.18		.01		.16							.09	6
7	.34		.20		.13			.15			.12		7
8	.27	.07			.02								8
9	.05		.04	.03				.48	.13				9
10	.21		.26		.02							.22	10
11	.81		.04		.06			.34	.43				11
12	.05	.06	.70					.19	1.05			.21	12
13			.40	.07					.05	.13			13
14			.13	.10	.34						1.72	.11	14
15	.41		.77	.03			.30				.78	.02	15
16	.27		.22	.18	.02		.11	.53			.32	.02	16
17	.15		.18	.03					.13				17
18	.02		.06							.08		.06	18
19	.05		.27		.03					.33		.10	19
20	.02		.06						.03		.01	.05	20
21	.10		.07	.06						.10	.22	.22	21
22	.02		.08	.44						.36	.19	.02	22
23	.02			.03			.03			.25		.10	23
24		.14					.24	.04				.46	24
25	.23	.01	.08				.40					.09	25
26	.44		.04			.01		.05			.28	.58	26
27	.06		.17				.06	.03			.26	.16	27
28	.08		.21	.05	.03		1.03	.83		.01	.01	.01	28
29	.20		.35		.65			.06				.11	29
30	.19	~~X~~			.20		.09	.18			.04	.06	30
31	.05	~~X~~		~~X~~	.02	~~X~~	.03	.03	~~X~~		~~X~~	.01	31
TOTAL	6.04	.32	5.10	1.02	2.18	.01	2.29	7.16	1.82	2.25	5.32	3.00	36.51
Days with ".01 in. or more	28	5	26	10	14	1	9	17	6	10	15	24	165
Days with ".04 in. or more	24	4	24	6	8		7	14	5	8	12	17	129
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1921.....

Kept at Flaxford, Suffolkin the County of Pembrokeby J. R. Phillips

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	55		11					1.47			18	02	1
2	49		02					27		20		05	2
3	29	04	39		05			01		78	80		3
4	45		04					95		01	02	03	4
5	04		20		45			1.55			37	20	5
6	18		01		16							09	6
7	34		20		13			15			12		7
8	27	07			02								8
9	05		04	03				48	13				9
10	21		26		02							22	10
11	81		04		06			34	43				11
12	05	06	70					19	1.05			21	12
13			40	07					05	13			13
14			13	10	34						1.72	11	14
15	41		77	03			30				78	02	15
16	27		22	18	02		11	53			32	02	16
17	15		18	03					13				17
18	02		06							08		06	18
19	05		27		03					33		10	19
20	02		06						03		01	05	20
21	10		07	06						10	22	22	21
22	02		08	44						36	19	02	22
23	02			03			03			26		10	23
24		14					24	04				46	24
25	23	01	08				40					09	25
26	44		04			01		05			28	58	26
27	06		17				06	03			26	16	27
28	08		21	05	03		1.03	83		01	01	01	28
29	20		35		65			06				11	29
30	19				20		09	18			04	06	30
31	05				02		03	03				01	31
TOTAL	6.04	32	5.10	1.02	2.18	01	2.29	7.16	1.82	2.25	5.32	3.00	36.51
Days with "01 in. or more	28	5	26	10	14	1	9	17	6	10	15	24	165
Days with "04 in. or more	24	4	24	6	8		7	14	5	8	12	17	129
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1922. 4122

Kept at Haverfordwest Grammar School
in the County of Pembroke
by J. R. Phillips

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	01	45	20	1.07			44		10		05		1
2		40	14	05	16		21	12			10	01	2
3	30	19	17	13	12		30	21	12	06	16		3
4	17	04	43	18	68					20			4
5	11		25	27			87			04	72	01	5
6	20		39	02			16				18		6
7	11		75				44	70			14	02	7
8	17		05				84	1.04			03	04	8
9	10		11			65					37		9
10	01		02								15		10
11				10				25	07	10		20	11
12		04		16		20	13	40	1.37			07	12
13	57			61			31		25			06	13
14	27	25		35					02		01	83	14
15	75	21						24	03			24	15
16		14		69	1.05			86	32			11	16
17	43	28		02	07		98					27	17
18	36	15			10				90		06	14	18
19	16	05	02			06	11		18		01	50	19
20	81	40	03		01		84					13	20
21	06	26			05		11					84	21
22		48		02	26	12		17			13	33	22
23		10				03	09		09			30	23
24			50			30		19				42	24
25	13	26	21			40			1.05			04	25
26	05	17	08	60			31	33	75		01	14	26
27	75	77	17	11		02		05	10		01	15	27
28	29	43										25	28
29	15			02		03		19	05			57	29
30	26	~~XX~~	16	02		49	15	34	63		11		30
31	03	~~XX~~		~~XX~~		~~XX~~		27	~~XX~~	1.01	~~XX~~		31
TOTAL	6.25	5.07	3.68	4.42	2.50	2.30	6.29	5.36	6.03	1.41	2.24	5.67	51.22
Days with .01 in. or more	24	19	17	18	9	10	16	15	16	5	16	23	188
Days with .04 in. or more	21	19	14	13	8	7	16	15	14	5	11	20	163

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

3729
4122

Kept at Haverfordwest
in the County of Pembrokeshire
by J. W. Phillips

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	31	12	48		21		—	24	03	11	20	50	1
2	15	12	14		28		12	35	02	29	23	06	2
3			02	05		06	11		77	14	08	37	3
4	42		10	40			04		—	—	28	57	4
5	30	33	05		22		—	07	—	20	17		5
6	52	124	28	05			53		10	—	20	40	6
7	18	72					03		—	60	03	75	7
8	22	05				24	10	07	—	29	35		8
9	02	128			08	10	07	19	—	03	15	01	9
10		81		40	11		—		—	33	—	10	10
11			19	41	13		—		04	42	—	08	11
12		61	52	15	16	21	—		04	18	58	15	12
13	08	34		26	07		99		37	11	140		13
14				42	21	08	—	13	—	—	43		14
15		20		20	01	40	14		09	02	13		15
16		28		05	08		—	14	07	—	09		16
17	05	175				10	—		86	14	09		17
18				22			02		06	38	06		18
19	03	01			02		04	10	17	—	34		19
20	01	36					05	45	16	30	24	13	20
21	03	11			09		—	05	26	16	04	03	21
22		74			06		x —		—	34	—		22
23	04	67	52	03			x —	1.61	20	30	—	44	23
24		19		50			x —		01	60	47	18	24
25		90		08	07	05	x 75		74	—	140	70	25
26	01	44	02	01	09		—	04	—	48	—	67	26
27	01	05	10		06		59	06	06	58	—	31	27
28	04	06	09	05			—	47	03	—	—		28
29	20	X					04	136	—	50	—	49	29
30	04	X	47	08			17	06	12	18	34		30
31	23	X	05	X		X	45	01	X	—	X	01	31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	289	1138	303	336	195	124	428	615	405	795	563	595	5786
Days with 04 in. or more	20	23	14	17	17	8	20	19	19	24	20	19	220
	14	22	12	15	15	8	19	17	16	22	19	16	195

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1924

3528

Kept at Haverfordwest
in the County of Pembroke
by J. W. Phillips

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13		10		05	32	80	19		03	73	05	1
2			20		07	01	08			67		01	2
3	56		13			30	51	43		02		21	3
4	01		~~16~~		06	77	42	09				127	4
5			27				62	~~10~~		59		09	5
6	37				42	15	11	10	07	44			6
7	14				10	80			76	37		18	7
8	31	16		01					64	01		10	8
9		09		17	29	38	01		07	90	13	08	9
10	62	02		03		47			31	141	16		10
11	88			37	10	03			04		03		11
12	73			11	75			19	20	01			12
13	44			54	33			06	15			85	13
14	04			06	08			41			01	57	14
15	21	08					07	90	33			50	15
16	50							54	39				16
17	22	16			01	01	57	15	29			18	17
18	25	03				03		09		51		20	18
19	15				14		19		42	02	02	11	19
20	51		03		13	25	147	20	12	35	03	01	20
21	123		05		18		23	08	21	06			21
22	03		134		12				33		18	72	22
23	32		51	03	37	01	01	18	31		28	36	23
24	02	10		14	03				63		01	35	24
25				60		01	13	04	01	21	73	71	25
26				18		03		06		~~10~~	31	124	26
27		04		40			106			26	43	20	27
28				04		01		84		15	45	16	28
29	07	04		25	11	04		15	31	110	52	111	29
30	10	X		09	09			13	08	35	10	26	30
31	05	X		X	10	X	31	18	X	09	X	24	31
TOTAL	7.89	72	2.63	3.02	3.53	3.62	6.59	5.01	5.67	7.55	4.12	9.76	60.11
Days with 0.1 in. or more	24	9	8	16	20	17	16	20	20	20	16	25	210
Days with 0.4 in. or more	21	7	7	12	18	9	14	20	19	15	14	22	176

Cor. for aith.
AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1925.

Kept at Haverfordwest (Grammar Sch.)
in the County of Pembrokeshire
by J. W. Phillips

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	81		06			-		05	11		16		1
2	08	18		01				04			19		2
3	40	08			21		04	40			10		3
4	15	02	03	63	20			09	04		12		4
5		32		26	15			50	12				5
6		03	04		53		38				112	02	6
7		74					54	01	06	03	51		7
8	16	05	03	07	10		97			12	35		8
9		16		09	08		17		02		03		9
10		45	03		03			09	20				10
11		50	05		10			20				11	11
12		36		31	07			50	05	01		05	12
13	15	48	38		01							06	13
14	21	31		52									14
15		08		07	03		02		21	01		36	15
16	16	27			09		02		02	07			16
17		06		07	03				19				17
18		03		18	36		49		03			13	18
19					02		20	25	67	171		40	19
20		05	09		14		02	37	12	43			20
21		75					13	17	55	12		16	21
22	10		21	37	43				81	112		09	22
23	03	29	06		06					13		18	23
24	58	61	26					04		05	05	07	24
25	15	58	22	04	11		26	06	48	26		09	25
26	01	16			96		63	12		71	04	42	26
27	06	23		07	28		26	01	05	04		28	27
28	29	20			03		03		02	80	37	70	28
29	01				50		02		09	78	20	11	29
30	02	X	07				05			28	76	06	30
31	19	X	05	X	01	X			X	02	X	15	31
TOTAL	3.56	6.98	1.58	2.69	4.53	.00	2.72	4.40	3.79	6.60	4.74	4.30	45.89
Days with 01 in. or more	18	25	14	13	24	0	15	17	19	17	13	20	195
Days with 04 in. or more	14	22	11	12	17	0	10	16	14	14	11	19	160

307

FOR OFFICIAL USE.

3560

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1926.

Kept at Haverfordwest
in the County of Pembrokeshire
by J. W. Phillips

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	87	11	01	02	06				35		1.20	08	1
2	61	09	15	06					02		05	01	2
3		14	11	09			03				1.56	03	3
4	09	18	04	03	05				38		10	23	4
5	23	1.23	04		08		10	49			38	10	5
6	42	05		13	09				14	09	21		6
7	02	04		12	09	25		05	04	54	52	06	7
8	06		13	03		20	10	15		46	08		8
9			03		21	77		71		02	40		9
10	07				14	08	12			07	44		10
11					06	37			09	04	04		11
12					04	07		25		45	59	01	12
13		27			03	01				17	42	11	13
14	04	77		99		01		28	14	45	14		14
15	10	11		31		02	08	07	01	12	78		15
16	40	19		02				13	06		95		16
17	15	35		02		59	04	46			30	13	17
18	36	22					3.47	01			38	07	18
19		01		09		01	40	28	05		32		19
20	64	10		08		01		30			23		20
21	79	04		18		05	10	08			24		21
22	70	95		03			04	01			16		22
23	34	16					24	02	03	08	04		23
24	44	07			02		15	01		40			24
25	08						65			49	27		25
26	31	17			50		08		30	08	10		26
27	11	04			51				01	20	87	02	27
28	18	03		02	01		01			05	1.15	03	28
29	02	X			33					01	02		29
30	18	X		04	01			40					30
31	76	X	21	X	07	X			X		X		31
TOTAL	7.97	5.32	.72	2.26	2.30	2.44	5.61	3.70	1.62	3.72	11.94	.88	48.48
Days with "1 in. or more.	25	22	8	17	17	15	15	17	13	17	28	12	204
Days with "0.1 in. or more	23	20	6	10	12	8	13	13	9	15	27	7	164

48

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Haverfordwest
in the County of Pembrokeshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
„ Ground „ Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02	43	03						12	44	1.42		1
2	57	03	08	24	34					05	08		2
3		22	20	10	37	05	60				20	02	3
4	23	06	11	43			05				13		4
5	13	19	24	50		10	13	04			14	50	5
6	02		12				15	19	12		70	24	6
7	04		27	02		04	04	07	15				7
8	01			35	03		14	31	10			19	8
9				05	02			12	01		40	02	9
10			08					23	34		86	01	10
11	01							98	07		21		11
12	29			01				22	18				12
13				10			12	68	02	08		03	13
14	02			10	08		17	20	1.10		04	06	14
15	05		03		45			30	08		02		15
16	15	03			13	1.12			73	01			16
17	18					14		21	10		76		17
18	08					31		14	14	08	20		18
19		60					10	98	03		33		19
20	44	05				54	30	29	10	01	32	51	20
21	26	40	13		02		23	38	57	56		1.25	21
22		41	71	08		11	09	01	35	16		45	22
23		03	23			41	11			26	60	43	23
24	1.33	13	42				02	17	11				24
25	36	23	12			04	30		08	23		14	25
26	19	37	03			21	22			13	02		26
27	04	18				01	30	44	01	30	09		27
28	05	40	37			06	13	84	82	09	28		28
29	15		12			13	58		02	85	03		29
30	05	X	04				02	11	36	15		27	30
31	24	X	78	X		X		01	X		X		31
TOTAL	4.91	3.76	4.11	1.98	1.44	3.27	3.80	6.92	5.71	3.40	6.83	4.12	50.25
Days with 01 in. or more.	24	16	19	71	8	14	20	22	24	15	20	14	20.7
Days with 04 in. or more.	19	13	16	9	5	13	18	20	19	13	17	10	17.2

Please read the Notes and Instructions Overleaf.

(Signed) J. H. Phillips [P.T. 0.0]

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Haverfordwest - Gram Sch
in the County of Pembrokeshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
" Ground " Sea Level ft.

1500
3900
COPY BY B.R.O.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	33						01						1
2	06	13	14	22								09	2
3	01	37	12								01		3
4	01	84				17	51			69	74	08	4
5	21	06	03	05		02	21	09	53	28	04	12	5
6	10			02		08	04	39	31	05		08	6
7	04	21		14		12	18		21	75		13	7
8	01	14		17		31			36	15		28	8
9		07	01	07		11	01			14		28	9
10	20	26		02		01	01	14		91	54	1.85	10
11								38		64	62	02	11
12	61	81	20			09		11			43		12
13	02	04		20	02	40		42			07		13
14	52	28	29	04	01	02		15		91	67		14
15	07	62	36	03	18	01				26	54	60	15
16		14	09		11					32	49	56	16
17	36		21	03	10	01							17
18	70		38	01	02	39			02	81	39	30	18
19	25		82	01		01		12		69	44	39	19
20	20		66	24		26				45	61	04	20
21	60		60			19				29	14	06	21
22	04		24	12		01	02	76		16	117	24	22
23	1.06		25					16		55	10	05	23
24	04							13	04	11	17	55	24
25	30			03	06	79	10	24		45		74	25
26	24		22		34	05	09	17		46	02		26
27	07	11	30	01	09	1.06	12	64	18			86	27
28	66	61	66		02	59	11	03	25	05	06	32	28
29	42		16				09	01		37	02	75	29
30	13	X	11	02		34	1.16			09		10	30
31	63	X		X		X	62	01	X	13	X		31
TOTAL	7.89	4.69	5.85	1.43	.95	5.04	3.28	3.95	1.90	9.70	7.27	8.49	YEAR'S TOTAL
Days with .01 in. or more.	28	15	20	18	10	22	15	17	8	24	20	23	220
Days with .04 in. or more.	24	15	18	9	6	15	11	14	7	24	17	22	182

M

(Signed) J. W. Phillips

[P.T.D.]



REGISTER OF RAINFALL IN 1929.

Kept at Haverfordwest Grammar School
in the County of Pembrokeshire

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

150
400

at Haverfordwest
any modification
in rainfall table
y/s 10.2.50

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.61		.02		.28		.02		.84		.79	1
2		.19				.21		.13	.42	.32	.02	.56	2
3		.01			.05		.13	1.31	.40	.16		.50	3
4				.09	1.20		.25			.03	.02	.76	4
5		.15			.96	.33	.75	.52		1.34	1.22	.12	5
6	.08	.24			.11	.03		.03		.57	.07	.91	6
7		.01			.20	.07				.58	.42	.56	7
8		.25						.14		.04	.78	.91	8
9	.35	.13				.04		.02		.24	.01	.34	9
10	.09	.14			.08		.05	.04		.16	.23	.39	10
11		.56			.67		.03				1.32		11
12				.01			.03	.05			.02	.25	12
13					.11	.34					.01	.11	13
14		.01			.26	.41			.05		.02	.27	14
15	.06	.13				.04		.16	.01		.81		15
16				.08		.20		.01			.14		16
17	.46			.09			.01			.09			17
18	.01									.18	1.50		18
19								.06		.02	.79	.02	19
20		.06	1.12					.03		.29	.41	1.17	20
21		.04	.21		.02		.27	.09		.03	.87	.42	21
22	.08	.02			.55		.06			.01	.58	.87	22
23		.07			.46		.08	.01		.97	.46	.72	23
24			.08							.41	.92	.61	24
25	.02	.12	.14	.07						.05	.57	.02	25
26										.02	.30	.25	26
27	.09			.35	.28		.14	.15		.41	.76	.32	27
28	1.29			.22			1.26	.04	.41	.13	.65	1.02	28
29	.17							.03	.02	.03	.51	.24	29
30	.21	X					.26		.01	.04	.09	.16	30
31	.70	X		X		X	.05	.25	X		X	.24	31
TOTAL	3.61	2.74	1.55	.93	4.95	1.95	3.37	3.09	1.32	6.96	13.50	12.53	56.50
Days with ".01 in. or more.	13	17	4	8	13	10	14	19	7	24	27	26	182
Days with ".04 in. or more.	11	13	4	6	12	9	11	12	4	18	21	24	145

Kept at Haverfordwest Grammar School
in the County of Pembrokeshire

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

150
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	25	04		32			05	38			52		I
2	73						17			09	18	04	2
3	71	10		31			27	42		94	02		3
4	10	01	66	40				04	03	54			4
5	11		06	55	18			14	01	08			5
6	50		57				02	01	141	15	02	62	6
7	49							04		26	90	31	7
8	47			70				02	42	05	02	15	8
9	50		25	14	06	15		05	08		01		9
10	56		11		48	03		42	25	16		125	10
II	15		09	15		03	32	26		38		36	II
12	28		03		27			18	04				12
13	26		12	11	05		06		43	02		01	13
14	47	14	27		10	07		01		72	01	88	14
15		03	29		05		04		33	59	18	12	15
16	18		01				89		13	31		44	16
17	04			02	41		05	24	66	45		07	17
18	02		10				28	05	48	03	70	07	18
19	01		12	06	08	45	06	03	106	51	60	01	19
20			02			24	50	165	31	15	13		20
21	26		16			86	02	01	14	01	18		21
22	12		12			20		63	17	92	29	08	22
23	07		06	18		21		02	28		84	02	23
24	45									12	24	03	24
25	04	27	01	14			15		16	04	33	31	25
26	28				01		08		12	10	05	29	26
27			04			11	80			09		09	27
28	29		14		06		02			07		150	28
29	18				02		08	17		04		17	29
30	04	X	30		50							09	30
31	105	X	21	X		X	01	07	X	23	X	05	31
TOTAL	861	59	374	308	227	235	387	484	651	705	522	696	YEAR'S TOTAL
Days with or in. or more.	28	6	22	12	13	10	19	21	19	26	18	23	217
Days with or in. or more.	26	4	18	11	11	8	15	15	17	23	13	19	180

Section

A

for the entry

HAVERFORD WBS

Station No.....

METFORM 1090

(Rev. Feb. 1965)

Kept at

in the County of

Diameter of funnel of gauge

Height of top of gauge above ground

Height of ground above sea level

THE MORNING MEASUREMENT

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	45		11					150	03		20	02		1
2	40		01					27		21	29	01		2
3	19	05	35		05					75	69			3
4	38		02					95			01	04		4
5	03		10		48			155			33	20		5
6	17				16					01		08		6
7	32		20		11			15			12			7
8	01	06	01		02							01		8
9	04		01					48	16	01		05		9
10	20		25		03				02			19		10
11	81		04		07			34	38					11
12	07	05	70					19	107	01		21		12
13			45	15	02		01		18			01		13
14			11		39						148	08		14
15	38		76	04			27				79	04		15
16	27		16	16	01		08	60		01	34	03		16
17	10		17	01				02			01			17
18			05	03						08		07		18
19	06		25		08					32		10		19
20	02		07									04		20
21	08		07	01				01		09		22		21
22	03		09	44			01	01		38	18	13		22
23	02	10		03			02			17				23
24	06						23	05				07		24
25	13	12	09		01		43					32		25
26	50	02	01			01	05	07			28	08		26
27	70		14					04		02	26	53		27
28	02		43	05	02		108	75				14		28
29	18	X	15		68			06	03			09		29
30	17	X			19		07	05			05	04		30
31	05	X		X	02	X	04	22	X		X			31
TOTAL	584	40	478	92	234	01	229	731	187	206	503	280	35687	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~196~~ 1921

Kept at

in the County of

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft..... in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	45		11					150	03		20	02		1
2	40		01					27		21	29	01		2
3	19	05	35		05					75	69			3
4	38		02					95			01	04		4
5	03		10		48			155			33	20		5
6	17				16					01		08		6
7	32		20		11			15			12			7
8	01	06	01		02							01		8
9	04		01					48	16	01		05		9
10	20		25		03				02			19		10
11	81		04		07			34	38					11
12	07	05	70					19	107	01		21		12
13			45	15	02		01		18			01		13
14			11		39						148	08		14
15	38		76	04			27				79	04		15
16	27		16	16	01		08	60		01	34	03		16
17	10		17	01				02			01			17
18			05	03						08		07		18
19	06		25		08					32		10		19
20	02		07									04		20
21	08		07	01				01		09		22		21
22	03		09	44			01	01		38	18	13		22
23	02	10		03			02			17				23
24	06						23	05				07		24
25	13	12	09		01		43					32		25
26	50	02	01			01	05	07			28	08		26
27	70		14					04		02	26	53		27
28	02		43	05	02		108	75				14		28
29	18	X	15		68			06	03			09		29
30	17	X			19		07	05			05	04		30
31	05	X		X	02	X	04	22	X		X			31
TOTAL	584	40	478	92	234	01	229	731	187	206	503	280	35687	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090

(Rev. Feb. 1965)

REGISTER OF RAINFALL IN ~~1936~~ 1922

Kept at

Haverfordwest.

in the County of

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft. in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	01	44	21	100			41		07		05			1
2	17	35	13	05	17		19	11	10		11	01		2
3	14	14	17	12	09		31	23	21	06	16			3
4		04	40	17	55		01			23				4
5	08		26	01			76			08	64	01		5
6	09		42	03			11				17			6
7	08		65	05		01	47	43			14	01		7
8	16		07			01	86	91			03	05		8
9	09		11			55					33	03		9
10			01	02							12	01		10
11	02			15				06	07	15		12		11
12		04		55		26	13	60	128			06		12
13	52			36			35		23		01	06		13
14	29	21		49	01	01			02		02	80		14
15	70	21		16				10	04			24		15
16		13		01	105	01		101	32			12		16
17	38	21			07		97					17		17
18	37	15			11				89		05	06		18
19	12	04	03		05	07	12		13		01	47		19
20	17	27	03	01	02	01	77					03		20
21	06	15		01	07		11	03	01			81		21
22	01	42		02	23	10		14			14	32		22
23		10	02			06	08		09			29		23
24	01		43	35		26		17				34		24
25	12	25	34	21		45			74		05	03		25
26	05	15	06	09			30	35	42		05	12		26
27		73	15			02		03	12		01	12		27
28	71	42		02				03				26		28
29	31	X				05	06	14	04			42		29
30	09	X	14			50	10	40	61		10	02		30
31	18	X		X		X		29	X	105	X	01		31
TOTAL	493	445	363	388	242	237	611	503	539	157	214	499	Year's Total 4691	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)REGISTER OF RAINFALL IN ~~1926~~ 1923Kept at Haverfordwest

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	31	11	41	02	07			20		12	21	42		1
2	12	11	11		29		11	25		27	21	06		2
3			03	05	01	07	11		66	16	08	34		3
4	15	01	09	41			03			02	28	55		4
5	49	51	08		21		01	06		18	11			5
6	50	102	25	04			60		11		18	35		6
7	15	65	01			01	03	04		04	01	62		7
8	09	04				21	11	06		27	33	01		8
9	01	125			01	09	07	15	02	03	15	01		9
10		82	01	45	16				03	30		09		10
11		01	16	39	11					39	01	10		11
12		59	48	16	14	18			03	17	47	17		12
13	08	33		20			83	06	30	07	129			13
14		01		40	24	08		10	04		38	02		14
15		18		08	01	37	15	05	03	03	12			15
16		25		07	05			01			10	01		16
17	05	155				11		01	85	12	07			17
18		10		22		03			03	36	07			18
19	03	01			01		07	07	15		45	07		19
20		31	01		08			35	14	30	27	02		20
21	09	10			02			05	05	14	03	03		21
22		71			04		04		25	28				22
23	03	61	94				38	142	15	35		29		23
24		18		43			11	05	60	36	02	01		24
25		88	01	11	06	04	20	52		124		80		25
26	02	31	03		13	01		05		48		63		26
27		03	10		05		50	01	07	49		27		27
28	04	05	19	05	01			36	03					28
29	20	X		07			02	125	01	26		45		29
30	04	X	44	14			16	04		16	30			30
31	21	X	04	X		X	49		X		X	01		31
TOTAL	261	1073	339	329	170	120	402	516	355	659	514	533	Year's Total	5271

*Days with
.01 in.
or more.*Days with
.04 in.
or more.

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1961 1924

Kept at

Haverfordwest

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	12		07		05	29	65	22	01	01	71	06		1
2	04		14		05	01	07		01	61		05		2
3	53					31	39	45		02		18		3
4	01		09		04	78	52	24	01			63		4
5			22		01		74			58	01	10		5
6	25				35	12	10	09	08	32				6
7	23				07	73			86	35		08		7
8	30	15		02			02		48			09		8
9	29	09		15	26	34	01		07	73	62	07		9
10	41	11		03		41	01		27	142	21			10
11	70			35	09	03		02	07		10			11
12	63			04	65			16	16	01				12
13	38			55	32				15			72		13
14	05			08	06		€	44				47		14
15	20	12			01		07	80	33			52		15
16	27							50	36	03				16
17	22	16			01	01	54	11	25			19		17
18	22	03			04	02		13		49	04	20		18
19	11				13		19		41	01		11		19
20	44		03		11	22	157	19	10	58	03	02		20
21	112		05		07		21	06	20	06				21
22	04		113		09				28		07	60		22
23	28		43	04	32	01	01	13	30		23	34		23
24	03	08	01	11	03			02	53			34		24
25	01			54		02	11	03	02	22	62	62		25
26	05			23		04		03		14	24	103		26
27		04		35			100	04		26	40	09		27
28				04		01	01	72		13	41	11		28
29	03	03		21	10	03			30	104	46	83		29
30	09	X		10	09			01	11	34	08	27		30
31	05	X		X	10	X	19	03	X	07	X	21		31
TOTAL	710	81	217	284	305	338	641	442	536	742	423	793	5512	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 196 1925

Kept at

in the County of

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	69		02					01		01	159	01		1
2	09	14		01			05		09		21			2
3	38	05			19			41		01	09			3
4	12	01	03	50	19			07			11			4
5		29		22	13			42	11					5
6		02	03		59		39				106	02		6
7		64			01			49				52		7
8	16	05	03	01	05			77	01	04	18	21		8
9		12		14	08		16				01			9
10		42	02	01	01				22	01				10
11		47	02		09		01	41	02			10		11
12		31		27	07			31		02		04		12
13	17	44	33		01					03		05		13
14	20	25		45			02							14
15	01	04		04	05		02		27			36		15
16	15	25			09		03		04	01				16
17	01	06		07	02		18		18	06				17
18		04		18	33		39		01	06		12		18
19				01	03			20	64	178		38		19
20		03	07		10		01	30	05	40		02		20
21		65	24				11	25	49	11		10		21
22	09		04	33	47				57	118		08		22
23	02	24	05		06					04		21		23
24	56	55	13		01			04		06	05	07		24
25	15	49		05	08		23		50	25		08		25
26		15			94		50	11		65	04	29		26
27	04	17		07	32		20	01	05	04	15	21		27
28	26	17			02		01		02	73	19	63		28
29	02	X			45		02		10	79	22	07		29
30	11	X	06			01	05	01		25	16	04		30
31	16	X	05	X	01	X		02	X		X	07		31
TOTAL	339	605	112	236	440	01	238	383	337	653	406	368	Year's Total	4118
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)REGISTER OF RAINFALL IN ~~1976~~ 1926Kept at *Haverfordwest.*

in the County of

Diameter of funnel of gauge.....in.

Height of top of gauge above ground.....ft.....in.

Height of ground above sea level.....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	78	09	02	01	07				35		105	08		1
2	55	05	11	06			04		05		04			2
3		11	09	09			03					05		3
4	07	16	04	03	05				37		123	26		4
5	20	115	03		09		12	42			34	08		5
6	37	05		14	06				13	06	19			6
7	01	02		13	08	23		07	04	82	45			7
8			11	02		09	09	15		32	08			8
9	03		02	01	22	76		68	01	01	35			9
10	07				09	05	10			05	42			10
11					08	33				03	04			11
12					03	07		21	01	36	43	10		12
13		25			03			11	09	12	36	12		13
14	04	65		79		03		24	09	46	07	02		14
15	08	07		29			06	07	02		67			15
16	38	16		02		03		06	05		95			16
17	13	35		01		57	09	43			33	14		17
18	34	20					344	01			35	05		18
19		01		06		02	36	26	06		21			19
20	57	10		06		01		23			27			20
21	63	04		11			08	07			26	01		21
22	47	82					03	02			11			22
23	24	13					19	03	05	13	03			23
24	37	06			02		07	02	01	28	04			24
25	03						68			47	27			25
26	29	15		01	46		06		35	01	10			26
27	12	02			49					19	93	01		27
28	07	04	01	01	01		01			04	106	04		28
29	02	X			32						02			29
30	20	X		05	03			42						30
31	71	X	19	X	06	X		01	X		X			31
TOTAL	680	468	62	190	219	219	545	351	168	335	1065	96	Year's Total	4398
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed) (P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)REGISTER OF RAINFALL IN ~~196~~ 1927

Kept at

Haverfordwest

in the County of

COPY MWR.

Diameter of funnel of gauge in.

Height of top of gauge above ground ft. in.

Height of ground above sea level ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	04	44	03						11	33	109			1
2	49	02	06	23	29			01		05	07			2
3		17	19	09	35	07	53				16	03		3
4	20	07	09	39	01		54				11			4
5	10	15	20	49		08	11	07		01	13	44		5
6	02		25				20	26	15		56	23		6
7	05			02			05	03	11					7
8	02			34	16		19	25	10			15		8
9			08	03	03			11	01		43	02		9
10	03							19	47	02	91			10
11	03							90	10		21			11
12	21			02				21	15					12
13	26			08			06	61	02	09		05		13
14	04			04	08		13	12	91		02	06		14
15	07		04		41			31	07		02			15
16	13	04			12	110			61					16
17	17	02	06			11		17	09		72			17
18	08		03	01		31	01	08	12	03	18			18
19		57					12	85	04	05	32			19
20	43	03			01	51	37	30	06	01	25	48		20
21	23	39	15				17	32	51	53		103		21
22		42	61	09	02	10	09		31	13		41		22
23	01	06	19			37	11		01	02	49	40		23
24	107	12	41	01			01	16	14	18				24
25	29	20	09			05	30		08	18	01	10		25
26	11	31	02			21	10		08	10	04			26
27	04	18	01			01	27	35		26	07			27
28	83	34	35			07	12	66	69	07	30			28
29	11	X	09			15	59			69	05			29
30	03	X	04				05	10	32	13		16		30
31	21	X	67	X		X		01	X		X			31
TOTAL	530	353	266	184	148	314	412	607	528	288	614	356	469	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

Section

A

for the entry of Daily Observations

Station No.

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)REGISTER OF RAINFALL IN ~~196~~ 1930Kept at Haverfordwest.

in the County of

Diameter of funnel of gauge..... in.

Height of top of gauge above ground..... ft. in.

Height of ground above sea level..... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. Please read Notes and Instructions Overleaf

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	25	03		27		01		04			53			1
2	73			04			20	05		03	07			2
3	71	09	01	27			23	26		88	02			3
4	10	01	67	43				03	03	49				4
5	11		03	55	20			09	01	07		05		5
6	50		07				03		185	10	02	76		6
7	49									27	69	21		7
8	47			74				01	39	04	02			8
9	50		27	09	08	17		06	06		01	10		9
10	56		11		46	04		41	25	15		120		10
11	15		09	12	01	01	15	01		35		29		11
12	28		04	01	28			21	02			33		12
13	26		10	09	04		03	15	19	08		01		13
14	47	13	26		16	06		01	24	80	09			14
15		03	27		01		03		42	51	07	90		15
16	18		02				80	01	12	30		41		16
17	04			02	49		03	23	125	37		03		17
18	02		22			01	39	04	80	07	65	04		18
19	01		09	05	09	46	01	03	91	46	10	04		19
20			02			34	49	155	19	12	60			20
21	26		13			59	04	02	27	06	43			21
22	12		14	04		12	01	69	17	88	11	02		22
23	07		03	13		11			13		96	07		23
24	45								26	12	24	07		24
25	04	28		10	01		15	01	07	09	32	31		25
26	28		02		03	04	03		12	05	08	25		26
27			04		01	06	81			11		07		27
28	29		12		01		07	01		15		136		28
29	18	X			03		03	17		03		18		29
30	04	X	29		07		08	07		04		79		30
31	105	X	21	X		X	01		X	07	X	03		31
TOTAL	861	57	325	295	198	202	362	416	775	669	501	752	Year's Total 5413	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(g) on other side.

†Spare column, no entries required, except year's total.

(Signed)

(P.T.O.)

RECORD

ALL ORGANIZATION.

IN 1921

Lat. 48° Long. 4° 58' W 8 APR 1922 HWR
Observation
Way Station
Funnel of Rain Gauge _____ in.
of Gauge above Ground _____ ft. _____ in.
" " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.45	-	0.11	-	-	-	-	1.50	0.03	0.21	0.20	0.02	1
2	0.40	-	0.01	-	0.05	-	-	0.27	-	0.29	0.29	0.01	2
3	0.19	0.05	0.35	-	0.05	-	-	0.00	-	0.75	0.69	-	3
4	0.38	-	0.02	-	-	-	-	0.95	-	-	0.01	0.04	4
5	0.03	-	0.10	-	0.48	-	-	1.55	-	0.01	0.33	0.20	5
6	0.17	-	-	-	0.16	-	-	-	-	-	-	0.08	6
7	0.32	-	0.20	-	0.11	-	-	0.15	-	-	0.12	-	7
8	0.01	0.06	0.01	-	0.02	-	-	-	-	-	-	0.01	8
9	0.04	-	0.01	-	-	-	-	0.48	0.16	0.01	-	0.05	9
10	0.20	-	0.25	-	0.03	-	-	-	0.02	-	-	0.19	10
11	0.81	-	0.04	-	0.07	-	-	0.34	0.38	-	-	-	11
12	0.07	0.05	0.70	-	-	-	-	0.19	1.07	0.01	-	0.21	12
13	-	-	0.45	0.15	0.02	-	0.01	-	0.18	-	-	0.01	13
14	-	-	0.11	-	0.39	-	-	-	-	-	1.48	0.08	14
15	0.38	-	0.76	0.04	-	-	0.27	-	-	-	0.79	0.03	15
16	0.27	-	0.16	0.16	0.01	-	0.08	0.60	-	0.01	0.34	0.03	16
17	0.10	-	0.17	0.01	-	-	-	0.02	-	0.08	0.01	-	17
18	-	-	0.05	0.03	-	-	-	-	-	-	-	0.07	18
19	0.06	-	0.25	-	0.08	-	-	-	-	0.32	-	0.10	19
20	0.02	-	0.07	-	-	-	-	-	-	-	-	0.04	20
21	0.08	-	0.07	0.01	-	-	-	0.01	-	0.09	-	0.22	21
22	0.03	-	0.09	0.44	-	-	0.01	0.01	-	0.38	0.18	0.13	22
23	0.02	0.10	-	0.03	-	-	0.02	0.05	-	0.17	-	-	23
24	0.06	-	-	-	-	-	0.23	0.43	-	-	-	0.07	24
25	0.13	0.12	0.09	-	0.01	-	0.43	-	-	-	-	0.32	25
26	0.50	0.02	0.01	-	-	0.01	0.05	0.07	-	0.02	0.28	0.08	26
27	0.70	-	0.14	-	-	-	-	0.04	-	-	0.26	0.53	27
28	0.02	-	0.43	0.05	0.02	-	1.08	0.75	-	-	-	0.14	28
29	0.18	X	0.15	-	0.68	-	-	0.06	0.03	-	-	0.09	29
30	0.17	X	-	-	0.19	-	0.07	0.05	-	-	0.05	0.04	30
31	0.05	X	-	X	0.02	X	0.04	0.22	X	-	X	-	31
TOTAL	5.85	0.41	4.81	0.92	2.32	0.01	2.28	7.31	1.87	2.05	5.02	2.79	YEAR'S TOTAL
Days with 0.1 in. or more	28	6	26	9	16	1	9	19	7	12	14	28	35.65
Days with 0.4 in. or more	2	5	2	5	9	0	8	16	4	7	12	12	12.8

REGISTER OF RAINFALL IN 1921

Kept at Haverfordwest
 in the County of Pembroke
 by J. W. Phillips

Lat. 51° 48' Long. 4° 58' W
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
 If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.45	-	0.11	-	-	-	-	1.50	0.03	-	0.20	0.02	1
2	0.40	-	0.01	-	-	-	-	0.27	-	0.21	0.29	0.01	2
3	0.19	0.05	0.35	-	0.05	-	-	0.00	-	0.75	0.69	-	3
4	0.38	-	0.02	-	-	-	-	0.95	-	-	0.01	0.04	4
5	0.03	-	0.10	-	0.48	-	-	1.55	-	-	0.33	0.20	5
6	0.17	-	-	-	0.16	-	-	-	-	0.01	-	0.08	6
7	0.32	-	0.20	-	0.11	-	-	0.15	-	-	0.12	-	7
8	0.01	-	0.01	-	0.02	-	-	-	-	-	-	0.01	8
9	0.04	-	0.01	-	-	-	-	0.48	0.16	0.01	-	0.05	9
10	0.20	-	0.25	-	0.03	-	-	-	0.02	-	-	0.19	10
11	0.81	-	0.04	-	0.07	-	-	0.34	0.38	-	-	-	11
12	0.07	0.05	0.70	-	-	-	-	0.19	1.07	0.01	-	0.21	12
13	-	-	0.45	0.15	0.02	-	0.01	-	0.18	-	-	0.01	13
14	-	-	0.11	-	0.39	-	-	-	-	-	1.48	0.08	14
15	0.38	-	0.76	0.04	-	-	0.27	-	-	-	0.79	0.03	15
16	0.27	-	0.16	0.16	0.01	-	0.08	0.60	-	0.01	0.34	0.03	16
17	0.10	-	0.17	0.01	-	-	-	0.02	-	-	0.01	-	17
18	-	-	0.05	0.03	-	-	-	-	-	0.08	-	0.07	18
19	0.06	-	0.25	-	0.08	-	-	-	-	0.32	-	0.10	19
20	0.02	-	0.07	-	-	-	-	-	-	-	-	0.04	20
21	0.03	-	0.07	0.01	-	-	-	0.01	-	0.09	-	0.22	21
22	0.03	-	0.09	0.44	-	-	0.01	0.01	-	0.38	0.18	0.13	22
23	0.02	-	-	-	-	-	-	-	-	-	-	-	23
24	0.06	0.10	-	0.03	-	-	0.02	0.05	-	0.17	-	-	24
25	0.13	-	-	-	0.01	-	0.23	0.43	-	-	-	0.07	25
26	0.50	0.02	0.09	-	-	0.01	0.05	0.07	-	-	0.28	0.08	26
27	0.70	-	0.14	-	-	-	-	0.04	-	0.02	0.26	0.53	27
28	0.02	-	0.43	0.05	0.02	-	1.08	0.75	-	-	-	0.14	28
29	0.18	X	0.15	-	0.68	-	-	0.06	0.03	-	-	0.09	29
30	0.17	X	-	-	0.19	-	0.07	0.05	-	-	0.05	0.08	30
31	0.05	X	-	X	0.02	X	0.04	0.22	X	-	X	-	31
TOTAL	5.85	0.41	4.81	0.92	2.32	0.01	2.28	7.31	1.87	2.05	5.02	2.79	YEAR'S TOTAL
Days with .01 in. or more	28	6	26	9	16	1	9	19	7	12	14	26	35.65
Days with .04 in. or more	22	5	21	5	9	0	8	16	4	7	12	17	128

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1922

Kept at Haverfordwest
in the County of Pembroke
by J. W. Phillips

Lat. 51° 48' Long 4° 58' W
Time of Observation 9h
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph! Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.		in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.01	0.44	0.21	1.00	-	-	0.41	-	0.07	-	0.05	-	1
2	0.17	0.35	0.13	0.05	0.17	-	0.19	0.11	0.10	-	0.11	0.01	2
3	0.14	0.14	0.17	0.12	0.09	-	0.31	0.23	0.21	0.06	0.16	-	3
4	-	0.04	0.40	0.17	0.55	-	0.01	-	0.01	0.23	-	-	4
5	0.08	-	0.26	0.01	-	-	0.76	-	-	0.08	0.64	0.01	5
6	0.09	-	0.42	0.03	-	-	0.11	-	-	-	0.17	-	6
7	0.08	-	0.65	0.05	-	0.01	0.47	0.43	-	-	0.14	0.01	7
8	0.16	-	0.07	-	-	0.01	0.88	0.91	-	-	0.03	0.05	8
9	0.09	-	0.11	-	-	0.55	-	-	-	-	0.33	0.03	9
10	-	-	0.01	0.02	-	-	-	-	-	-	0.12	0.01	10
11	0.02	-	-	0.15	-	-	-	0.06	0.07	0.15	-	0.12	11
12	-	0.04	-	0.55	-	0.26	0.13	0.60	1.28	-	-	0.06	12
13	0.52	-	-	0.36	-	0.01	0.35	-	0.23	-	0.01	0.06	13
14	0.29	0.21	-	0.49	0.01	0.08	-	-	0.02	-	0.02	0.80	14
15	0.70	0.21	-	0.16	-	0.01	-	0.10	0.04	-	-	0.24	15
16	-	0.13	-	0.01	1.05	0.01	-	1.01	0.32	-	-	0.12	16
17	0.38	0.21	-	-	0.07	-	0.97	-	-	-	-	0.17	17
18	0.37	0.15	-	-	0.11	0.07	-	-	0.89	-	0.05	0.06	18
19	0.12	0.04	0.03	-	0.05	0.07	0.12	-	0.13	-	0.01	0.47	19
20	0.17	0.27	0.03	0.01	0.02	0.01	0.77	0.03	0.00	-	-	0.03	20
21	0.06	0.15	-	0.01	0.07	-	0.11	0.01	0.01	-	-	0.81	21
22	0.01	0.42	-	0.02	0.23	0.10	-	0.14	-	-	0.14	0.32	22
23	0.01	0.10	0.02	-	-	0.06	0.08	0.17	0.09	-	-	0.34	23
24	-	0.25	0.43	0.35	-	0.26	-	0.15	-	-	-	0.03	24
25	0.12	-	0.34	0.21	-	0.45	-	-	0.74	-	-	0.03	25
26	0.05	0.15	0.06	0.09	-	0.00	0.30	0.35	0.42	-	0.05	0.12	26
27	-	0.73	0.15	-	-	0.02	-	0.03	0.12	-	0.01	0.12	27
28	0.71	0.42	-	0.02	-	-	0.05	0.06	0.05	-	-	0.26	28
29	0.31	-	-	-	-	0.50	0.10	0.14	0.04	-	-	0.42	29
30	0.09	-	0.14	-	-	-	0.40	0.61	0.00	0.10	0.02	-	30
31	0.18	-	-	-	-	-	-	-	-	1.05	-	0.01	31
TOTAL	4.95	4.46	3.63	3.88	2.42	2.35	6.10	5.02	5.41	1.58	2.14	4.98	46.92
Days with 0.1 in. or more	25	19	18	21	11	15	17	17	18	5	17	21	9
Days with 0.1 in. or more	21	19	14	13	9	9	16	13	16	5	12	18	76.5

REGISTER OF RAINFALL IN 1923.

Kept at Haverfordwest
 in the County of Pembroke
 by J. W. Phillips [mo 3]

Lat. 51° 48' Long. 4° 58' W.

MWR

Time of Observation _____

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 250 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.31	.11	.41	.02	.07			.20		.12	.209	.428	1
2	.12		.11		.29		.11	.25		.27	.211	.06	2
3			.03	.05	.01	.07			.66	.16	.08	.34	3
4	.15	.01	.09	.41			.03			.02	.281	.55	4
5	.49	.51	.08		.21		.01	.06		.18	.11		5
6	.50	1.02	.25	.04			.60		.11		.18	.352	6
7	.15	.65	.01			.01	.03	.04				.62	7
8	.09	.04				.21	.11	.06		.27	.33	.01	8
9	.01	1.25			.01	.09	.07	.15	.02	.03	.15	.011	9
10		.82	.01	.45	.16				.03	.30		.091	10
11		.01	.16	.39	.11					.39	.011	.10	11
12		.59	.48	.16	.14	.18			.03	.17	.471	.17	12
13	.08	.33		.20	.24		.83	.06	.30	.07	1.29	.02	13
14		.01		.40		.08		.10	.04		.38	.016	14
15		.18		.08	.01	.37	.15	.05	.03	.03	.12		15
16		.25		.07	.05			.01			.10	.01	16
17	.05	1.55				.11		.01	.85		.071	.005	17
18		.10		.22		.03				.12	.07		18
19	.03	.01			.01		.07	.07	.15	.03	.44	.071	19
20		.31	.01		.08			.35	.14	.30	.27	.021	20
21	.09	.10			.02			.05	.05	.14	.035	.025	21
22		.71			.04		.04		.25	.28			22
23	.03	.61	.94	.43			.38	1.42	.15	.35	.02	.29	23
24		.18					.11	.05	.60	.36	.019	.012	24
25		.88	.01	.11	.06	.04	.20	.52		1.24	.80	.797	25
26	.02	.31	.03		.13	.01		.05		.49		.631	26
27		.03	.10		.05		.50	.01	.07	.49		.271	27
28	.04	.05	.19	.05	.01			.36	.03				28
29	.20			.07			.02	1.25	.01	.26		.452	29
30	.04	X	.44	.14			.16	.04		.16	.304	.01	30
31	.21	X	.04	X		X	.49		X		X	.006	31
TOTAL	2.61	10.74	3.37	3.29	1.69	1.19	4.03	5.15	3.56	6.58	5.14	5.31	52.66
Days with ".01 in. or more	18	27	18	17	12	11	19	22	19	25	22	24	244
Days with ".04 in. or more	14	22	12	16	13	8	15	19	12	22	18	16	188

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

4122

MWR

Kept at Haverfordwest M.O.3.
in the County of Pembroke Portfield
by J. W. Phillips

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	122		070		050	290	651	220	005	012	707	060	RWR 1
2	04		140		048	009	069		005	613	002	045	2
3	53					309	390	449		018		179	3
4	01		091		041	780	520	239	005			631	4
5			221		008		741		002	582	005	098	5
6	25				350	120	101	090	080	317			6
7	23				071	725			858	353		082	7
8	30	149		021			023		482			092	8
9	29	091		145	261	341	009		069	731	618	075	9
10	41	108		029		414	010		269	1422	205	002	10
11	70			355	090	030		023	065		104	003	11
12	63			039	652			158	161	005			12
13	38			550	321				151			722	13
14	05			080	059		001	441				472	14
15	20	120	003		012		069	800	325			523	15
16	27							504	361	025			16
17	22	159			009	010	538	105	249			192	17
18	22	032			038	020		129		488	038	199	18
19	11				130		187		415	015	003	108	19
20	44		032		108	223	1572	186	100	581	032	018	20
21	112	001	052		075		210	064	201	060			21
22	04		1130		085				282		070	602	22
23	28		429	042	319	012	011	127	302		231	344	23
24	03	080	011	110	035			016	531			345	24
25	01			539		018	111	035	020	221	623	620	25
26	05			231		041		028		141	239	1029	26
27		038		351			1001	039		260	403	085	27
28	00			039		010	010	720		130	411	112	28
29	03	028		271	100	030			300	1038	459	833	29
30	09	X		100	090	003	004	015	115	342	078	271	30
31	05	X		X	102	X	193	031	X	072	X	210	1401 31
TOTAL	7102	806	2179	2842	3054	3385	6421	4419	5353	7426	4228	7948	55163
Days with 01 in. or more	28	9	9	15	23	17	19	21	23	20	15	25	223
Days with 04 in. or more	24	7	7	13	19	9	14	15	19	16	13	24	180
YEAR'S TOTAL													

Section



Copied from Fm 3202
for the entry of Daily Observations.

Read *ASC*. AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925.

Kept at *Harfordwest*
in the County of *Pembroke*

Observers are requested to read the instructions
printed overleaf before filling in this form.

Every Observer should fill in section C
overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the
following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	-	.02	-	-	-	-	.01	-	.01	1.59	.01	1
2	.09	.14	-	.01	.19	-	.05	.04	.09	-	.21	-	2
3	.38	.05	-	.56	.19	-	-	.41	-	.01	.09	-	3
4	.12	.01	.03	.22	.13	-	-	.07	-	-	-	-	4
5	-	.29	.03	.22	.13	-	-	.42	.11	-	-	-	5
6	-	.02	.03	-	.59	-	.39	-	-	-	1.06	.02	6
7	-	.64	-	-	.01	-	-	.49	-	-	-	.52	7
8	.16	.05	.03	.01	.05	-	-	.77	.01	.04	.18	.21	8
9	-	.12	-	.14	.08	-	.16	-	-	-	.01	-	9
10	-	.42	.02	.01	.01	-	-	-	.22	.01	-	-	10
11	-	.47	.02	-	.09	-	.01	.41	.02	-	-	.10	11
12	-	.31	-	.27	.07	-	-	.31	-	.02	-	.04	12
13	.17	.44	.33	-	.01	-	-	-	-	.03	-	.05	13
14	.20	.25	-	.45	.05	-	.02	-	-	-	-	-	14
15	.01	.04	-	.04	.05	-	.02	-	.27	-	-	.36	15
16	.15	.25	-	-	.09	-	.03	-	.04	.01	-	-	16
17	.01	.06	-	.07	.02	-	.18	-	.18	.06	-	-	17
18	-	.04	-	.18	.33	-	.39	-	.01	.06	-	.12	18
19	-	-	-	.01	.03	-	-	.20	.64	1.78	-	.38	19
20	-	.03	.07	-	.10	-	.01	.30	.05	.40	-	.02	20
21	.09	.65	.24	-	.47	-	.11	.25	.49	.11	-	.10	21
22	.09	-	.04	.33	.47	-	-	-	.57	1.18	-	.08	22
23	.02	.24	.05	.06	.06	-	-	.04	-	.04	.05	.21	23
24	.56	.55	.13	.01	.01	-	-	.04	-	.06	.05	.07	24
25	.15	.49	-	.05	.08	-	.23	-	.50	.25	-	.08	25
26	-	.15	-	-	.94	-	.50	.11	-	.65	.04	.29	26
27	.04	.17	-	.07	.32	-	.20	.01	.05	.04	.15	.21	27
28	.26	.17	-	-	.02	-	.01	-	.02	.73	.19	.63	28
29	.02	X	.06	-	.45	-	.02	.01	.10	.79	.22	.07	29
30	.11	X	.05	X	.01	.01	.05	.01	.25	.25	.16	.04	30
31	.16	X	.05	X	.01	X	-	.02	X	-	X	.07	31
TOTAL	3.38	6.05	1.13	2.37	4.41	0.01	2.39	3.83	3.39	6.51	4.06	3.67	41.21
Days with ".01 in. or more.	19	25	14	15	26	1	17	16	17	21	13	22	206
Days with ".04 in. or more.	15	22	8	11	18	0	16	12	13	15	12	19	155

(Signed).....J.W. PHILLIPS..... P.T.O.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

County No. _____
River Dist. _____
Station No. 4122

Kept at Haverfordwest (Porthfield)
in the County of Pembrokeshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

MWR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	781	086	016	012	065	-	-	-	355	-	1048	082	1
2	545	052	110	058	-	-	040	-	050	-	039	-	2
3	-	108	089	091	-	-	032	-	-	-	-	045	3
4	069	160	040	028	050	-	-	-	0369	-	1228	0259	4
5	200	1149	030	-	090	-	120	422	-	-	341	080	5
6	375	051	-	139	059	-	-	-	130	060	190	-	6
7	009	020	-	129	081	228	-	067	042	0819	445	-	7
8	-	-	106	023	-	090	088	150	-	322	078	-	8
9	033	-	018	014	219	070	-	0680	009	012	349	-	9
10	072	-	-	-	093	054	100	-	-	050	420	-	10
11	-	-	-	-	081	334	002	-	-	031	039	-	11
12	-	-	-	-	034	070	-	210	006	361	433	098	12
13	-	249	-	-	035	-	-	105	094	117	360	119	13
14	037	650	-	791	-	028	-	238	090	459	069	020	14
15	081	070	-	295	-	-	061	073	018	-	673	-	15
16	382	160	-	023	-	025	-	059	052	-	951	-	16
17	130	348	-	007	-	571	092	429	-	-	331	140	17
18	343	201	-	-	-	-	3439	005	-	-	352	048	18
19	-	011	-	063	-	020	358	260	057	-	209	-	19
20	570	102	-	062	-	009	-	231	-	-	270	-	20
21	633	042	-	110	-	-	081	067	-	-	260	011	21
22	471	821	-	-	-	-	035	021	-	-	111	-	22
23	274	133	-	-	-	-	195	029	045	125	031	-	23
24	369	058	-	-	020	-	069	019	015	280	039	-	24
25	027	-	-	-	-	-	681	-	-	470	270	-	25
26	287	151	-	015	460	-	060	-	349	009	100	-	26
27	118	021	-	-	0490	-	-	-	-	190	928	010	27
28	075	038	008	011	007	-	011	-	-	039	1060	040	28
29	021	-	-	-	319	-	-	-	-	-	018	-	29
30	203	X	-	050	028	-	-	421	-	-	-	-	30
31	710	X	0191	X	060	X	-	005	X	-	X	-	31
TOTAL	6815	4681	0608	1921	2191	2190	5464	3491	1681	3344	1064	2095	YEAR'S TOTAL 43980
Days with 01 in. or more.	25	22	9	18	17	11	16	19	15	15	28	12	207
Days with 04 in. or more	21	19	5	10	12	7	13	14	11	12	26	9	159
	173.1	118.9	15.5	48.8	55.6	55.6	138.7	88.6	42.7	84.8	270.3	24.1	1116.7

450

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Portfield High level reservoir
in the County of HAVERFORDWEST
Diameter of Funnel of Gauge five in.
Height of top of Gauge above Ground one ft. in.
Ground Sea Level 250 ft.

con for Anil

100

MWR

Di sent- 18/1/28.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	.44	.03	—	—	—	—	—	.11	.33	1.09	—	1
2	.49	.02	.06	.23	.29	—	—	.01	—	.05	.07	.03	2
3	—	.17	.19	.09	.35	.07	.53	—	—	—	.16	.02	3
4	.20	.07	.09	.34	.01	—	.54	.07	—	—	.11	—	4
5	.10	.15	.20	.49	—	.08	.11	.07	—	.01	.13	.44	5
6	.02	—	.25	—	—	—	.20	.26	.15	—	.56	.23	6
7	.05	—	—	.02	—	—	.05	.03	.11	—	—	—	7
8	.02	—	—	.34	.16	—	.19	.25	.10	—	.43	.15	8
9	—	—	.08	.03	.03	—	—	.11	.01	—	.44	.02	9
10	.03	—	—	—	—	—	—	.19	.47	.02	.91	—	10
11	.03	—	—	—	—	—	—	.90	.21	.10	.21	—	11
12	.21	—	—	.02	—	—	—	.20	.15	—	—	.07	12
13	.26	—	—	.08	—	—	.06	.61	.02	.09	—	.05	13
14	.04	—	—	.04	.08	—	.13	.12	.91	—	.02	.06	14
15	.07	—	.04	—	.41	—	—	.31	.07	—	.02	—	15
16	.13	.04	—	—	.12	.10	—	—	.61	—	—	—	16
17	.17	.02	.06	—	—	.11	—	.17	.09	—	.72	—	17
18	.08	—	.03	.01	—	.31	.01	.08	.12	.03	.18	—	18
19	—	.57	—	—	—	—	.12	.85	.04	.05	.32	—	19
20	.43	.03	—	—	.01	.51	.37	.20	.06	.01	.25	.48	20
21	.23	.39	.15	—	—	—	.17	.32	.51	.53	—	1.03	21
22	—	.42	.61	.09	.02	.10	.09	—	.31	.13	—	.41	22
23	.01	.06	.19	—	—	.37	.11	—	.01	.02	.49	.40	23
24	1.07	.12	.41	.01	—	—	.01	.16	.14	.18	—	—	24
25	.29	.20	.09	—	—	.05	.30	—	.08	.18	.01	.10	25
26	.11	.31	.02	—	—	.21	.29	—	.08	.10	.04	—	26
27	.04	.18	.01	—	—	.01	.10	—	.07	.10	.07	—	27
28	.83	.34	.35	—	—	.07	.12	.66	.69	.07	.30	—	28
29	.11	X	.09	—	—	.15	.59	—	.10	.69	.05	—	29
30	.03	X	.04	—	—	—	.05	.40	.32	.13	—	.16	30
31	.21	X	.67	X	—	X	—	.01	X	—	X	—	31
TOTAL	5.31	3.53	1.83	1.47	3.13	4.13	6.08	5.26	2.88	6.13	3.56	46.99	YEARS TOTAL
Days with ".01 in. or more.	27	17	21	13	10	12	21	22	24	17	21	13	219
Days with ".04 in. or more.	21	14	17	8	6	12	19	19	21	13	10	11	179

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 1928.

Kept at Hooverfordwest
in the County of _____
Diameter of Funnel of Gauge..... in.
Height of top of Gauge above Ground..... ft..... in.
„ Ground „ Sea Level 250 ft.

100

Copy from m.w.R.
MWR

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	30						29				01		1
2	05	10	14	22								09	2
3	01	29	12										3
4	01	74				18	49			69	69	08	4
5	15	05	03	05		03	16		49	23	05	13	5
6	07			02		08		10	31	07		06	6
7	05	11		14		11	04	37	22	65		01	7
8	03	09		17		27	18		33	18		07	8
9		03	01	07		08				15		26	9
10	22	18		02			01	15		86	56	1.59	10
11	01						01	37		50	57	02	11
12	52	72	20			09		17			44		12
13	03	10		20	02	37		37			07		13
14	50	22	29	04	01	01	01	09		89	65		14
15	08	43	36	03	18	01				26	57	59	15
16		03	09		11			01		31	55	56	16
17	34		21	03	10	02						01	17
18	66	01	38	01	02	37			05	71	42	38	18
19	30		82	01				11		57	47	39	19
20	17		66	24		39				44	57	05	20
21	55		60			13	01	01		35	21	09	21
22	05		24	12				62		12	1.05	24	22
23	1.07		25				04	12		41	12	06	23
24	04							13	05	05	15	50	24
25	26			03	06	78		30		44		70	25
26	20		22		34	06	09	19		50	02		26
27	06		30	01	09	12	09	44	18			85	27
28	81	22	66		02	87	10	08	24	07	07	32	28
29	38	51	16			49	08			34	02	83	29
30	15	X	11	02			1.15			13		08	30
31	53	X		X		X	60	03	X	10	X		31

TOTAL	7.60	3.83	5.85	1.43	0.95	4.46	3.35	3.66	1.87	9.02	7.26	7.96	57.24
Days with 01 in. or more.	29	16	22	18	10	19	16	18	8	24	20	24	222
Days with 04 in. or more.	24	13	16	9	6	15	12	14	8	24	17	21	158

Section 7



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Slaverfordwest

in the County of Pembrokeshire

Diameter of Funnel of Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

„ Ground „ Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1. following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		59		02		28		05	01	84		92	1
2		19				20	03	18	37	32	02	40	2
3		01			05	01	13	120	37	16		50	3
4				11	95		23			03	07	66	4
5		17			83	35	69	59		135	106	10	5
6	08	23			23	03				57	12	87	6
7		01			15	05				58	38	53	7
8		25		01				14		04		94	8
9	35	12					01	03		24	72	26	9
10	09	14			10		04	04		16	31	36	10
11		56			58		04				108	02	11
12				03		37		01			03	01	12
13				01	12	35		07	01			20	13
14		06			24	03			07		05	10	14
15	06	12				20					83		15
16				05				14			16		16
17	46			06			01		01	09			17
18	01								01	18	140		18
19										02	67	25	19
20		05	73					07		29	47	105	20
21		04	16		03		30	03		03	61	03	21
22	08	02			55		04	08		01	54	41	22
23		08			43		09	01		97	87	82	23
24			16	01				02		41	51	62	24
25	02	03	05	08	02					05	23	01	25
26				01						02	75	48	26
27	09			35	29		27	09		41	57	26	27
28	129			17			108	05	36	13	49	89	28
29	17	X							03	03	16	27	29
30	21	X					25		30	04	42	32	30
31	70	X		X		X		24	X		X	15	31
TOTAL	3.61	2.67	1.10	0.91	4.57	1.87	3.21	3.04	1.54	6.97	12.52	11.33	YEAR'S TOTAL 53.34
Days with .01 in. or more.	13	15	4	10	11	10	14	18	10	22	23	27	158
Days with .04 in. or more.	11	13	4	6	12	7	11	13	5	18	23	23	146

Kept at Naugatuck
in the County of Connecticut

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
 " Ground " Sea Level 250 ft.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
I	in. 25	in. 03	in.	in. 27	in.	in. 01	in.	in. 04	in.	in.	in. 53	in.	I
2	73		01	04	-		201	05		029	07	-	2
3	71	09	00	27	-		231	26		079	02	-	3
4	10	01	67	43	-			03	03	492		-	4
5	11		03	55	20			09	01	071		05	5
6	50		04		-		037		185	102	02	76	6
7	49			74						269	69	21	7
8	47							01	39	043	02	-	8
9	50		27	09	08	17		06	06		01	10	9
10	56		11		46	04		41	25	153		120	10
II	15		09	12	01	01	150	01		350		29	II
12	28		04	01	28			21	02			33	12
13	26		10	09	04		032	15	19	082		01	13
14	47	13	26		16	06		01	24	802	09	-	14
15		03	27				025		42	505	07	90	15
16	18		02		49		800	01	12	302		41	16
17	04		22	02		01	035	23	125	369		03	17
18	02					39	385	04		800	075	65	18
19	01		09	05	09	46	010	03	91	459	10	04	19
20			02			34	490	155	19	119	60		20
21	26		13			59	036	02	272	061	43		21
22	12		14	04		12	010	69	17	884	11	02	22
23	07		03	13		11			13		96	07	23
24	45								26	122	24		24
25	04	28		10	01		150	01	07	091	32	31	25
26	28		02		03	04	025		12	050	08	25	26
27			04		01	06	812			109		07	27
28	29		12		01		068	01		145		136	28
29	18	X			03		035	17		035		18	29
30	04	X	29		07		080	07		036		79	30
31	105	X	21	X		X	015		X	072	X	03	31
TOTAL	8.61	0.57	3.25	2.96	1.97	2.03	3.59	4.17	7.76	6.71	5.00	7.50	54.12
Days with .01 in. or more.	28	6	23	15	16	13	20	23	21	27	18	23	233
Days with .04 in. or more.	26	5	17	13	9	10	11	14	18	25	14	19	179
49-9999	218.7	14.4	82.6	75.2	50.0	51.6	91.2	105.9	191.1	170.2	127.0	190.5	1374.6

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Portfield, Haverfordwest
in the County of Pembroke

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
,, Ground ,, Sea Level 250 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.195	.025	—	.271	—	.005	—	.038	—	—	.526	—	1
2	.282	—	—	.039	—	—	.201	.050	—	.029	.071	—	2
3	.558	.090	.006	.275	—	—	.231	.260	—	.879	.020	—	3
4	.512	.014	.668	.429	—	—	—	.250	.035	.492	—	—	4
5	.137	—	.027	.550	.200	—	—	.090	.012	.071	—	.050	5
6	.101	—	.070	—	—	—	.027	—	1.852	.102	.021	.761	6
7	.422	—	—	—	—	—	—	—	—	.269	.689	.212	7
8	.448	—	—	.738	—	—	—	.015	.388	.043	.020	—	8
9	.461	—	.269	.090	.081	.172	—	.058	.062	—	.005	.101	9
10	.490	—	.110	.003	.462	.039	—	.410	.253	.153	—	1.200	10
11	.176	—	.091	.119	.011	.015	.150	.015	—	.350	—	.289	11
12	.210	—	.041	.010	.279	—	—	.213	.017	—	—	.332	12
13	.348	—	.100	.092	.042	—	.032	.153	.192	.082	—	.007	13
14	.461	.131	.261	—	.160	.061	—	.007	.239	.802	.090	—	14
15	—	.028	.270	—	.008	—	.025	—	.421	.505	.069	.896	15
16	.195	—	.022	—	—	—	.800	.013	.123	.302	—	.408	16
17	.031	—	—	.016	.489	—	.035	.234	1.255	.369	—	.029	17
18	.021	—	.218	—	—	.008	.355	.039	.800	.075	.652	.036	18
19	.007	—	.088	.046	.090	.462	.010	.030	.908	.459	.097	.041	19
20	—	—	.019	.003	—	.343	.490	1.552	.187	.119	.598	—	20
21	.262	—	.133	—	—	.587	.036	.020	.272	.061	.429	—	21
22	.115	—	.136	.040	—	.119	.010	.692	.170	.884	.111	.022	22
23	.083	—	.030	.135	—	.110	—	.004	.126	—	.962	.071	23
24	.390	—	—	.002	—	—	—	—	.260	.122	.240	.068	24
25	.055	.278	—	.099	.010	—	.150	.006	.065	.091	.318	.310	25
26	.229	—	.020	—	.031	.040	.025	—	.120	.050	.079	.250	26
27	—	—	.042	—	.007	.062	.812	—	—	.109	—	.065	27
28	.201	—	.122	—	.009	—	.068	.011	.002	.145	—	1.360	28
29	.169	X	—	—	.030	.002	.035	.165	—	.035	—	.177	29
30	.040	X	.295	—	.065	—	.080	.067	—	.036	—	.789	30
31	1.150	X	.215	X	—	X	.015	—	X	.072	X	.029	31
TOTAL	7.749	5.66	3.250	2.957	1.974	2.025	3.587	4.167	7.759	6.706	4.997	7.503	53.210
*Days with or in. or more.	27	6	22	14	13	11	20	21	21	27	17	22	221
*Days with or in. or more.	25	3	17	2	9	9	11	12	18	24	14	18	162

40-9999

*See Instruction 2 (f) on other side.

(Signed) J. W. Phillips [P.T.O.]

Kept at

N.P. School

in the County of

Pembroke

by

D. J. F.

LLANRHIAN

N. P. SCHOOL

PEMBROKESHIRE

1924-1925

a.m.

Range 5 in.

Ground 1 ft. 6 in.

Sea Level about 200 ft.

previous day.

g at 9 a.m. on

Jan. 1, following.

ages, and par-
sent post-free
e, Air Ministry,
ace, Edinburgh.

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.
1	-	-	-	-	-	-	-	-	-	-	-	-	1
2	.08	-	-	-	-	-	-	-	-	-	-	-	2
3	-	-	.10	-	.02	-	-	-	-	-	-	-	3
4	.35	-	.14	-	.04	.65	.12	.15	-	-	-	.35	4
5	-	-	.11	-	.04	.18	.15	.01	-	-	-	.50	5
6	-	-	.31	-	.03	.10	.35	-	-	.26	-	.15	6
7	.23	-	.01	-	.08	.18	.12	.19	.02	.03	-	.07	7
8	.08	-	-	-	.12	.03	-	-	.62	.16	-	.27	8
9	.06	.06	-	-	.14	.10	-	-	.42	.02	-	.21	9
10	.11	.02	-	.16	.10	.23	-	-	.11	.15	.29	.05	10
11	.44	-	-	.09	.04	.70	-	-	.13	.75	.13	-	11
12	.40	-	-	.45	.08	-	-	.01	.12	.01	-	-	12
13	.46	-	-	.55	.45	-	-	.05	.38	-	-	.02	13
14	.35	-	-	1.20	.30	-	-	.35	.20	-	-	.42	14
15	.02	.04	-	.02	-	-	.10	-	.10	.01	-	.62	15
16	.12	-	-	-	.01	-	.10	.80	.22	-	-	.24	16
17	.14	.14	-	-	-	-	.09	.40	.31	-	-	.02	17
18	.11	.08	-	-	-	.04	.34	.06	.05	-	.03	.08	18
19	.08	.03	-	-	.08	.03	-	-	-	.25	-	.11	19
20	.14	-	-	-	.10	.05	.24	-	.04	-	-	.15	20
21	.36	-	.03	-	.04	.05	2.34	-	.25	.12	.04	.06	21
22	.58	-	.04	-	.12	.03	.10	.03	.18	.05	-	-	22
23	.01	-	.62	.05	.08	-	-	.08	.23	-	-	.28	23
24	.22	-	.45	.10	-	.02	.01	.15	.12	-	.05	.30	24
25	-	.14	-	.24	.30	.01	.20	-	.38	-	.01	.31	25
26	-	-	.03	.24	-	-	-	.04	.05	.20	.41	.73	26
27	-	.03	-	.09	-	-	-	.14	-	.04	.34	.50	27
28	-	.04	-	.08	-	.04	.75	1.00	-	.38	.16	.26	28
29	.01	-	-	.09	-	.06	.14	.50	.03	.05	.23	.16	29
30	.04	X	-	.20	.35	.04	-	.42	.72	.51	.50	.55	30
31	.04	X	-	X	.34	X	-	-	X	.16	X	.11	31
TOTAL	4.49	.58	1.96	3.53	3.17	3.02	5.64	4.82	4.71	4.00	2.59	6.63	YEAR'S TOTAL
Days with ".01 in. or more	23	9	12	14	23	20	7	20	21	20	14	26	45.18
Days with ".04 in. or more	20	6	9	13	20	15	16	14	19	16	12	24	32

REGISTER OF

Kept at N.P. School, Llanrhian
in the County of Pembroke
by Ben Davies

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Mathry G. W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level about 200 ft.

Jan. 1, following.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	08	-	15	20	-	24	-	21	10	13	RWR
2	08	-	04	-	04	25	40	06	-	06	23	05	2
3	-	-	10	-	02	-	10	14	-	55	04	-	3
4	35	-	14	-	04	65	12	15	-	-	-	35	4
5	-	-	11	-	04	18	15	01	-	-	-	50	5
6	-	-	31	-	03	10	35	-	-	26	-	15	6
7	23	-	01	-	08	18	12	19	02	03	-	-	7
8	08	-	-	-	12	03	-	-	62	16	-	27	8
9	06	06	-	-	14	10	-	-	42	02	-	21	9
10	11	02	-	16	10	23	-	-	11	15	29	05	10
11	44	-	-	09	04	70	-	-	13	75	13	-	11
12	40	-	-	45	08	-	-	01	12	01	-	-	12
13	46	-	-	55	45	-	-	05	38	-	-	02	13
14	35	-	-	120	30	-	-	35	20	-	-	42	14
15	02	04	-	02	-	-	10	-	10	01	-	62	15
16	12	-	-	-	01	-	10	80	22	-	-	24	16
17	14	14	-	-	-	-	09	40	31	-	-	02	17
18	11	08	-	-	-	04	34	06	05	-	03	08	18
19	08	03	-	-	08	03	-	-	-	25	-	11	19
20	14	-	-	-	10	05	24	-	04	-	-	15	20
21	36	-	03	-	04	05	234	-	25	12	04	06	21
22	58	-	04	-	12	03	10	03	16	05	-	-	22
23	01	-	62	05	08	-	-	08	23	-	-	28	23
24	22	-	45	10	-	02	01	15	12	-	05	30	24
25	-	14	-	24	30	01	20	-	38	-	01	31	25
26	-	-	03	24	-	-	-	04	05	20	41	43	26
27	-	03	-	09	-	-	-	14	-	04	34	50	27
28	-	04	-	08	-	04	75	100	-	38	16	26	28
29	01	-	-	09	-	06	14	50	03	05	23	16	29
30	04	X	-	20	35	04	-	42	42	51	50	55	30
31	04	X	-	X	34	X	-	-	X	16	X	11	1148 31
TOTAL	449	58	196	353	317	302	568	482	471	400	259	663	YEAR'S TOTAL
Days with 01 in. or more	23	9	12	14	23	20	7	20	21	20	14	26	45
Days with 04 in. or more	20	6	9	13	20	15	16	14	19	16	12	24	32

Section



Corrd for Arith. Obs. agrees.
for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3550

Register of Rainfall in 1925.

Kept at Blunham H School
in the County of Pembrokeshire

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 11 1/2 ft.
Ground Sea Level 100 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.


Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.24	.23	.21	.02	.01	—	—	—	—	—	.47	.35	1
2	.25	—	.02	—	—	—	—	—	—	—	.25	.02	2
3	.06	.06	—	—	—	—	.25	.03	.22	—	.12	—	3
4	.20	.01	—	—	—	—	—	.25	—	—	.10	—	4
5	.03	—	.03	.30	.11	—	—	.19	.02	—	.11	.02	5
6	—	.22	—	.50	.23	—	.02	.36	.04	—	—	—	6
7	—	—	—	—	.12	—	.25	—	—	—	.41	—	7
8	—	.15	.02	.17	.20	—	—	.21	—	.09	.23	.05	8
9	.08	.23	—	.07	.04	—	—	.50	—	—	.10	—	9
10	—	.10	.01	—	—	—	.16	.01	.05	—	.17	—	10
11	—	.56	—	—	.01	—	.02	.50	.50	—	.10	—	11
12	—	.16	.04	—	.06	—	—	.27	—	—	—	—	12
13	.01	.21	—	—	.05	—	—	.01	.10	.01	—	.05	13
14	.12	.27	.23	.16	.10	—	—	.01	—	—	—	.07	14
15	.12	.16	—	—	.01	—	.08	—	.02	—	—	.05	15
16	.01	.07	.01	.01	.03	—	.02	—	.27	—	.02	.20	16
17	.18	.05	—	—	.37	—	.04	—	.14	—	—	—	17
18	.01	.05	.01	.12	.02	—	.14	—	.05	—	—	.05	18
19	.01	.01	—	.20	.27	—	.10	—	.10	—	—	—	19
20	—	.01	.05	—	.02	—	—	—	.21	.65	—	.05	20
21	—	.72	.25	—	.03	—	.03	.30	.17	.20	—	.25	21
22	—	.30	.26	—	.05	—	.09	.20	.32	.14	—	.08	22
23	.07	.36	.10	.17	.30	—	—	—	.17	1.00	—	.05	23
24	.21	.20	.05	.01	.03	—	—	—	—	.25	—	.13	24
25	.32	.17	.06	—	—	—	—	.03	.02	.20	.05	.05	25
26	.02	.65	.04	.01	—	—	.04	.06	.22	.11	—	.15	26
27	—	.04	.33	.03	—	—	.27	(.05)	—	.06	.03	.05	27
28	.15	.11	—	—	.87	—	.11	—	.03	.05	—	.18	28
29	.12	—	—	.05	.03	—	.08	.21	—	.62	.10	.17	29
30	.01	X	—	—	.02	—	—	—	.02	.50	.13	.06	30
31	.01	X	—	X	.23	X	.06	.03	X	.17	X	.14	31
TOTAL	2.69	5.10	1.72	1.86	3.41	—	2.16	3.23	3.37	2.25	2.39	2.22	2.64
Days with .01 in. or more.	24	25	17	14	24	0	17	19	19	14	15	21	205
Days with .04 in. or more.	13	22	12	10	14	0	13	12	14	13	13	19	155

(Signed) Boyd Davies P.T.O.

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at
Llanthian - Rannfall 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

Comparison with other returns suggests that during the last six months of the year the entries are made to the day of measurement instead of to the previous day as is usual in this country.

If that is so could you please state exactly what months are affected, and also give the amount which was measured in the morning of Jan 1. 1926.

We make the sums of the daily amounts in May, August and September to be 3.41, 3.42 and 2.87 instead of 3.43, 3.43 and 3.37 which are the values given in the return.

28/6/26.

H. J. Davies

Lupt.

REPLY.

Throughout the year the entries are for the previous day

Totals for month	May
" " "	3.41
" " "	August
" " "	3.43
" " "	Sept
" " "	2.87

H. J. Davies

July 9. 26

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division



FOR OFFICIAL USE.

ZATION.

3551 A

Kept at Manor

in the County of D

Diameter of Funnel of Gar

Height of top of Gauge above

“ Ground ”

THE MORNING

An observer who does not
following year in the space

Reco

MANORBIER

SCHOOL

PEMBROKESHIRE

to read the instructions
in this form.

1d fill in section C

DAY.
 ry 1st of the

Jan. 1, following.

Date	Jan. in.	Feb. in.	Mar. in.	Apr. in.	May in.	June in.	July in.	Aug. in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.45	-								-	.82	-	1
2	.12	.08								-	.38	-	2
3	.22	.02								-	.03	-	3
4	.11	.09	-	.26	.15	-	-	.09	.01	-	.13	-	4
5	.01	.34	-	.38	.09	-	-	.39	.09	-	.02	-	5
6	-	.01	-	.04	.71	-	.36	.02	.01	-	.56	-	6
7	-	.35	.01	-	.13	-	-	.32	-	-	.36	.18	7
8	.06	.01	-	.01	.09	-	-	.47	.09	-	.11	.10	8
9	-	.06	-	.11	.03	-	.16	.11	.03	-	.01	.01	9
10	-	.17	.02	-	.01	-	-	.01	.02	-	-	-	10
11	-	.42	.06	-	.09	-	-	.18	-	-	-	-	11
12	-	.14	-	.22	.04	-	-	.23	.04	-	-	-	12
13	.03	.37	.26	-	.04	-	-	-	-	-	-	.05	13
14	.40	.59	-	.14	-	-	-	-	-	-	-	-	14
15	.03	.04	-	.04	.02	-	.02	-	.37	-	-	.26	15
16	.10	.10	-	-	.03	-	.08	-	.02	.06	-	.01	16
17	-	.03	-	.03	.08	-	.11	-	.13	.02	-	-	17
18	-	.02	-	.19	.27	-	.38	-	.02	.01	-	.12	18
19	-	.03	-	.03	.04	-	.33	.06	.46	1.91	-	.59	19
20	-	.12	.18	-	.04	-	.02	.20	.16	.57	-	.03	20
21	-	.22	.03	-	-	-	.08	-	.37	.21	-	.06	21
22	.03	.33	-	.26	.55	-	.02	-	.36	.51	-	.24	22
23	.01	.08	.08	.03	.11	-	-	-	.02	.06	-	.04	23
24	.48	.45	.08	.01	.04	-	-	-	-	.11	.02	.14	24
25	.19	.52	.11	.04	-	-	.19	-	.35	.14	-	.10	25
26	.05	.21	-	-	.69	-	.34	.35	-	.43	-	.33	26
27	.07	.18	.03	.11	.12	-	.21	.03	.03	.06	.15	.13	27
28	.21	.22	.01	.01	.02	-	.02	-	.03	.41	.22	.29	28
29	.02	-	-	.09	.39	-	.09	-	.06	.29	.13	.04	29
30	-	X	.07	.04	.04	-	.48	-	-	.12	.76	.02	30
31	.16	X	.14	X	-	X	-	.01	X	.02	X	.46	31 ⁹¹²
TOTAL	2.75	5.20	1.22	2.31	4.00	-	2.97	2.86	2.78	4.93	3.70	3.2	35.92
Days with .01 in. or more.	19	27	15	19	25	-	18	17	22	16	14	20	212
Days with .04 in. or more.	13	21	9	13	20	-	13	12	13	10	16	15	150

(Signed)

[P.T.]

Register of Rainfall in 1925.

Kept at Manorbier (N.P. School)

in the County of Pembroke

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 12 ft. in.

Ground Sea Level 90 120 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	.45	-	.13	-	-	-	-	.07	.09	-	.82	-	1
2	.12	.08	.01	-	-	-	.07	.03	.02	-	.38	-	2
3	.22	.02	-	-	.18	-	.01	.29	-	-	.03	-	3
4	.11	.09	-	.26	.15	-	-	.09	.01	-	.13	-	4
5	.01	.34	-	.38	.09	-	-	.39	.09	-	.02	-	5
6	-	.01	-	.04	.71	-	.36	.02	.01	-	.56	-	6
7	-	.35	.01	-	.13	-	-	.32	-	-	.36	.18	7
8	.06	.01	-	.01	.09	-	-	.47	.09	-	.11	.10	8
9	-	.06	-	.11	.03	-	.16	.11	.03	-	.01	.01	9
10	-	.17	.02	-	.01	-	-	.01	.02	-	-	-	10
11	-	.42	.06	-	.09	-	-	.18	-	-	-	-	11
12	-	.14	-	.22	.04	-	-	.23	.04	-	-	-	12
13	.03	.37	.26	-	.04	-	-	-	-	-	-	.05	13
14	.40	.59	-	.14	-	-	-	-	-	-	-	-	14
15	.03	.04	-	.04	.02	-	.02	-	.37	-	-	.26	15
16	.10	.10	-	-	.03	-	.08	-	.02	.06	-	.01	16
17	-	.03	-	.03	.08	-	.11	-	.13	.02	-	-	17
18	-	.02	-	.19	.27	-	.38	-	.02	.01	-	.12	18
19	-	.03	-	.03	.04	-	.33	.06	.46	1.91	-	.59	19
20	-	.12	.18	-	.04	-	.02	.20	.16	.57	-	.03	20
21	-	.22	.03	-	-	-	.08	-	.37	.21	-	.06	21
22	.03	.33	-	.26	.55	-	.02	-	.36	.51	-	.24	22
23	.01	.08	.08	.03	.11	-	-	-	.02	.06	-	.04	23
24	.48	.45	.08	.01	.04	-	-	-	-	.11	.02	.14	24
25	.19	.52	.11	.04	-	-	.19	-	.35	.14	-	.10	25
26	.05	.21	-	-	.69	-	.34	.35	-	.43	-	.33	26
27	.07	.18	.03	.11	.12	-	.21	.03	.03	.06	.15	.13	27
28	.21	.22	.01	.01	.02	-	.02	-	.03	.41	.22	.29	28
29	.02	-	-	.09	.39	-	.09	-	.06	.29	.13	.04	29
30	-	X	.07	.04	.04	-	.48	-	-	.12	.76	.02	30
31	.16	X	.14	X	-	X	-	.01	X	.02	X	.46	31 ⁹¹²
TOTAL	2.75	5.20	1.22	2.31	4.00	-	2.97	2.86	2.78	4.93	3.70	3.2	36.92
Days with '01 in. or more.	19	27	15	19	25	-	18	17	22	16	14	20	212
Days with '04 in. or more.	13	21	9	13	20	-	13	12	13 ¹²	13	9	16	152

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

Kept at

in the County of

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground Sea Level.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.15	.09	.01	-	.18	.03	-	-	.1	-	1.05	.19	1
2	.2	.02	.02	.04	-	.01	-	-	.02	-	.08	.05	2
3	.02	.23	.09	.07	-	-	-	-	-	-	.01	.08	3
4	.07	.16	.02	.04	.04	-	-	-	.13	-	.92	.16	4
5	.17	.84	.03	-	.04	-	.1	.16	.03	.04	.29	-	5
6	.22	.03	-	.02	.03	-	.04	-	.08	.02	.05	.05	6
7	.01	.09	-	.14	.07	.28	-	.14	.05	.55	.42	.02	7
8	.02	-	.03	.02	.01	.01	.05	.12	-	.22	.12	-	8
9	-	-	.01	-	.11	.59	-	.69	-	.02	.2	-	9
10	-	-	-	-	.11	.07	.08	.03	-	.04	.21	-	10
11	-	-	-	-	.08	.27	.02	.02	.15	.01	.03	-	11
12	-	-	-	-	.05	.1	-	.24	-	.26	.49	-	12
13	-	.33	-	-	.03	.01	-	.08	.02	.1	.16	.04	13
14	.09	.81	-	.61	-	.01	-	.11	.04	.34	.09	-	14
15	.02	.04	-	.24	-	-	-	.09	.01	.07	.53	-	15
16	.57	.06	-	.08	-	.03	-	.03	.11	-	.71	-	16
17	.16	.44	-	.02	-	.59	-	.26	.01	-	.23	.07	17
18	.32	.23	-	-	-	.01	1.81	.06	-	-	.39	.05	18
19	-	.02	-	.08	-	.03	.31	.18	.03	-	.1	-	19
20	.58	.04	-	.16	-	.01	-	.2	-	-	.18	-	20
21	.67	.01	-	.05	-	.03	.04	.03	-	-	.17	-	21
22	.39	.48	-	.02	-	-	.01	.03	-	.06	.18	-	22
23	.11	.1	-	.04	-	-	.07	.07	.05	-	.09	-	23
24	.17	.02	-	-	.02	-	.14	.02	.02	.67	.02	-	24
25	.03	-	-	-	-	-	.43	.01	.07	.23	.11	-	25
26	.17	.15	-	-	.37	-	.1	-	.28	.02	.06	-	26
27	.07	.02	-	-	.3	-	-	-	-	.28	.85	.03	27
28	.15	.01	-	.02	.01	-	-	-	-	.02	1.16	.02	28
29	.09	X	-	.01	.31	-	-	-	-	-	.02	-	29
30	.21	X	-	.12	.02	-	-	.18	-	-	-	-	30
31	.41	X	.1	X	.15	X	-	-	X	-	X	-	31
TOTAL	5.57	4.22	.31	1.78	1.93	2.08	3.20	2.77	1.20	2.96	8.92	.76	YEAR'S TOTAL
Days with 01 in. or more.	25	22	8	18	18	16	13	21	17	17	29	11	215
Days with 04 in. or more.	20	15	2	12	12	6	11	14	10	12	25	8	146

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

35333
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at *Manorbier S.P. School*

in the County of *Pembrokeshire*

Diameter of Funnel of Gauge.....*5* in.

Height of top of Gauge above Ground.....*12* ft..... in.

„ Ground „ Sea Level.....*120* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.75	.02	.03	-	-	.06	.02	.09	.17	.62	-	1
2	.29	-	.16	.24	.23	-	.01	-	-	.02	.02	-	2
3	.04	.12	.26	.05	.20	.05	.31	-	-	-	.16	.03	3
4	.12	.05	.06	.19	.04	-	.44	-	-	-	.04	-	4
5	.14	.06	.12	.51	-	.12	.07	.12	.04	-	.13	.54	5
6	.03	-	.35	-	-	-	.07	.10	.17	-	.78	.43	6
7	.04	-	-	.05	-	.05	.05	.06	.19	-	.31	.01	7
8	.01	-	-	.30	.02	-	-	.41	.08	-	.01	.15	8
9	.01	-	.14	.12	.06	-	-	.03	.06	-	.29	.03	9
10	.03	-	.05	-	.01	.01	-	.04	.49	-	.32	-	10
11	.03	.02	-	-	-	-	-	.34	-	-	.14	-	11
12	.18	-	-	-	-	-	.01	.06	.08	-	-	-	12
13	.18	-	-	.05	-	-	.31	.35	.06	.04	-	.07	13
14	.07	-	-	.08	.09	-	.27	.03	.80	-	.02	.10	14
15	.05	-	.02	-	.46	-	-	.07	.08	-	.12	-	15
16	.15	.05	-	-	.36	.99	-	-	.41	-	.03	-	16
17	.07	-	.09	.01	-	.06	-	.37	.11	-	.31	-	17
18	-	-	.03	-	-	.31	.50	.06	.08	.02	.25	-	18
19	.01	.37	.02	-	-	.01	-	.81	.01	.01	.29	-	19
20	.42	.03	-	-	.01	.22	.25	.29	.09	-	.33	.41	20
21	.14	.26	.08	-	-	.01	.23	.45	.42	.55	.01	.87	21
22	.02	.35	.51	.02	-	.07	.30	.03	.09	.11	.07	.27	22
23	.04	.09	.07	-	-	.22	.10	.01	.03	.06	.39	.11	23
24	1.15	.15	.20	-	-	.02	.50	.07	.17	.12	.01	.04	24
25	.22	.17	.09	-	-	.02	.25	-	.05	.09	-	.49	25
26	.15	.18	.01	.03	-	.15	.12	-	.06	.07	-	-	26
27	.03	.16	-	-	-	.02	.04	.07	.01	.17	.14	-	27
28	.47	.18	.39	-	-	.08	.10	.22	.32	.08	.19	-	28
29	.13	X	.11	-	-	.26	.36	-	.08	.53	.02	-	29
30	.04	X	.02	-	-	.05	.13	.13	.23	.05	-	.21	30
31	.14	X	.50	X	.04	X	.04	.01	X	.01	X	.04	31
TOTAL	4.42	2.99	3.30	1.68	1.52	2.72	4.52	4.15	4.30	2.10	5.00	3.80	YEARS TOTAL
Days with ".01 in. or more.	30	16	22	13	11	10	23	24	26	16	25	16	241
Days with ".04 in. or more.	21	14	16	9	8	13	21	18	23	12	18	13	186

W. J. Carr



Section

for the entry of Daily Observations.

3610
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at *Manor H. School*in the County of *Lincoln*Diameter of Funnel of Gauge *5* in.Height of top of Gauge above Ground *12* ft. in." Ground " Sea Level *120* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>1.11</i>	<i>.01</i>	<i>.02</i>	-	-	-	<i>.14</i>	-	-	-	-	-	1
2	<i>.03</i>	<i>.06</i>	<i>.05</i>	<i>.24</i>	-	-	<i>.04</i>	-	-	-	<i>.01</i>	<i>.07</i>	2
3	<i>.01</i>	<i>.24</i>	<i>.04</i>	<i>.04</i>	-	-	-	-	-	-	<i>.02</i>	-	3
4	<i>.02</i>	<i>.42</i>	<i>.23</i>	-	-	<i>.29</i>	<i>.12</i>	-	-	<i>.87</i>	<i>.47</i>	<i>.08</i>	4
5	<i>.12</i>	<i>.07</i>	<i>.02</i>	<i>.04</i>	<i>.22</i>	<i>.04</i>	<i>.14</i>	-	<i>.57</i>	<i>.42</i>	<i>.03</i>	<i>.08</i>	5
6	<i>.05</i>	<i>.02</i>	<i>.04</i>	<i>.03</i>	-	<i>.17</i>	-	<i>.04</i>	<i>.02</i>	<i>.05</i>	-	<i>.09</i>	6
7	<i>.03</i>	<i>.06</i>	<i>.03</i>	-	<i>.02</i>	<i>.24</i>	<i>.04</i>	<i>.26</i>	<i>.40</i>	<i>.41</i>	-	<i>.05</i>	7
8	<i>.01</i>	<i>.04</i>	-	<i>.06</i>	-	<i>.33</i>	<i>.21</i>	-	<i>.32</i>	<i>.19</i>	-	<i>.36</i>	8
9	<i>.04</i>	<i>.01</i>	-	<i>.16</i>	-	<i>.30</i>	-	-	-	<i>.13</i>	-	<i>.09</i>	9
10	<i>.10</i>	<i>.14</i>	-	<i>.17</i>	-	<i>.04</i>	-	<i>.12</i>	<i>.02</i>	<i>.17</i>	<i>.30</i>	<i>.58</i>	10
11	-	-	-	-	-	-	<i>.03</i>	<i>.44</i>	-	<i>.93</i>	<i>.39</i>	<i>.04</i>	11
12	<i>.41</i>	<i>.77</i>	<i>.15</i>	-	-	<i>.06</i>	<i>.02</i>	<i>.06</i>	-	<i>.01</i>	<i>.14</i>	-	12
13	<i>.02</i>	<i>.02</i>	-	-	-	<i>.24</i>	-	<i>.08</i>	-	-	<i>.05</i>	-	13
14	<i>.14</i>	<i>.23</i>	<i>.24</i>	-	-	<i>.04</i>	-	<i>.02</i>	-	<i>.74</i>	<i>.26</i>	-	14
15	<i>.06</i>	<i>.27</i>	<i>.34</i>	<i>.37</i>	<i>.01</i>	-	-	-	-	<i>.25</i>	<i>.49</i>	<i>.29</i>	15
16	-	<i>.09</i>	<i>.30</i>	-	<i>.03</i>	-	-	-	-	<i>.24</i>	<i>.16</i>	<i>.21</i>	16
17	<i>.63</i>	-	<i>.12</i>	-	<i>.10</i>	<i>.01</i>	-	-	-	-	<i>.09</i>	<i>.03</i>	17
18	<i>.53</i>	<i>.04</i>	<i>.12</i>	<i>.02</i>	<i>.02</i>	<i>.28</i>	-	-	<i>.01</i>	<i>.41</i>	<i>.21</i>	<i>.27</i>	18
19	<i>.25</i>	-	<i>.40</i>	-	<i>.09</i>	<i>.03</i>	-	<i>.19</i>	-	<i>.38</i>	<i>.29</i>	<i>.18</i>	19
20	<i>.28</i>	<i>.01</i>	<i>.87</i>	-	<i>.06</i>	<i>.32</i>	-	<i>.01</i>	-	<i>.11</i>	<i>.37</i>	<i>.03</i>	20
21	<i>.64</i>	-	<i>.67</i>	-	<i>.01</i>	<i>.12</i>	-	<i>.02</i>	-	<i>.15</i>	<i>.14</i>	<i>.08</i>	21
22	<i>.05</i>	-	<i>.05</i>	<i>.15</i>	-	-	-	<i>.39</i>	-	<i>.20</i>	<i>.39</i>	<i>.09</i>	22
23	<i>.81</i>	-	<i>.14</i>	<i>.05</i>	-	-	-	<i>.20</i>	-	<i>.39</i>	<i>.15</i>	<i>.05</i>	23
24	<i>.03</i>	-	<i>.04</i>	-	-	-	-	-	<i>.03</i>	<i>.14</i>	<i>.11</i>	<i>.22</i>	24
25	<i>.12</i>	<i>.01</i>	-	-	<i>.15</i>	<i>.70</i>	-	<i>.33</i>	-	<i>.27</i>	<i>.01</i>	<i>.15</i>	25
26	<i>.10</i>	-	<i>.14</i>	-	<i>.32</i>	<i>.27</i>	<i>.05</i>	<i>.05</i>	-	<i>.36</i>	<i>.06</i>	<i>.02</i>	26
27	<i>.28</i>	-	<i>.05</i>	-	<i>.05</i>	-	<i>.10</i>	<i>.11</i>	<i>.27</i>	<i>.01</i>	<i>.04</i>	<i>.14</i>	27
28	<i>.64</i>	<i>.14</i>	<i>.37</i>	-	-	<i>.35</i>	<i>.03</i>	<i>.03</i>	<i>.22</i>	<i>.02</i>	<i>.09</i>	<i>.29</i>	28
29	<i>.31</i>	<i>.43</i>	<i>.16</i>	-	-	<i>.57</i>	<i>.05</i>	<i>.06</i>	<i>.04</i>	<i>.17</i>	<i>.02</i>	<i>.18</i>	29
30	<i>.15</i>	<i>X</i>	<i>.10</i>	<i>.01</i>	-	-	<i>.56</i>	-	-	<i>.12</i>	<i>.01</i>	<i>.09</i>	30
31	<i>.44</i>	<i>X</i>	<i>.01</i>	<i>X</i>	-	<i>X</i>	<i>.64</i>	-	<i>X</i>	<i>.05</i>	<i>X</i>	-	31
TOTAL	<i>7.45</i>	<i>3.08</i>	<i>4.70</i>	<i>1.34</i>	<i>1.08</i>	<i>1.20</i>	<i>2.17</i>	<i>2.41</i>	<i>1.90</i>	<i>7.51</i>	<i>4.64</i>	<i>5.06</i>	YEAR'S TOTAL
Days with ".01 in. or more.	<i>29</i>	<i>20</i>	<i>25</i>	<i>12</i>	<i>12</i>	<i>19</i>	<i>14</i>	<i>17</i>	<i>10</i>	<i>26</i>	<i>25</i>	<i>25</i>	<i>234</i>
Days with ".04 in. or more.	<i>23</i>	<i>14</i>	<i>21</i>	<i>9</i>	<i>7</i>	<i>17</i>	<i>11</i>	<i>13</i>	<i>6</i>	<i>23</i>	<i>19</i>	<i>22</i>	<i>185</i>

REGISTER OF RAINFALL IN 1929 .

Kept at Manorbier N.P. School
in the County of Pembrokeshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. — in.
„ Ground „ Sea Level 90 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.60	—	—	—	.25	—	—	—	.72	—	.41	I
2	—	.11	—	—	—	.11	—	.29	.08	.08	.04	.37	2
3	—	.08	—	—	.09	.03	—	.58	.29	.04	—	.25	3
4	—	.01	—	.12	.55	—	.14	—	.01	.23	—	.52	4
5	—	.20	—	—	.83	.31	.44	.12	—	1.58	1.30	.09	5
6	—	.18	—	—	.03	.06	—	.07	—	.07	.06	.39	6
7	—	—	—	—	.12	.03	—	—	—	.67	.35	.44	7
8	—	.08	—	—	—	.09	—	.26	—	.18	.01	.78	8
9	.20	.09	—	—	—	—	—	.04	—	.01	.36	.62	9
10	.02	.23	—	—	.06	—	.01	.05	—	.04	.15	.29	10
11	—	.51	—	—	.65	—	.01	—	—	—	.67	.04	11
12	—	—	—	.06	.01	.39	.01	—	—	—	.08	.02	12
13	.02	—	—	—	.24	.27	—	.06	—	—	.03	.11	13
14	—	.09	—	—	.16	.03	—	—	.01	—	.21	.09	14
15	.01	.09	—	—	—	.14	—	—	.01	.01	.87	—	15
16	.02	—	—	.07	—	—	—	1.04	—	—	.14	—	16
17	.08	—	—	.14	—	—	—	—	—	.24	.01	—	17
18	.03	—	—	.22	—	—	—	—	—	.21	1.49	—	18
19	.01	—	—	—	—	—	—	—	—	.01	.63	.24	19
20	.01	.10	.39	—	—	—	—	.06	—	.24	.33	.74	20
21	.05	.03	.18	—	.03	—	.16	.04	—	.04	.33	.03	21
22	.14	.01	.02	—	.23	—	.05	.11	—	.01	.62	.23	22
23	—	.12	—	—	.31	—	—	—	—	.33	.26	.44	23
24	—	—	.11	—	—	—	—	.04	—	.46	.77	.35	24
25	.02	.14	.04	.10	—	—	—	—	—	.06	.87	.02	25
26	.01	—	—	.03	—	—	—	—	—	—	.06	.34	26
27	.13	—	—	.27	.25	—	.07	.12	—	.17	1.23	.19	27
28	.58	—	—	.18	—	—	1.06	.04	.08	.08	.54	.65	28
29	.21	—	—	.03	—	—	—	.02	—	.15	.37	.18	29
30	.29	×	—	—	—	—	.27	—	.57	—	.19	.10	30
31	.56	×	—	×	—	×	.09	.04	×	—	×	.09	31
TOTAL	2.39	2.67	.74	1.03	3.56	1.71	2.31	3.01	1.05	5.63	12.17	8.02	YEAR'S TOTAL 44.29
Days with .01 in. or more.	18	17	5	10	14	11	11	17	7	23	27	27	187
Days with .04 in. or more.	9	14	4	7	11	8	8	16	4	19	24	24	148

4117.

3523
A
5 JAN 1925
NIZATION.

Kept at Milford
in the County of Se
by Frank

MILFORD HAVEN
COUNTY SCHOOL

Gauge 5.2 in.
Ground 12 ft. in.
Sea Level 150 ft.

Rain should be measured
An Observer who prefers not to
January 1st of the following

1924 - 27, 29-30

1927 48

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							~~.39~~					.04	WV 1
2							.06				.72		WV 2
3						.30	.65						C 3
4	.35										.95		Out 4
5			.47			.45							5
6			.11										6
7							.72			.45			7
8							.05			.45		.26	8
9													9
10		.32		.13		1.46	.02			.69	.7	.07	10
11				.12		.12		~~1.81~~ .81			.38 .05		11
12					.90								12
13					.40					1.11			13
14					.30								14
15							.08						15
16	<u>2.84</u>								2.10				16
17	.46						.53		.23				17
18	.18	.23			.08	.04			.50	.44	.06		18
19		.04							.30				19
20											.03		20
21	1.30		.07				1.14		.60				21
22	1.17						.15		.30	.81			22
23	.04					.22					.22		23
24	.31		1.35			.04							24
25	.06	.12				.06			.63		.76		25
26			.06							.31	.30		26
27					.55						.28		27
28	.04									.31			28
29				<u>1.32</u>		.04	.43		.90				29
30		X		1.32	.45	.39	.49	<u>4.2</u>	.22	.91	.70	.27	1199 30
31	.11	X		X		X			X	.40	X	.34	31
TOTAL	6.86	0.71	2.06	1.57	2.68	~~2.34~~ 3.12	~~4.03~~ 4.34	5.01	5.78	5.88	4.45	4.74	47.20 YEAR'S TOTAL
Days with 0.1 in. or more	11	4	5	3	6	10	11	2	9	10	11	6	119
Days with 0.4 in. or more	11	4	5	3	6	10	10	2	9	10	10	6	106

REGISTER OF RAINFALL IN 1924.

Kept at Milford Haven (Canal)
 in the County of Wiltshire
 by Frank L. Lowther

Lat. _____ Long. _____
 Time of Observation 9 a.m.
 Nearest Railway Station Milford Haven
 Diameter of Funnel of Rain Gauge 5.2 in.
 Height of top of Gauge above Ground 12 ft. in.
 " " " " Sea Level 150 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							~~.59~~					.04	WV 1
2							.06				.72		WV 2
3						.30	.65						C 3
4	.35										.95		Out 4
5			.47			.45							5
6			.11										6
7							.72			.45			7
8							.05			.45		.26	8
9													9
10		.32		.13		1.46	.02			.69		.07	10
11				.12		.12		~~1.81~~			.38		11
12					.90						.05		12
13					.40					1.11			13
14					.30								14
15							.08						15
16	<u>2.84</u>								2.10				16
17	.46						.55		.23				17
18	.18	.23			.08	.04			.50	.44	.06		18
19		.04							.30				19
20											.03		20
21	1.30		.07				1.14		.60				21
22	1.17						.15		.30	.81			22
23	.04					.22					.22		23
24	.31		1.35			.04							24
25	.06	.12				.06			.63		.76		25
26			.06							.31	.30		26
27					.55						.28		27
28	.04									.31			28
29				<u>total</u>		.04	.43		.90				29
30		X		1.32	.45	.39	.49	<u>total</u>	.22	.91	.70	.27	1199 30
31	.11	X		X		X		<u>4.2</u>	X	.40	X	.34	31
TOTAL	6.86	0.71	2.06	1.57	2.68	~~2.37~~	~~3.12~~	~~4.34~~	5.01	5.78	5.88	4.45	4.74
Days with 0.1 in. or more	11	4	5	3	6	10	11	2	9	10	11	6	
Days with 0.1 in. or more	11	4	5	3	6	10	10	2	9	10	10	6	

Obs. written in method of entry
17.26 (p. 700933/26)

✓... W.D.

FOR OFFICIAL USE.

3556

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

County No. _____

River Dist. _____

Station No. _____

REGISTER OF RAINFALL IN 1925.

Kept at Leaving School Hill, Haver

in the County of Pembroke

by S. L. Lowther

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Swanwick, Haver
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.46								.10		.80		1
2		.16				no	.2				.20		2
3		.04				rain					.05		3
4	.46	.03						.4			.25		4
5		.32		.5				.6	.10		~~.15~~		5
6		.08			.40		.5						6
7					.45			.4				.35	7
8	.10	.55			.40						.65	.25	8
9		.07		.3	.05		.25	.1					9
10		.63						.9					10
11		.32			.08								11
12		.22				no		.6					12
13	.13	.12	nil		.05	rain						.25	13
14	.20	.12		.54	.03								14
15		.43	hail				.1			.12			15
16	.12				.16					.15			16
17		.07							.30				17
18		.06											18
19				.3			.6	1.0		1.70			19
20									.75	.41			20
21			.9				.06	.16		.42			21
22	.10	.58		.3					1.0	1.00			22
23				.15									23
24		.5		.05	.65			.01					24
25	.71	.63							.5				25
26	.2	.31			.25		1.0	.35		.65			26
27	.08			.2	1.00								27
28	.05	.29							.03	.55			28
29	1.04			.16					.03	.80	2 days		29
30	.15	X	.05	.1	.50		.23		.03	.20	1.25	1.55	30
31	.16	X	.05	X		X			X		X	.67	31 982
TOTAL	3.04	5.55	1.0	2.59	2.07	nil	2.94	4.52	2.84	6.0	3.20	3.07	YEAR'S TOTAL
Days with ".01 in. or more.													38.68
Days with ".04 in. or more.	12	17	3	8	11	nil	18	8	6	10	7		

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3556

Register of Rainfall in 1926.

Kept at *Melford Haven*

in the County of *Pembrokeshire*

Diameter of Funnel of Gauge *5* in.

Height of top of Gauge above Ground *ft.* *in.*

„ Ground „ Sea Level *ft.*

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.08								.57	(1.89)		1
2									.33		.62	.20	2
3		.20	.28										3
4			.10										4
5		1.10			1.01					.63	.49		5
6												.40	6
7											1.51	.10	7
8			.10			.66			.27	.49			8
9													9
10	1.50					.82					.48		10
11									.28				11
12													12
13						.50							13
14		1.00				.05				.61		.14	14
15				1.82							.10		15
16											.90		16
17		0.75				.50							17
18	.75	0.25					Hail 4.10	2.19				.18	18
19										.78		.27	19
20													20
21		.10										.15	21
22		.80		.99									22
23		.20											23
24	2.10						1.44						24
25													25
26	.17	.21											26
27	.18				.66						1.71		27
28									1.415				28
29													29
30		X			.88			1.54					30
31	.62	X	.60	X		X			X	1.12	X		31
TOTAL	5.32	4.69	1.08 +1.6	2.31	2.55	2.53	5.54	3.73	2.295	7.90 3.08	5.81 7.63	1.44	YEARS TOTAL 42.195
Days with 0.1 in. or more.													
Days with 0.4 in. or more.													

(Signed) *J. d. Lowther* R.P.O.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Melton Haven County School
 in the County of Pen. S.W. alls

Diameter of Funnel of Gauge.....in.
 Height of top of Gauge above Ground.....ft.....in.
 „ Ground „ Sea Level.....ft.

BA
Total

Corr for Airl

Nov Dec adjusted for date of raising

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.75	.10								.60		1
2	.36		.15	.22	.20						.035		2
3		.25			.26					.64	.20		3
4				.31	.45					.015			4
5	.37	.12		.60		.14					.92		5
6							.40						6
7			.70										7
8	.18										.38	2.225	8
9													9
10							.50						10
11													11
12													12
13	.26						.72				.20		13
14							.30			.065	.01		14
15	.30		.10				.70				.03		15
16					.90	1.10					.39		16
17	.27		.10										17
18	.16					.30							18
19	.07	.62											19
20	.40			.49		.50			2.20				20
21			.25				.36		.03			.50	21
22		.35	.21	.26		.40			.37			.45	22
23	.16	.21	.14						.15	.55		.49	23
24	1.01		.20							.25		.28	24
25			.20			.50							25
26	1.35				.05				.275				26
27	.05	.95							.26				27
28									.01				28
29			.21						.45				29
30	.85	X							.265	.68			30
31	.25	X	.95	X		X			X		X		31
TOTAL	6.04	3.24	3.31	1.78	1.85	2.94	2.98	8.42	4.01	2.20	4.265	2.445	YEARS TOTAL
Days with '01 in. or more.													43.49
Days with '04 in. or more.													

Please read the Notes and Instructions Overleaf.

REGISTER OF RAINFALL IN 19²⁹ • 1927 OK.

Kept at Milford Haven School
in the County of Pembroke
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 12 ft. in.
Ground Sea Level 150 ft.

Good up 1928
811 he OK 1925
Assem told Jan - Nov 1922 full map
and 6 miles 700 933/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I										.70			I
2		.85				.35	.16			.14	.03	.26	2
3		.02				.01			.80	.02		.34	3
4							.10	.91					4
5		.20			1.65	.37					1.10	.38	5
6		.18			¹⁴¹¹ 1.24	.07				1.31	.15	.04	6
7				.01	.19					.58	.32		7
8										.10		2.07	8
9						.05	.32			.01		.28	9
10		.60								.08		.26	10
11		.37					.03	.34		~~X~~ .85	1.85	.15	11
12					.56	.39					.02	.01	12
13					.12	.41					.02		13
14				.02	.09						.04		14
15	.20	.30							.63	.01		.18	15
16	.07					.16					.60		16
17	.16			.05									17
18				.04				.90	.01		1.22		18
19	.04										.41	.50	19
20		.06	.43								.39	.73	20
21		.06	.07		.02		.33				.49		21
22	.14				.49							.23	22
23					.40							.95	23
24		.09	.20								1.38		24
25		.06	.01	.08				.16		2.19	.42		25
26	.10							~~X~~			^{Rail} .17		26
27	.70				.22						.76	.62	27
28	.23			.49			1.33		.12	.34		.43	28
29	.10			.08					.29	.05	.47		29
30	.21	X								.071	.34	1.07	30
31	.72	X	.01	X		X	.37	.26	X	.065	X	.09	31
TOTAL	2.67	2.79	.72	.77	3.98	1.81	2.64	2.57	1.82	5.66	11.18	9.90	YEAR'S TOTAL
Days with or in. or more.													
Days with or in. or more.													

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Melford House
in the County of Pembroke

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level ft.

County Intermediate
Total School

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	.15	.40						.54					I
2	.19						.22						2
3	.22	.10		.38				.27			1.18	.06	3
4	.48	.12	.51					.01					4
5								.12			.08		5
6	.06			.46	.40		.12				.88	1.02	6
7	.26											.88	7
8	.20		.65	.60				.07				.18	8
9	.59		.04	.04	.50	.14							9
10	.65		.09					.45				.88	10
11	.19										.60		11
12			.04		.36								12
13	.19		.09		.04		.46	.10					13
14	.31		.56		.19	.06						.43	14
15							.68				.15	.90	15
16	.10	.17											16
17					.35		.01					.37	17
18	.03		.16								1.10	.03	18
19					.06	.25							19
20	.10						.58			4.23			20
21	.15					.82							21
22	.08									1.0	1.30		22
23	.04		.36								.22		23
24	.27										.26	.34	24
25	.27	.21	.01							.09			25
26	.27					.18					.03		26
27					.01			1.83		.05			27
28	.21												28
29	.14						1.165			.02			29
30	.09	X			.03	.01				.13	X.88		30
31	.40	X	.50	X		X			X		X	2.28	31
TOTAL	5.64	1.00	3.01	1.48	1.94	1.46	3.235	3.39	5.35	5.52	4.92	6.31	YEAR'S TOTAL
* Days with .01 in. or more.	25	5	11	4	9	6	7	8					
* Days with .04 in. or more.	24	5	10	4	7	5	6	7					

MILFORD HAVEN. W.W

3615A
FOR OFFICIAL USE.
INFALL ORGANIZATION. *Pemb*
1928.

Kept at *Council Office*
in the County of *Pemb*
Diameter of Funnel of Gauge *1 1/4*
Height of top of Gauge above Ground
" Ground " Sea Level *114*

19.28 - 1929

estimated. Reserve
case of 17A. file 814366/29
MR Kellum
amended 1928

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		TRACE	—	—	—	—	.15	—	—	—	—	—	1
2		.12	—	.14	—	—	—	—	—	—	—	.10	2
3		.20	.05	.05	—	—	—	—	—	—	—	—	3
4		.54	.07	.03	—	—	.32	—	—	.69	.38	.10	4
5		.05	—	.07	.02	.16	.06	—	.49	.08	.07	.15	5
6		—	.02	.06	.02	.02	—	.06	—	—	—	—	6
7		.10	—	—	—	.07	—	.31	.23	.68	—	.09	7
8		.16	—	.08	—	.12	.18	—	.33	.19	—	—	8
9		—	—	.08	—	.18	—	—	—	.11	—	.21	9
10		.21	.02	—	—	.06	—	.08	.03	.72	.41	1.73	10
11	3.00	—	—	—	—	—	.02	.34	—	.49	.45	.09	11
12		.79	—	.04	—	—	—	.04	—	—	.27	—	12
13	TRACE	.02	—	—	—	.07	—	.58	—	—	.11	—	13
14	0.35	.22	.20	.21	—	.33	—	.11	—	.74	.37	—	14
15	.07	.37	.25	—	—	.01	—	—	—	.19	.47	.36	15
16	—	.07	.33	—	.08	.02	—	—	—	.33	.38	.38	16
17	.41	—	.05	.01	.20	—	—	—	—	—	.04	—	17
18	.57	—	.09	.05	—	.04	—	—	—	.76	.21	.40	18
19	.24	—	.43	—	.11	.34	—	.09	—	.32	.32	.25	19
20	.14	—	.68	—	.02	.02	—	.07	—	.18	.43	—	20
21	.57	—	.71	—	—	.34	—	—	—	.28	.25	.11	21
22	.03	—	.04	.19	—	.08	—	.50	—	.18	.71	.24	22
23	.78	—	.09	.09	—	—	.02	.14	—	.38	.09	.02	23
24	.02	—	—	—	—	—	—	.06	—	.08	.10	.31	24
25	.20	—	—	—	.09	—	—	.09	—	.33	—	.49	25
26	.16	—	.13	—	.32	.56	.07	.24	—	.32	.07	—	26
27	.19	—	—	—	.06	—	.15	.26	.18	—	—	.84	27
28	.49	.17	.39	—	.02	.71	.03	.01	.48	.05	.05	.34	28
29	.53	.44	.17	—	—	.45	—	—	—	.04	.01	.26	29
30	.03	X	.18	.02	—	—	.11	—	—	.11	—	.35	30
31	.39	X	—	X	—	X	.44	—	X	.08	X	—	31
TOTAL	(8.25) 5.25	3.46	3.90	1.12	.92	3.58	1.55	2.98	1.74	7.33	5.19	16.82	YEAR'S TOTAL (46.84)
Days with "01 in. or more.	—	14	18	14	9	18	11	16	6	23	20	20	...
Days with ".04 in. or more.	—	13	16	11	16	14	8	15	5	23	10	19	...

Section **A**

for the entry of Daily Observations.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Council Office, Milford Haven

in the County of Pembroke

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Ground Sea Level 79 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		TRACE	—	—	—	—	.15	—	—	—	—	—	1
2		.12	—	.14	—	—	—	—	—	—	—	.10	2
3		.20	.05	.05	—	—	—	—	—	—	—	—	3
4		.54	.07	.03	—	—	.32	—	—	.69	.38	.10	4
5		.05	—	.07	.02	.16	.06	—	.49	.08	.07	.15	5
6		—	.02	.06	.02	.02	—	.06	—	—	—	—	6
7		.10	—	—	—	.07	—	.31	.23	.68	—	.09	7
8		.16	—	.08	—	.12	.18	—	.33	.19	—	—	8
9		—	—	.08	—	.18	—	—	—	.11	—	.21	9
10		.21	.02	—	—	.06	—	.08	.03	.72	.41	1.73	10
11	3.00	—	—	—	—	—	.02	.34	—	.49	.45	.09	11
12		.79	—	.04	—	—	—	.04	—	—	.27	—	12
13	TRACE	.02	—	—	—	.07	—	.58	—	—	.11	—	13
14	0.35	.22	.20	.21	—	.33	—	.11	—	.74	.37	—	14
15	.07	.37	.25	—	—	.01	—	—	—	.19	.47	.36	15
16	—	.07	.33	—	.08	.02	—	—	—	.33	.38	.38	16
17	.41	—	.05	.01	.20	—	—	—	—	—	.04	—	17
18	.57	—	.09	.05	—	.04	—	—	—	.76	.21	.40	18
19	.24	—	.43	—	.11	.34	—	.09	—	.32	.32	.25	19
20	.14	—	.68	—	.02	.02	—	.07	—	.18	.43	—	20
21	.57	—	.71	—	—	.34	—	—	—	.28	.25	.11	21
22	.03	—	.04	.19	—	.08	—	.50	—	.18	.71	.24	22
23	.78	—	.09	.09	—	—	.02	.14	—	.38	.09	.02	23
24	.07	—	—	—	—	—	—	.06	—	.08	.10	.31	24
25	.20	—	—	—	.09	—	—	.09	—	.33	—	.49	25
26	.16	—	.13	—	.32	.56	.07	.24	—	.32	.07	—	26
27	.19	—	—	—	.06	—	.15	.26	.18	—	—	.84	27
28	.49	.17	.39	—	.02	.71	.03	.01	.48	.05	.05	.34	28
29	.53	.44	.17	—	—	.45	—	—	—	.04	.01	.26	29
30	.03	X	.18	.02	—	—	.11	—	—	.11	—	.35	30
31	.39	X	—	X	—	X	.44	—	X	.08	X	—	31
TOTAL	(8.25) 5.25	3.46	3.90	1.12	.92	3.58	1.55	2.98	1.74	7.33	5.19	6.82	YEAR'S TOTAL (46.84)
Days with ".01 in. or more.	—	14	18	14	9	18	11	16	6	23	20	20	...
Days with ".04 in. or more.	—	13	16	11	6	14	8	15	5	23	19	19	...

REGISTER OF RAINFALL IN 1929.

Kept at Waterworks, Priory, Milford Haven.
in the County of Pembroke.

Diameter of Funnel of Gauge.....5 in.
Height of top of Gauge above Ground.....ft. 9 in.
,, Ground ,, Sea Level.....128 ft.

*July looks 2" low.
Revised as 3
and with metric
Observer notified of suggested adjustment of July 28"
on 20/6/30. No reply by 7/7/30 ∴ value adjusted*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.51	—	—	—	.21	—	.07	.16	.76	—	.51	I
2	—	.11	—	—	—	.11	—	.30	.41	.69	—	.31	2
3	—	TRACE	—	—	.02	TRACE	.05	.60	.54	.04	—	.30	3
4	—	"	—	.08	.75	—	TRACE	.12	TRACE	.26	—	.55	4
5	—	.18	—	—	.85	.33	.56	.32	—	.93	.91	.54	5
6	.02	.19	—	—	.13	.06	—	TRACE	—	.05	TRACE	.63	6
7	TRACE	TRACE	—	—	.33	—	—	—	—	.52	.43	<i>Not taken</i>	7
8	"	.17	—	—	TRACE	—	—	.25	—	.09	TRACE	.96	8
9	.22	.18	—	—	"	.11	—	.02	—	.01	.18	.94	9
10	.04	.16	—	—	"	—	—	—	—	.09	.21	.31	10
II	TRACE	.63	—	—	.57	—	—	—	—	TRACE	.39	.09	II
12	—	TRACE	—	—	TRACE	—	—	—	—	—	.99	TRACE	12
13	—	"	—	—	.11	—	—	—	—	—	.03	.08	13
14	—	—	—	—	.13	.35	—	—	—	—	TRACE	<i>Not taken</i>	14
15	.08	—	—	—	—	.35	—	—	.06	—	.66	.09	15
16	TRACE	—	—	.04	—	TRACE	—	.43	—	—	TRACE	TRACE	16
17	.26	—	—	TRACE	—	—	—	—	—	.34	.35	"	17
18	.05	—	—	—	—	—	—	—	—	.23	1.17	"	18
19	TRACE	—	—	—	—	—	—	—	—	TRACE	.45	.31	19
20	—	.06	.32	—	—	—	—	—	—	.29	.43	.84	20
21	—	.03	.14	—	.02	—	.27	.13	—	—	.53	<i>Not taken</i>	21
22	.09	TRACE	TRACE	—	.45	—	—	TRACE	—	—	.67	.36	22
23	TRACE	.05	"	—	.39	—	—	—	TRACE	.72	<i>Not taken</i>	.78	23
24	—	TRACE	.05	—	TRACE	—	—	—	—	.43	.98	.51	24
25	—	.06	.14	.10	—	—	—	—	—	.23	.39	<i>Not taken</i>	25
26	—	TRACE	TRACE	TRACE	—	—	—	—	—	TRACE	.12	.41	26
27	.08	—	—	.47	.32	—	—	—	—	.24	.65	.41	27
28	.77	—	—	.22	TRACE	—	.43	.28	—	.05	.38	.91	28
29	.10	X	—	.02	—	—	TRACE	—	.17	TRACE	.21	<i>Not taken</i>	29
30	.13	X	—	TRACE	—	—	.22	—	.28	.17	.5	<i>Not taken</i>	30
31	.55	X	—	X	—	X	.02	—	X	TRACE	X	TRACE	31
TOTAL	2.39	2.33	.65	.93	4.07	1.52	2.57	2.22	1.62	5.54	10.64	9.48	YEAR'S TOTAL
Days with .01 in. or more.	12	12	4	6	12	7	6	10	6	19	22	24	140
Days with .04 in. or more.	11	11	4	5	10	7	6	9	6	18	21	24	132

Kept at Moylgrove
in the County of Pe
by Scholar S.

IMPORTANT NOTE
previous day. If an Observer
to add the reading at 9 a.m.
this paragraph. Full instructions
particulars as to the British
on application to THE SURVEY
Kingsway, London, W.C. 2

MOYLGROVE
COUNCIL SCH

PEMBROKESHIRE

1922 - 23

Rain gauge for use
Oct 1st
S.M.

NIZATION.

30 JUL 1923
Gauge 5 in.
Ground 4 ft. — in.
Sea Level 188 ft.
and the result entered to the
nestly requested
it at the end of
rain gauges, and
s," sent post-free
ce, Air Ministry,
lace, Edinburgh.

Jan. 1, following.

1922.

Date	Jan.	Feb.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	Dec
1			—	86	3	04 1
2			0	12	55	0 2
3			0	55	0	0 3
4			001	06	23	0 4
5			27	20	65	0 5
6			22	20	0	0 6
7			0	18	2	0 7
8			0	01	33	025 8
9			0	005	0	06 9
10			0	0	0	0 10
11			0	08	035	0 11
12			02	0	015	045 12
13			0	0	0	005 13
14			0	0	115	32 14
15			0	0	0	57 15
16			0	0	0	06 16
17			0	0	0	02 17
18			0	0	0	06 18
19			0	0	0	25 19
20			0	02	0	36 20
21			0	0	0	03 21
22			0	0	0	65 22
23			0	04	0	14 23
24			0	Trace	0	20 24
25			0	0	0	0 25
26			0	0	0	11 26
27			0	04	0	21 27
28			0	0	0	0 28
29			0	0	0	35 29
30		X	0	0	0	23 30
31		X	01	X	0	23 31
TOTAL			52	23653	965	YEAR'S TOTAL
Days with 01 in. or more			4	12	20	
Days with 04 in. or more			2	10	17	

Kept at *Knockree*
in the County of *Pem.*
by *Scholar S.*

Diameter of Funnel of Rain Gauge *5* in.
Height of top of Gauge above Ground *4* ft. — in.
" " " " Sea Level *188* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

1922.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									#	—	86	3	04 1
2										0	12	55	0 2
3										0	55	0	0 3
4										001	06	23	0 4
5										27	20	65	0 5
6										22	20	0	0 6
7										0	18	2	0 7
8										0	01	33	0 8
9										0	005	0	06 9
10										0	0	0	0 10
11										0	08	035	0 11
12										02	0	015	0 12
13										0	0	0	005 13
14										0	0	115	32 14
15										0	0	0	57 15
16										0	0		06 16
17										0	0		02 17
18										0	0		06 18
19										0	0		25 19
20										0	02		36 20
21										0	0		03 21
22										0	0		65 22
23										0	04		14 23
24										0	Trace		20 24
25										0	0		0 25
26										0	0		11 26
27										0	04		21 27
28										0	0		0 28
29										0	0		35 29
30		X								0	0		23 30
31		X		X		X			X	01	X		23 31
TOTAL										521	2365	3965	YEAR'S TOTAL
Days with 01 in. or more										4	12	20	
Days with 04 in. or more										2	10	17	

REGISTER OF RAINFALL IN 1928..

Kept at Moylgrove Canal
in the County of Pembrokeshire
by A. J. Morse

Lat. _____ Long. _____
Time of Observation 9 a.m.
Nearest Railway Station Cararigan
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 10 in.
" " " " Sea Level 100 192 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.3	.12	.14		.05	.0	.0	.32	.07	.02	.12		1
2	.55	.06	.23		.0	.0	.0	.12	.05	.14	.21		2
3	.0	.05			.47	.01	.04	.2	.0	.2			3
4	.23	.0	.2		.0	.0	.0	.0	.35	.0	.39	.12	4
5	.65	.58			.12	.0	.0	.0	.0	.0			5
6	.0	1.02	.0		.0	.0	.0	.02	.0		.0	.39	6
7	.2	.74	.2		.0	.0	.0	.02	.0	.43	.0		7
8	.33	.01	.0	.0	.0	.0	.27	.0	.0		.0		8
9	.0	1.00	.0	.0	.16	.01	.0	.11	.0	.35	.0		9
10	.0	x	.0	.0	.09	.0	.0	.15	.01	.24		.45	10
11	.035	.24	.0	.105		.0	.0	.0	.0	.0			11
12	.015	.05	.55	.26	.0	.0	.0	.0	.0	.25	1.9		12
13	.0	.25	.18	.08	.0	.0	.0	.0	.0				13
14	.115	.25	.0	.07	.05	.01	.28	.0	.27	.18			14
15	.0		.0		.0	.0	.05						15
16	.0	.22	.0		.0	.22	.0	.11	.0				16
17	.005	.0	.0	.0	.3	.0	.16		.02		.97		17
18	.01	.13	.0	.0	.0	.0	.02	1.13	.01				18
19	.04		.0	.0	.25	.41	.0	.0	.01	.27			19
20	.01	.0	.0	.0		.0	.0	.01	.3				20
21	.1	.17	.0	.0	.0	.0	.0	.18	.0	.72			21
22	.19	.13	.0	.0	.0	.0	.0	.16			1.9		22
23	.01	.46	.0	.0	.0	.03	.0	.48	.24				23
24	.02	.4	.0	.0	.0	.29	.71						24
25	.01	.52	.0	.26	.0	.21	.0	.51	.94				25
26	.0	.0	.0	.27	.32	.04	.0	.55	.02				26
27	.0	.54	.04	.06	.0	.0	.0	.0	.0				27
28	.0	.01	.11	.14	.32	.0	.31	.02	.0	.14			28
29	.23	X	.05		.0	.0	.0	.12	.0				29
30	.235	X			.0	.0	.02	.78	.0	.24			30
31	.02	X	X	X	.21	X	.22	.0	X	.0	X		31
TOTAL	3.305	7.50	1.60	1.535	1.98	.48	1.89	3.40	3.31	6.69	1.88	1.60	YEAR'S TOTAL
Days with ".01 in. or more	20	24	12	12	25	6	10	18	16	26	25	31	35.77
Days with ".04 in. or more	12	22	12	12	25	3	8	13	13	23	25	31	225

Kept at Mynachl
in the County of Pem
by Wm. Phillips

REMBROKE

1921-1930

Long. _____
ation 9.15 a.m.
y Station Crymmychams
nnel of Rain Gauge _____ in.
f Gauge above Ground 1 ft. 3 in.
" " Sea Level 620 ft.

the result entered to the previous day.

IMPORTANT NOTE.—Rain should be measured at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.21

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.15	0	0	0	.1	0	.03	0	0	.03	.14	1
2	.43	.01	.2	0	0	0	0	.12	0	0	.14	.1	2
3	.64	0	0	0	0	0	0	.02	0	.46	.15	.8	3
4	.28	0	.69	0	.02	0	0	.01	0	.86	.54	0	4
5	.66	0	.15	0	.05	0	0	.02	0	.005	.29	.1	5
6	.014	0	.3	0	.5	0	0	.75	0	0	.4	.53	6
7	.21	0	.07	0	.07	0	0	0	0	.12	.17	.31	7
8	.01	0	.35	0	.25	0	0	1.1	0	.05	.09	.005	8
9	.51	.18	.02	0	.3	0	0	0	0	.01	0	0	9
10	.3	0	.04	.06	.01	0	0	0	0	0	0	0	10
11	.29	0	.09	0	.01	0	0	0	.15	.02	0	.21	11
12	1.02	0	.01	0	.06	0	0	.5	.1	.01	0	0	12
13	.25	.07	.7	0	0	0	0	0	.36	0	0	.2	13
14	.01	.02	1.1	.24	.07	0	.02	0	1.0	.19	1.37	0	14
15	.03	.005	.31	.11	.2	0	0	0	.16	0	.46	.31	15
16	.03	0	1.7	.13	0	0	.38	0	.2	0	.45	.04	16
17	.06	0	.33	.35	0	0	.22	0	0	0	.01	0	17
18	.23	0	.28	.05	0	0	0	.13	0	0	0	0	18
19	.04	0	.07	0	.01	0	0	0	0	.1	0	.14	19
20	0	0	.4	0	.11	.02	0	.1	0	.46	0	.21	20
21	.03	0	.1	0	0	.01	0	0	0	.07	.01	.06	21
22	.15	0	.18	.05	0	0	0	0	.01	.62	.22	.28	22
23	.04	0	.19	.34	0	0	.3	0	.03	.31	.18	.3	23
24	.21	.01	.01	.9	0	0	.29	0	.1	0	0	.25	24
25	.04	.19	.01	0	0	0	.11	.3	0	0	0	.09	25
26	.53	.01	.02	0	0	0	.32	0	0	0	0	.06	26
27	.41	0	.3	0	0	.01	0	0	0	0	.33	.12	27
28	.08	0	.01	0	0	0	.16	.19	0	0	.3	1.1	28
29	.31	X	.35	.03	.21	0	1.67	0	0	0	.01	.05	29
30	.19	X	.34	0	.61	0	0	0	0	0	0	.77	30
31	.085	X	0	X	.37	X	.03	.8	X	.03	X	.79	31
TOTAL	7.24	4.95	8.32	2.26	2.85	4.1	3.70	3.54	2.11	3.35	5.24	1.65	YEAR'S TOTAL
Days with .01 in. or more	30	8	28	10	16	17	9	13	9	14	18	24	46
Days with .04 in. or more	26	4	22	10	12	10	8	9	7	10	15	23	11

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1921.

Kept at Mynachlogadu
in the County of Pembrokeshire
by Wm. Phillips

Lat. _____ Long. _____
Time of Observation 9.15 a.m.
Nearest Railway Station Carmarthen
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

.21 noted

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.35	.15	0	0	0	.1	0	.03	0	0	.03	.14	1
2	.43	.07	.2	0	0	0	0	.12	0	0	.14	.1	2
3	.64	0	0	0	0	0	0	.02	0	.46	.15	.8	3
4	.28	0	.69	0	.02	0	0	.01	0	.86	.54	0	4
5	.66	0	.15	0	.05	0	0	.02	0	.005	.29	.1	5
6	.014	0	.3	0	.5	0	0	.25	0	0	.4	.53	6
7	.21	0	.07	0	.07	0	0	0	0	.12	.17	.31	7
8	.01	0	.35	0	.25	0	0	1.1	0	.05	.07	.005	8
9	.51	.18	.02	0	.3	0	0	0	0	.01	0	0	9
10	.3	0	.04	.06	.01	0	0	0	0	0	0	0	10
11	.29	9	.09	0	.01	0	0	0	.15	.02	0	.21	11
12	1.02	0	.01	0	.06	0	0	.5	.1	.01	0	0	12
13	.25	.07	.7	0	0	0	0	0	.36	0	0	.2	13
14	.01	.02	1.1	.24	.07	0	.02	0	1.0	.19	1.37	0	14
15	.03	.005	.31	.11	.2	0	0	0	.16	0	.46	.31	15
16	.03	0	1.7	.13	0	0	.38	0	.2	0	.45	.04	16
17	.06	0	.33	.35	0	0	.22	0	9	0	.01	0	17
18	.23	0	.28	.05	0	0	0	.13	0	0	0	0	18
19	.04	0	.07	0	.01	0	0	0	0	.1	0	.14	19
20	0	0	.4	0	.11	.02	0	.1	0	.46	0	.21	20
21	.03	0	.1	0	0	.01	0	0	0	.07	.01	.06	21
22	.15	0	.18	.05	0	0	0	0	.01	.62	.22	.28	22
23	.04	0	.19	.34	0	0	.3	0	.03	.31	.18	.3	23
24	.21	.01	.01	.9	0	0	.29	0	.1	0	0	.25	24
25	.04	.19	.01	0	0	0	.11	.3	0	0	0	.09	25
26	.53	.01	.02	0	0	0	.52	0	0	0	0	.06	26
27	.41	0	.3	0	0	.01	0	0	0	0	.33	.12	27
28	.08	0	.01	0	0	0	.16	.19	0	0	.3	1.1	28
29	.31	X	.35	.03	.21	0	1.67	0	0	0	.01	.05	29
30	.19	X	.34	0	.61	0	0	0	0	0	0	.77	30
31	.085	X	0	X	.37	X	.03	.8	X	.03	X	.79	31
TOTAL	7.24	4.95	8.32	2.26	2.85	4.4	3.70	3.57	2.11	3.35	5.24	4.65	YEAR'S TOTAL
Days with .01 in. or more	30	8	28	10	16	13	9	13	9	14	18	24	46
Days with .04 in. or more	26	4	22	10	12	10	8	9	7	10	15	23	46

REGISTER OF RAINFALL IN 1922

Kept at *Mynaghlogda*
in the County of *Pembroke*
by *Wm Rhieins*

Lat. _____ Long. _____
Time of Observation *9.15 a.m.*
Nearest Railway Station *Carmarthen*
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground *1* ft. *3* in.
" " " " Sea Level *620* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.
03

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	<i>.21</i>	<i>.1</i>	<i>.68</i>	<i>.3</i>	<i>.04</i>	<i>0</i>	<i>.34</i>	<i>.25</i>	<i>.43</i>	<i>.68</i>	<i>1.37</i>	<i>.22</i>	1
2	<i>.05</i>	<i>.89</i>	<i>.29</i>	<i>0</i>	<i>.03</i>	<i>0</i>	<i>1.09</i>	<i>0</i>	<i>1.48</i>	<i>0</i>	<i>.06</i>	<i>0</i>	2
3	<i>.1</i>	<i>.63</i>	<i>.31</i>	<i>.1</i>	<i>.12</i>	<i>0</i>	<i>.1</i>	<i>.38</i>	<i>.02</i>	<i>.01</i>	<i>.07</i>	<i>0</i>	3
4	<i>.15</i>	<i>.19</i>	<i>.39</i>	<i>.31</i>	<i>.13</i>	<i>0</i>	<i>.44</i>	<i>0</i>	<i>.18</i>	<i>.1</i>	<i>.03</i>	<i>.03</i>	4
5	<i>.19</i>	<i>0</i>	<i>.04</i>	<i>.01</i>	<i>.53</i>	<i>0</i>	<i>.02</i>	<i>0</i>	<i>0</i>	<i>.44</i>	<i>.15</i>	<i>0</i>	5
6	<i>.26</i>	<i>0</i>	<i>1.02</i>	<i>.18</i>	<i>0</i>	<i>0</i>	<i>1.62</i>	<i>0</i>	<i>0</i>	<i>.26</i>	<i>.94</i>	<i>.01</i>	6
7	<i>.48</i>	<i>0</i>	<i>.46</i>	<i>.01</i>	<i>0</i>	<i>0</i>	<i>.2</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.44</i>	<i>0</i>	7
8	<i>.07</i>	<i>0</i>	<i>.85</i>	<i>.05</i>	<i>0</i>	<i>.01</i>	<i>.02</i>	<i>.5</i>	<i>0</i>	<i>0</i>	<i>.03</i>	<i>.07</i>	8
9	<i>.14</i>	<i>0</i>	<i>.38</i>	<i>.03</i>	<i>0</i>	<i>0</i>	<i>1.38</i>	<i>.75</i>	<i>0</i>	<i>0</i>	<i>.46</i>	<i>.11</i>	9
10	<i>.12</i>	<i>0</i>	<i>.07</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.01</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.41</i>	<i>0</i>	10
11	<i>0</i>	<i>0</i>	<i>.01</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.01</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	11
12	<i>0</i>	<i>0</i>	<i>0</i>	<i>.02</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.25</i>	<i>.08</i>	<i>.2</i>	<i>0</i>	<i>1.0</i>	12
13	<i>0</i>	<i>.05</i>	<i>0</i>	<i>.28</i>	<i>0</i>	<i>.45</i>	<i>.23</i>	<i>.5</i>	<i>1.51</i>	<i>0</i>	<i>.01</i>	<i>.24</i>	13
14	<i>.8</i>	<i>.03</i>	<i>0</i>	<i>.6</i>	<i>0</i>	<i>.005</i>	<i>.41</i>	<i>0</i>	<i>.36</i>	<i>0</i>	<i>0</i>	<i>1.37</i>	14
15	<i>0</i>	<i>.11</i>	<i>0</i>	<i>.41</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.15</i>	<i>0</i>	<i>0</i>	<i>.3</i>	15
16	<i>1.3</i>	<i>.55</i>	<i>0</i>	<i>.75</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.49</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.25</i>	16
17	<i>0</i>	<i>.36</i>	<i>0</i>	<i>.41</i>	<i>1.33</i>	<i>0</i>	<i>0</i>	<i>1.12</i>	<i>.46</i>	<i>0</i>	<i>0</i>	<i>.2</i>	17
18	<i>.37</i>	<i>.17</i>	<i>0</i>	<i>0</i>	<i>.12</i>	<i>0</i>	<i>.81</i>	<i>0</i>	<i>.04</i>	<i>0</i>	<i>0</i>	<i>.11</i>	18
19	<i>.69</i>	<i>.3</i>	<i>0</i>	<i>0</i>	<i>.21</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>1.0</i>	<i>0</i>	<i>.03</i>	<i>.75</i>	19
20	<i>.1</i>	<i>.27</i>	<i>.03</i>	<i>0</i>	<i>.07</i>	<i>.08</i>	<i>.17</i>	<i>0</i>	<i>.38</i>	<i>0</i>	<i>.02</i>	<i>.03</i>	20
21	<i>.62</i>	<i>.61</i>	<i>0</i>	<i>0</i>	<i>.02</i>	<i>.11</i>	<i>1.02</i>	<i>.37</i>	<i>.04</i>	<i>0</i>	<i>0</i>	<i>1.0</i>	21
22	<i>.32</i>	<i>.57</i>	<i>0</i>	<i>.01</i>	<i>.04</i>	<i>0</i>	<i>.24</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.53</i>	22
23	<i>0</i>	<i>.8</i>	<i>0</i>	<i>0</i>	<i>.22</i>	<i>.23</i>	<i>.01</i>	<i>.21</i>	<i>0</i>	<i>0</i>	<i>.07</i>	<i>.24</i>	23
24	<i>0</i>	<i>.23</i>	<i>0</i>	<i>.04</i>	<i>0</i>	<i>0</i>	<i>.07</i>	<i>0</i>	<i>.02</i>	<i>0</i>	<i>.01</i>	<i>.54</i>	24
25	<i>0</i>	<i>.09</i>	<i>.14</i>	<i>.05</i>	<i>0</i>	<i>.46</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.01</i>	25
26	<i>.05</i>	<i>.11</i>	<i>.16</i>	<i>.53</i>	<i>0</i>	<i>.22</i>	<i>0</i>	<i>.41</i>	<i>.98</i>	<i>0</i>	<i>0</i>	<i>.46</i>	26
27	<i>.17</i>	<i>.51</i>	<i>.14</i>	<i>.51</i>	<i>0</i>	<i>.04</i>	<i>.53</i>	<i>0</i>	<i>.36</i>	<i>0</i>	<i>.05</i>	<i>.04</i>	27
28	<i>.6</i>	<i>.7</i>	<i>.18</i>	<i>.26</i>	<i>0</i>	<i>.09</i>	<i>0</i>	<i>0</i>	<i>.05</i>	<i>0</i>	<i>.01</i>	<i>.31</i>	28
29	<i>.34</i>	<i>X</i>	<i>0</i>	<i>.01</i>	<i>0</i>	<i>.05</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.53</i>	29
30	<i>.06</i>	<i>X</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>.01</i>	<i>.16</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>	30
31	<i>.38</i>	<i>X</i>	<i>.21</i>	<i>X</i>	<i>0</i>	<i>X</i>	<i>0</i>	<i>0</i>	<i>X</i>	<i>.02</i>	<i>X</i>	<i>.03</i>	31
TOTAL	<i>7.54</i>	<i>7.27</i>	<i>5.62</i>	<i>4.47</i>	<i>2.86</i>	<i>1.955</i>	<i>8.88</i>	<i>5.23</i>	<i>6.54</i>	<i>1.71</i>	<i>4.16</i>	<i>8.48</i>	<i>64.565</i>
Days with 01 in. or more	<i>23</i>	<i>20</i>	<i>17</i>	<i>21</i>	<i>11</i>	<i>13</i>	<i>21</i>	<i>11</i>	<i>17</i>	<i>7</i>	<i>17</i>	<i>24</i>	<i>20</i>
Days with 04 in. or more	<i>23</i>	<i>19</i>	<i>15</i>	<i>15</i>	<i>9</i>	<i>11</i>	<i>16</i>	<i>11</i>	<i>15</i>	<i>5</i>	<i>10</i>	<i>19</i>	<i>16</i>

REGISTER OF RAINFALL IN 1923.

Kept at Mynachlogadau Council School.
 in the County of Pembroke
 by _____

Lat. _____ Long. _____
 Time of Observation _____
 Nearest Railway Station _____
 Diameter of Funnel of Rain Gauge _____ in.
 Height of top of Gauge above Ground _____ ft. _____ in.
 " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.
 An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.30	.08		.48					.20	~~.60~~		1
2	.28	.25	.46		.15				(.60)	.20	.27		2
3	.21	.27	.09		.35		.22		~~1.45~~	.43			3
4	.01					.13	(.03)			.60		1.35	4
5	.25		.17				.09			.30	.68	.60	5
6	.78	.41	.17		.20	.04					.13	.20	6
7	.21	1.40	.35						.05			.32	7
8	.34	.67	.02						~~.50~~	1.18	.46	(1.00)	8
9	.33	.11				.56	.23		.04	.44	.38		9
10	.02	.89			.29	.17	.03		.01	.15		.11	10
11	.02	.62		.26	.25	.02			~~.30~~	.35		.16	11
12	.16	(.05)	.17	.65	.03				~~.50~~	.29	.90		12
13	.01	.40	.48	.15	.21	.20			~~.50~~	~~.05~~	.20		13
14	.22	.30		.57	.09				.41	1.60	(.50)		14
15				.46	.30	.03				1.14	1.00		15
16		.32		.20	.17	(.50)	.60		.04	.02	.20		16
17	.005	.69		.03			.03		.11	.06		.07	17
18	.06	1.03				.10			~~2.20~~	~~.30~~			18
19	.01	.32		.22		.09	.02		.30	.40	.25	.02	19
20	.05	.03					.07		.20	.12	~~.30~~	.18	20
21	.06	.51			.39				.14		1.14	.04	21
22	.02	.19							~~1.40~~	1.22			22
23	.01	.79			.37		.05			1.16	.08		23
24	.04	.50	.14		.05				.24	.30	~~.80~~		24
25	.01	.03		1.20			.65		~~2.40~~	.33			25
26		1.07		.19		.30	.15		.42	1.45			26
27		.56	.09		.21	.01			~~1.20~~		.03		27
28		.06	.29		.04				.19		~~.30~~		28
29	.25			.02	.01		.50		.01	2.32			29
30	.30	X		.20					~~1.0~~	2.25			30
31	.09	X		X	.23	X					X	(2.00)	31
TOTAL	.30	.08	2.51	.48	3.82	(2.15)	3.27	(5.00)	.20	.06	.31	(7.05)	YEAR'S TOTAL
Days with .01 in. or more	4.045	11.55	2.43	4.885	3.34				5.04	16.54	6.31	(7.05)	70.64
Days with .04 in. or more	26	24	11	14	17	12	18	(15)	18	24	16	20	217
	17	23	10	13	15	9	14	(15)	15	22	14	17	184

Rainfall 1923.

30 JUN 1924

Day	Jan.	Feb	Mar	Apr.	May	June	July	Aug.	Sept.	Oct	Nov	Dec.
1	.03	.3	.08	0	.48	0	0			.2	.6	
2	.28	.25	.46	0	.15	0	0			.2	.27	
3	.21	.27	.09	0	.35	0	.22		1.45	.43		
4	.01	0	0	0	0	.13	.3		X	.6		1.35
5	.25	0	.17	.2	0	0	.09		X	.3	.68	.6
6	.78	.41	.17	.55	.2	.04	0		X		.13	.2
7	.21	1.4	.35	0	0	0	0		.5			.32
8	.34	.67	.02	0	0	0	0		X	1.18	.46	0
9	.33	.11	0	0	0	.56	.23		L	.44	.38	0
10	.02	.89	0	0	.29	.17	.03		.1	.15		.11
11	.02	.62	0	.26	.25	.02	0		.3	.25		.16
12	.16	.5	.17	.65	.03	0	0		X	.29	.9	0
13	.01	.7	.48	.15	.21	.2	0		.5	.01	.2	0
14	.72	.3	0	.57	.09	0	0		.4	.6	.5	0
15	0	0	0	.46	.3	.03	0		.1	.4	.1	0
16	0	.32	0	.2	.17	0	.6		.4	.2	.2	0
17	.005	.69	0	.03	0	0	.03		1.1	.6		.04
18	.06	1.03	0	0	0	.1	0		2.2	.3		0
19	.01	.32	0	.22	0	.09	.02		.3	.4	.25	.02
20	.25	.03	0	0	0	0	.07		.2	.12	.3	.018
21	.06	.51	0	0	.39	0	0		1.4	.4	1.14	.64
22	.02	.19	0	0	0	0	0		X	1.22		
23	.01	.79	0	0	.37	0	.05		X	1.16	.8	
24	.01	.5	.14	0	.05	0	0		2.4	.3	0	
25	.01	.03	0	.12	0	0	.65		L	.2	.33	0
26	0	1.07	0	.19	0	.3	.15		.19	.245	0	
27	0	.56	.09	0	.21	.01	0		X	2.32	.3	
28	0	.06	.29	.04	0	0	0		.1	.25	0	
29	.25	X	0	0	.01	0	.5		X	1.32	0	
30	.3	X	0	.02	0	0	0		X	2.25	0	
31	.09	X	0	.2	.23	X	X		X	X	X	
Totals.												

Am. schlagstein

Pt. Mary & Ang 15 Dec.
estd.

FOR OFFICIAL USE.

3531

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

County No.

River Dist.

Station No.

REGISTER OF RAINFALL IN 1924.

Kept at Monachlogddu Cl: School

Lat. 52°N. Long. 5°W.

Time of Observation 9.30 AM

Nearest Railway Station Cymmer Arms

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 630 ft.

in the County of Demberk E.

by W. H. Parry

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.07		—	.09	(50)	.74					.59	1
2			.42	—	/	/	.07			.29		.01	2
3	.03	—		—	.08	.41	.92				10	.21	3
4	.36		.05	—	.03	.74	/					.24	4
5		—	.04	—	.05	.01	/			.76		/	5
6	.30	—	.18	—	.38		1.25			.28	.01	/	6
7		—	—	—	.32		/			.31		.41	7
8	.17	—	—	—	.01		/		.62	.08		.18	8
9	.12		—	.08	/		/		.43	1.50		.13	9
10	.04	.3	—	.07	/	2.06	.02		.23		.26	.02	10
11	.06		—	—	.10	.15			.20	1.66	.05	.01	11
12		.01	—	1.29	.15				.11	.01		/	12
13	2.20	—	—		.46		/					/	13
14		—	—	.01	.02		/		.59			1.29	14
15	.05	—	—	—	.02	/	.14		.10			.85	15
16	.18		—	—	/	/	.01		.64			.04	16
17	.3	.3	—		.05	.28	.48		.29			.45	17
18	.26		—		.24	/			/		.11	.43	18
19		—	—		.0				/			.30	19
20	2.4	—	—		.20		1.65		1.05	1.08	.07	/	20
21		—	.01	1.7	.43	/	.05			.04		/	21
22	1.20	—			.15	.24	/		.75		.45	.34	22
23	.07		1.98		/	.03	.04		.25		.06	.88	23
24	.50	.07			/	.01	/		.68		.37	.65	24
25	.01		.01		.48	.01			.29		.30	.03	25
26		.01	—		.01	.01			/	.30	.02		26
27	.10	—	—		/				.09	.46	.01		27
28		.02	—	.15	/		1.5		/				28
29	.01	—	—	.85	.10	.19	.04		.50	1.20	/		29
30	.02	X	—	.05	/	/	/		.11	.33	.05		30
31	.02	X	—	X	(.70)	X	.43		X		X	(.20)	31
TOTAL	8.40	7.8	2.68	4.20	4.07	4.64	6.89	(4.50)	6.98	8.30	3.41	10.23	1678
Days with '01 in. or more.													(66.08)
Days with '04 in. or more.													YEAR'S TOTAL

Enter No. 5658425
File No. 5658425
AIR MINISTRY
Received 15 MAY 1925
Total from 25 Dec. to Jan 5th 4.2 in.

School House not occupied
during H'c days.
W.H.P.

Section



for the entry of Daily Observations:

Corrected, adjusted & partly estd. by
AIR MINISTRY. *surv. stats.*

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3562

Register of Rainfall in 1925.

Kept at Kynachbegade Cl. School
in the County of Pembrokeshire

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 4 in.
Ground Sea Level 630 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

2.29 ins
Dec 23 to Jan 4

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	.29	/	.01	/	/	0	/	/	0	~~(1.80)~~ 2.8	.16	1
2	/	.31	.37	.08	/	~~.82~~	.45	/	/	/	.33	0	2
3	/	.13	0	/	.29	0	/	/	/	/	.22	0	3
4	~~(.40)~~	.02	.1	/	.21	0	/	/	/	.01	.16	/	4
5	.02	.4	.01	1.29	.20	/	0	/	~~(.20)~~ 4.6	0	/	/	5
6	0	/	/	0	.62	/	.55	/	/	0	/	.01	6
7	0	/	/	0	.03	0	0	/	.01	0	1.80	.52	7
8	.29	1.1	.03	0	/	0	0	SUMMER HOLIDAYS	.04	0	.05	.28	8
9	/	.29	.01	/	/	0	.28		.04	/	0	.02	9
10	/	.91	.05	/	.18	0	/		.42	/	0	.01	10
11	0	.52	0	Easter Holidays	.28	0	/		/	/	0	/	11
12	.01	.55	.01		.20	/	0		/	.03	/	/	12
13	.39	/	/		.04	/	0		.25	.09	/	.27	13
14	.26	/	/		0	0	0		0	0	/	0	14
15	.02	1.15	.01		/	0	.03		.35	.08	0	.6	15
16	/	.19	.11		/	0	0		.04	/	0	0	16
17	/	.34	0		.43	0	/		.21	/	0	0	17
18	.25	.4	0		.85	0	/		/	.15	0	/	18
19	.01	.11	.5		1.65	.01	0		/	.86	0	/	19
20	0	/	/	0	.35	/	1.45		1.80	.94	/	.49	20
21	0	/	/	.55	.01	0	0	SUMMER HOLIDAYS	.27	.25	/	.07	21
22	.14	.54	.55	0	/	0	0		.44	1.44	0	.29	22
23	/	.45	.06	.14	/	0	0		.06	/	0	.11	23
24	/	.47	.2	/	.64	0	/		0	/	0	/	24
25	.66	.79	.12	/	.06	0	/		/	1.17	.01	/	25
26	0	.5	0	.01	0	/	1.45		/	.45	.30	/	26
27	0	.5	/	.05	1.75	/	.19		.74	.09	/	/	27
28	.64	/	/	0	.12	.01	0		.04	0	/	/	28
29	.04	/	.05	0	/	0	0		.07	2.36	1.80	/	29
30	/	X	.06	.05	.82	0	0		0	{(1.00)}	.45	/	30
31	/	X	.15	X		X	/		X		X	1.70	31
TOTAL	+1.40 2.43 (4.13)	9.96	2.39	3.83	7.09	.01	4.40	(5.00)	(4.98)	8.92	6.92	9.43 (4.53)	YEAR'S TOTAL (62.16)
Days with .01 in. or more.	12	21	17	18	2	7	16	15	9	9	9	9	
Days with .04 in. or more.	5	20	12	15	1	6	15	15	9	9	9	9	

(Signed)..... [Signature] [P.T.O.]

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.Kept at *Myrae Hoggson CE School*
in the County of *Pembrokeshire*Diameter of Funnel of Gauge.....*5* in.Height of top of Gauge above Ground.....*1* ft. *4* in.,, Ground ,, Sea Level*630* ft.**THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.**

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	12	63	36	—	19	0	—	—	—	0	26	1
2	—	2	12	—	—	0	—	—	—	—	1.88	0	2
3	09	06	37	—	0	0	—	—	—	0	0	—	3
4	4	12	1	—	0	—	02	—	—	0	0	—	4
5	4	—	—	—	14	—	19	—	4.07	03	2	—	5
6	0	—	—	—	22	0	06	—	16	0	—	—	6
7	01	1.27	11	—	—	39	0	—	1	0	—	—	7
8	—	01	02	—	—	24	12	—	04	—	5.3	—	8
9	—	0	03	—	63	71	—	—	0	—	02	—	9
10	3	0	0	—	19	—	—	—	—	—	4.5	—	10
11	0	0	0	85	15	—	21	—	—	28	1.8	—	11
12	0	—	—	0	16	8.4	0	—	2	56	03	78	12
13	—	—	—	0	04	16	0	—	03	17	—	—	13
14	—	1.37	0	1.11	—	0	0	—	29	4.4	—	—	14
15	—	06	0	28	—	05	0	—	0	—	1.80	—	15
16	—	21	0	—	0	—	—	—	11	—	75	—	16
17	—	31	0	—	0	—	—	—	—	06	1.2	—	17
18	1.55	4	0	1	0	1.4	78	—	—	0	31	—	18
19	0	—	—	02	0	05	08	—	12	0	05	—	19
20	5	—	—	17	0	0	05	—	0	0	—	—	20
21	1.43	39	0	04	—	05	1	—	0	0	—	—	21
22	—	1.35	0	02	—	06	—	—	0	—	1	—	22
23	—	35	0	—	—	—	—	—	07	—	5.9	—	23
24	2.24	15	11	—	—	—	1.05	—	—	33	0	—	24
25	03	0	02	05	—	0	0	—	—	15	0	—	25
26	4.4	—	—	0	65	0	—	—	34	0	02	—	26
27	0	—	—	—	19	0	18	—	03	03	0	—	27
28	36	0	0	—	—	0	0	—	0	06	—	—	28
29	—	X	0	0	—	0	—	—	0	—	—	—	29
30	—	X	0	0	21	0	—	—	0	—	0	—	30
31	93	X	0	X	06	X	0	—	X	0	X	3.1.27 1.06	31
TOTAL	8.68	6.37	151	3.00	2.64	4.14	2.90	—	8.49	2.54	10.77	2.10	YEARS TOTAL
Days with 01 in. or more.	13	15	9	10	11	11	11	—	12	10	15	2	
Days with 04 in. or more.	11	14	6	8	11	11	10	—	10	8	12	2	

Please read the Notes and Instructions Overleaf.

(144ws)

(Signed)

W. J. Barry

[P.T.O.]

Closed for 6 days up to 27

Section **A**

for the entry of Daily Observations.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

FOR OFFICIAL USE.

1925

imp 1926

Kept at Mynachlogadu C. School

in the County of Pembroke

Diameter of Funnel of Gauge.....5 in.

Height of top of Gauge above Ground.....1 ft. 3 in.

„ Ground „ Sea Level.....6.30 ft.

Best where necessary
this should be pointed up
possible 3 or 4 in.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Jan. 3rd

3.1/3

Christmas Eve

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		34			0	0					2.3	0	1
2		1.05			.35					1.25	.77		2
3	1.06	34		.48	.69		1.30			0	.23		3
4	.31			.68	0		.56		.25	0		.02	4
5	.21			.57	0		.20		.01	0		.57	5
6	.03	.42	~~3.40~~	0			.04		.17	0	.73	.57	6
7		0	0	.04		.35	1.03		.30		.25	0	7
8		0	.04		.40	0		.19			0	.41	8
9	.10	0	0		.20	0				0	.70		9
10	.04	0	0	.69	0		.15			0	.41		10
11	.06			0	0		0		.29	0		0	11
12	.37			0		0	.04		.23	0		0	12
13	.22	0	0	.10		0	.08		.05	.06	.42	.06	13
14		.01	0		.90	0	.16		.85		.07	.09	14
15		0	.04	Holidays	.17	0			.35		.38	0	15
16	.5	.02	0		.0						.06		16
17	.08	0	.23		0		0			.13	.30		17
18	0	0			0		0		1.00	.05		0	18
19	0	0			0	2.50	.10		0	.63		0	19
20	.46	0	.17			.84	.45		.46	0	1.03	.45	20
21		1.50	.26	Easter		0	.12		.92		0	1.30	21
22		.43	.75		.02	.23			.33		.63	.28	22
23	.41		.25		.0	.80				.70	.51		23
24	1.53		.46	.31	0		.15			.75	.01		24
25	.23			0	0		.30		.75	.70			25
26	.14			0	0	.38	.44		.27	.39			26
27	0	1.50	.35	0		.05	.37		0	.23	.17		27
28			.34	0		.07	.20		1.05		.60		28
29			.29		0				.02		.01		29
30	1.22	X	.02		0	.37			0	1.26	0		30
31	.12	X	.85	X	0	X		(9.00)	X	0	X		31
TOTAL	7.15	5.61	5.95	2.87	2.73	5.59	5.69	(9.00)	(7.49)	6.15	9.58	4.53	72.34
Days with '01 in. or more.													
Days with '04 in. or more.													

Wm H. Perry

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Mynachlogddu, Cl. Sch.

in the County of Pembrokeshire

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

„ Ground „ Sea Level 630 ft.

*Observer told return meter
added to arrange for readings
during holidays if he wishes
to keep 1 inch gauge
encl 11A Hotel 689247/26*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	/	0	0	4	0	0	.8	0	0	0	0	/	1
2	3.13	16	/	41	0	0	0	0	0	.01	/	.32	2
3	.05	/	/	.05	0	.7	0		0	2.6	/	0	3
4	.07	/	.21	.06	/	0	1.15		0	.04	.32	.2	4
5	.39	1.8	0		/	.1	.14		/	/	.04	.25	5
6	/	.15	.64		0	1.23	/		/	/	0	.1	6
7	/	.3	0		0	/	/		/	/	.01	/	7
8	.51	.28	0		0	/	.29		2.5	.09	/	/	8
9	.19	.04	/		0	/	0		2.05	2.5	/	1.25	9
10	.33	/	/		0	1.32	.01		.9	1.9	2.52	.1	10
11	.01	/	0		/	0	0		.07	1.04	.4	.01	11
12	1.11	1.21	0		/	.12	0		0	/	.02	0	12
13	/	.01	.01		0	.42	/		/	/	.92	0	13
14	/	.28	.1		0	.05	/		/	.82	.75	/	14
15	.91	1.2	.12	.88	.07	/	0		.6	.35	0	/	15
16	.02	.08	X	.05	0	/	0		.75	.42	/	1.34	16
17	.19	/	.1	.12	0	.03	0		.02	.09	/	0	17
18	.12	/	1.65	.1	/	.45	0		0	.72	.85	.45	18
19	.43	.05	1.2	0	/	.35	0		0	/	.62	.5	19
20	/	0	.75	/	0	0	/		/	/	.9	.01	20
21	/	0	.53	/	0	0	/		/	1.92	.93	/	21
22	1.2	0	.08	.5	0	/	0		.6	.04	1.5	/	22
23	1.41	.06	/	.14	0	/	.05		.02	.64	/	/	23
24	.05	/	/	0	0	1.1	0		0	.28	/	/	24
25	.3	/	.5	0	/	.9	0		.4	1.5	2.02	/	25
26	.27	0	.26	0	/	.6	.05		.1	/	0	/	26
27	/	0	.03	/	/	0	/		/	/	.1	/	27
28	/	.27	.7	/	/	0	/		/	.61	.12	/	28
29	2.1	.7	.25	0	/	/	.31		.2	2.2	.02	/	29
30	0	X	/	.03	0	/	.86		.37	2.65	/	/	30
31	.87	X	/	X	0	X	.51		X	1.34	X	/	31
TOTAL	13.72	6.59	7.03	2.80	.07	7.57	4.21		8.58	21.80	12.04	4.53	YEAR'S TOTAL
Days with 0.1 in. or more.													
Days with 0.4 in. or more.													

W. J. J. J.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Monachlogddu bl. School
in the County of Pembroke

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 630 ft.

Part where necessary
any + sept } adapted for date of reading
now + dec }
see 20-31 note

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

43

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	(in. 15)	
I	~~4.35~~	/	/	/	0	/	0	1.04	0	1.5	/	2.15	I
2	0	/	/	/	0	.7	0	/	0	.25	/	.45	2
3	0	.8	.05	/	0	0	0	/	~~3.05~~	.02	.13	.6	3
4	/	.01	.05	/	/	.01	.25	2.00	0	/	0	1.	4
5	/	.25	0	/	/	.35	/	1.03	0	/	1.4	.15	5
6	0	.2	0	/	2.45	.18	/	.21	/	1.7	.12	/	6
7	0	0	0	/	.05	/	0	.07	/	.83	.8	/	7
8	0	/	/	/	.35	/	0	0	0	.02	/	.85	8
9	.68	/	/	.2	.1	0	.92	/	0	0	/	.13	9
10	.03	.4	0	0	.2	0	0	/	0	.3	1.5	.55	10
11	/	0	0	.03	/	0	0	.22	0	/	1.8	0	11
12	/	0	0	0	/	0	/	.24	0	/	.05	0	12
13	0	0	0	/	1.04	0	/	0	/	.04	0	/	13
14	.01	0	0	/	.16	/	0	0	/	0	0	/	14
15	0	/	/	.04	0	/	0	.2	.1	0	/	1.4	15
16	0	/	/	.05	0	.98	0	/	0	0	/	.03	16
17	.2	0	.04	.2	0	0	.05	/	.2	.43	.65	0	17
18	/	0	.0	.9	/	0	0	.1	0	/	2.05	0	18
19	/	0	0	0	/	0	/	0	0	/	1.02	.37	19
20	.04	.63	1.1	/	0	0	/	0	/	1.4	.45	/	20
21	0	0	.37	/	.89	/	.95	0	/	.03	.53	/	21
22	0	/	/	.0	.45	/	.13	.4	0	0	/	/	22
23	0	/	/	0	.27	.09	0	/	0	1.4	/	/	23
24	0	.1	.4	.05	/	0	.08	/	0	0	2.75	(6.00)	24
25	/	0	.03	.06	/	0	0	.05	0	/	.58	/	25
26	/	0	/	.03	0	0	/	.6	0	/	.25	/	26
27	.05	0	/	/	.07	0	/	0	/	.85	.5	/	27
28	1.64	0	/	/	0	/	1.49	0	/	.3	.8	/	28
29	.13	X	(.00)	.5	0	/	.08	0	.4	.5	/	/	29
30	.13	X	/	0	0	0	.35	/	0	0	(1.00)	/	30
31	.17	X	E	X	/	X	/	(2.00)	X	0	X	/	31
TOTAL	8.34	2.39	2.04	2.06	6.03	2.31	4.40	4.56	3.75	9.57	15.08	12.28	YEAR'S TOTAL
Days with .01 in. or more.	(3.95)							(6.56)	1.75		(16.08)	(12.28)	(69.42)
Days with .04 in. or more.													

40-9999

(Signed)

[P.T.O.]

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Mynachlogddu Cl. School
in the County of Pembroke
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 3 in.
Ground Sea Level 630 ft.

*Printed & sent to
Pembroke
by the
Bristol & Exeter
Railway
on Jan 1931*
689247/26

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following
9 found reading repeated Jan 1931.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	43	—	—	4	0	1	0	—	0	0	—	01	I
2	15	43	0	0	—	0	0	—	0	07	18	0	2
3	—	2	05	07	—	0	05	1	0	—	0	01	3
4	—	0	45	—	0	0	—	02	0	—	1.05	0	4
5	0	0	05	—	17	0	—	55	—	35	0	—	5
6	5	0	01	05	02	—	03	23	—	06	02	—	6
7	7	—	—	0	0	—	0	07	32	05	—	07	7
8	3	—	—	53	0	0	0	—	45	02	—	12	8
9	15	0	05	06	—	0	0	—	04	01	0	0	9
10	—	0	1	0	—	4	02	35	05	—	0	15	10
II	—	0	1	—	13	01	—	02	0	—	0	04	II
12	0	0	02	—	15	0	—	33	—	09	0	—	12
13	3	0	11	25	03	—	15	06	—	03	05	—	13
14	37	—	—	0	07	—	4	0	45	35	—	0	14
15	0	—	—	0	08	02	3	—	17	15	—	15	15
16	07	25	3	0	—	0	07	—	07	13	0	05	16
17	—	0	0	0	—	0	01	23	15	—	2	12	17
18	—	0	0	—	07	0	—	04	4	—	17	03	18
19	12	0	13	—	09	0	—	38	—	27	25	—	19
20	02	0	05	—	0	—	3	17	—	09	13	—	20
21	35	—	—	—	0	—	05	26	15	13	—	0	21
22	32	—	—	—	0	26	0	—	1	01	—	0	22
23	15	0	0	—	—	12	0	—	04	05	31	—	23
24	—	2	0	—	—	0	0	02	03	—	03	—	24
25	—	03	2	—	25	0	—	0	72	—	05	—	25
26	6	0	01	—	07	13	—	0	—	12	02	—	26
27	0	0	03	05	0	—	15	0	—	06	09	—	27
28	18	—	—	0	03	—	03	0	03	23	—	—	28
29	15	X	—	0	0	02	09	—	0	29	—	—	29
30	04	X	35	0	—	04	0	—	0	07	0	—	30
31	—	X	4	X	—	X	02	04	X	—	X	2.3	31
TOTAL	1.11	2.44	1.41	1.16	1.10	1.67	2.81	3.17	2.63	2.55	3.05	28.03	YEAR'S TOTAL
* Days with or in. or more.													
* Days with or in. or more.													

4119 NARBERTH

3698A
FOR OFFICIAL USE.
ORGANIZATION. *Perms/4*

Kept at Comden
in the County of _____

CWM DER WELL

1929 - 30.

Diameter of Funnel of Gauge
Height of top of Gauge above G
" Ground " S

THE MORNING M

DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30													30
31													31
TOTAL	3.51	2.20	.95	.82	1.27	1.96	2.97	0.89	1.22	6.37	12.31	9.59	49.06
Days with "01 in. or more.	9	13	4	8	15	12	14	19	7	21	24	27	173
Days with ".04 in. or more.	9	11	3	6	12	9	10	13	5	18	23	24	143

Section



for the entry of

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Comdansen, Harborth

in the County of Den:

Diameter of Funnel of Gauge in.

Height of top of Gauge above Ground ft. in.

" Ground " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		71		"	60	27	00	02	08	70	00	39	1
2		14		"	00	16	00	18	16	15	04	23	2
3		04		"	11	00	00	78	25	01	00	39	3
4		06		"	83	02	10	01	10	40	00	48	4
5		24		"	84	31	46	51	00	625	02	02	5
6		10		"	03	8	03	14	00	11	06	51	6
7		03		"	01	27	00	00	00	32	28	86	7
8		17		"		02	00	10	10	09	33	33	8
9	29	13		00	00	00	00	02	00	00	42	61	9
10		10		00	00	00	12	10	00	12	20	29	10
11				00	72	00	00	00	00	00	05	03	11
12				00	00	36	08	00	00	00	02	03	12
13				00	17	33	00	11	00	00	00	20	13
14				00	10	13	00	00	04	00	20	08	14
15				00	00	22	01	00	00	01	80	00	15
16				06	00	00	00	10	00	00	12	00	16
17	23			05	00	00	00	03	00	26	00	00	17
18	06			00	00	00	00	00	00	64	1.37	00	18
19		35		00	00	00	00	00	00	29	48	26	19
20		10	70	00	00	00	00	10	00	00	44	87	20
21	00	6	70	00	02	00	31	15	00	07	53	05	21
22	05			72	38	00	01	03	00	01	02	70	22
23	00				32	01	11	0	00	85	36	50	23
24	00		13		00	00	00	03	00	40	1.08	57	24
25	Tr	03	02	07	02	00	00	0	00	07	62	05	25
26	SNOW	"	"	00	00	00	00	0		01	10	42	26
27	10			48	34	00	16	13		33	1.07	42	27
28	160			11	06	40	121	18	06	09	56	68	28
29	15			00	00	50	00	02	02	20	52	24	29
30	33	X		00	120	00	24	0	60	00	24	16	30
31	70	X		X	00	X	13	7	X	00	X	10	31
TOTAL	351	2.20	.95	.82	4.27	1.96	2.97	2.89	1.22	6.37	12.31	9.59	49.06
Days with "01 in. or more.	9	13	4	8	15	12	14	19	7	21	24	27	173
Days with "04 in. or more.	9	11	3	6	12	9	10	13	5	18	23	24	143

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1920.

Kept at Asunderwin, Nailburthin the County of PembrokeshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 10 ft. in.,, Ground ,, Sea Level 300 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.17	.03	.04	.44	.01	.01	.31	.80	.01	.06	.24	.05	1
2	.24	.02	.08	.02	.11	.20	.20	.01	.31	.80	.06	.05	2
3	.16	.32	.02	.48	.02	.01	.31	.01	.15	.05	.37	.01	3
4	.40	.06	.51	.27	.20	.01	.35	.06	.16	.50	.09	.75	4
5	.06	.55	.01	.24	.01	.02	.03	.05	.39	.53	.45	.01	5
6	.32	.01	.65	.01	.16	.15	.31	.06	.02	.18	.01	.01	6
7	.20	.20	.22	.11	.11	.45	.06	.01	.02	.01	.01	.01	7
8	.40	.08	.16	.41	.01	.01	.05	.30	.10	.58	.01	.01	8
9	.59	.15	.04	.03	.04	.23	.02	.12	.15	.01	.01	.01	9
10	.14	.03	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	10
11	.08	.03	.04	.04	.04	.04	.04	.04	.04	.04	.04	.04	11
12	.24	.11	.14	.04	.04	.04	.04	.04	.04	.04	.04	.04	12
13	.42	.10	.51	.11	.03	.04	.04	.04	.04	.04	.04	.04	13
14	.08	.35	.02	.02	.02	.02	.02	.02	.02	.02	.02	.02	14
15	.05	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	15
16	.03	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	16
17	.11	.76	.02	.00	.00	.00	.00	.00	.00	.00	.00	.00	17
18	.00	.03	.00	.06	.35	.22	.15	.64	.94	.76	.04	.04	18
19	.15	.04	.03	.03	.50	.48	2.08	.18	.17	.15	.04	.04	19
20	.18	.23	.04	.24	.01	.01	.18	.03	.36	.01	.01	.01	20
21	.10	.01	.01	.10	.78	.13	.76	.10	.01	.01	.01	.01	21
22	.09	.28	.42	.11	.17	.01	.25	.01	.15	.14	.03	.03	22
23	.40	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	23
24	.00	.42	.05	.06	.06	.02	.21	.06	.06	.10	.21	.21	24
25	.40	.00	.00	.06	.02	.02	.21	.06	.06	.10	.21	.21	25
26	.00	.07	.00	.00	.06	.06	1.50	.00	.14	.00	.11	.11	26
27	.22	.11	.00	.00	.00	.05	.18	.00	.05	.00	1.00	.00	27
28	.10	.00	.00	.00	.00	.00	.11	.16	.05	.00	.36	.36	28
29	.06	.29	.13	.00	.00	.00	.09	.00	.00	.00	.91	.91	29
30	.16	.31	.00	.00	.00	.00	.00	.00	.25	.00	.08	.08	30
31	.16	.31	.00	.00	.00	.00	.00	.00	.00	.00	.00	.00	31
TOTAL	6.11	1.01	4.06	3.25	1.71	1.83	4.81	6.42	5.83	8.05	5.02	8.14	YEAR'S TOTAL
Days with .01 in. or more.	27	5	22	15	16	13	18	20	21	27	17	20	223
Days with .04 in. or more.	26	5	16	12	11	9	15	17	20	25	15	18	189

FORM A. 1. METEOROLOGICAL
REGIST

PEMBROKE DOCK
ADMIRALTY RES

ORGANIZATION.
1921.

Kept at.....Pembroke Dock
in the County of.....Pembroke
by.....Officer in Charge.....

Long. 4.57 W.
9.0 Am
tion. Pembroke Dock
of Rain Gauge. 8 ins.
ge above Ground. one ft. — in.
,, Sea Level. 101.42. ft.

1921 - 1930.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.70	0.00	0.00	0.00	0.00		0.00	0.82	0.00	0.00	0.10	0.12	1
2	0.46	0.00	0.075	0.00	0.00		0.00	0.26	0.00	0.14	0.05	0.04	2
3	0.05	0.11	0.005	0.00	0.11		0.00	0.60	0.00	0.20	0.20	0.00	3
4	0.18	0.00	0.265	0.00	0.00		0.00	0.68	0.00	0.00	0.01	0.00	4
5	0.00	0.00	0.01	0.00	0.32		0.00	0.97	0.00	0.00	0.15	0.09	5
6	0.05	0.00	0.10	0.00	0.15		0.00	0.00	0.00	0.00	0.00	0.04	6
7	0.32	0.00	0.00	0.00	0.15		0.00	0.17	0.00	0.00	0.08	0.00	7
8	0.14	0.02	0.12	0.00	0.05		0.00	0.00	0.00	0.00	0.00	0.00	8
9	0.01	0.00	0.02	0.01	0.00		0.00	0.32	0.10	0.00	0.00	0.05	9
10	0.13	0.00	0.01	0.00	0.04		0.00	0.00	0.18	0.00	0.00	0.12	10
11	0.48	0.00	0.08	0.00	0.07		0.00	0.39	0.50	0.00	0.00	0.00	11
12	0.03	0.03	0.13	0.00	0.00		0.00	0.27	0.45	0.00	0.00	0.20	12
13	0.00	0.00	0.40	0.12	0.00		0.00	0.01	0.06	0.20	0.24	0.00	13
14	0.00	0.00	0.30	0.00	0.33		0.00	0.00	0.04	0.00	0.85	0.09	14
15	0.21	0.00	0.11	0.04	0.00		0.30	0.00	0.00	0.00	0.22	0.01	15
16	0.22	0.00	0.35	0.11	0.01	✓	0.10	0.31	0.00	0.00	0.00	0.01	16
17	0.04	0.00	0.20	0.01	0.00	✓	0.00	0.07	0.00	0.00	0.00	0.00	17
18	0.00	0.00	0.10	0.00	0.00	✓	0.00	0.00	0.00	0.05	0.00	0.04	18
19	0.04	0.00	0.02	0.00	0.00	✓	0.00	0.00	0.00	0.30	0.00	0.11	19
20	0.00	0.00	0.22	0.00	0.00	✓	0.00	0.00	0.00	0.00	0.00	0.02	20
21	0.07	0.00	0.10	0.02	0.00		0.00	0.00	0.00	0.06	0.36	0.70	21
22	0.02	0.00	0.01	0.24	0.00		0.00	0.00	0.00	0.25	0.22	0.16	22
23	0.01	0.00	0.02	0.00	0.00		0.00	0.00	0.00	0.05	0.00	0.04	23
24	0.02	0.08	0.00	0.00	0.00		0.10	0.02	0.00	0.00	0.00	0.26	24
25	0.20	0.00	0.05	0.00	0.00		0.38	0.02	0.00	0.00	0.00	0.04	25
26	0.30	0.00	0.93	0.00	0.00		0.00	0.03	0.00	0.00	0.15	0.34	26
27	0.05	0.00	0.10	0.00	0.00		0.05	0.00	0.00	0.00	0.24	0.10	27
28	0.03	0.00	0.16	0.45	0.01		0.79	0.39	0.00	0.00	0.00	0.04	28
29	0.19	—	0.33	0.00	0.53		0.00	0.00	0.00	0.00	0.00	0.10	29
30	0.19	X	0.00	0.00	0.12		0.06	0.00	0.00	0.00	0.03	0.02	30
31	0.05	X	0.00	X	0.00	X	0.03	0.20	X	0.00	X	0.01	31
TOTAL	4.19	0.24	3.30	1.00	1.89	0.00	1.81	5.43	1.33	1.35	4.00	2.95	26.69
Days with 0.1 in. or more	26	4	25	8	12	—	8	17	6	8	14	24	152
Days with 0.4 in. or more	20	2	18	5	10	—	7	13	6	8	12	19	120
YEAR'S TOTAL													

REGISTER OF RAINFALL IN 1921.

Kept at Pembroke Dockin the County of Pembrokeshireby Officer in Charge of WorksLat. 57.42 N Long. 4.57 W.Time of Observation 9.0 AMNearest Railway Station Pembroke DockDiameter of Funnel of Rain Gauge 8 ins.Height of top of Gauge above Ground one ft. — in." " " " Sea Level 101.42 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

0.00

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.70	0.00	0.00	0.00	0.00		0.00	0.82	0.00	0.00	0.10	0.12	1
2	0.46	0.00	0.07	0.00	0.00		0.00	0.26	0.00	0.14	0.05	0.04	2
3	0.05	0.11	0.00	0.00	0.11		0.00	0.60	0.00	0.20	0.20	0.00	3
4	0.18	0.00	0.26	0.00	0.00		0.00	0.68	0.00	0.00	0.01	0.00	4
5	0.00	0.00	0.01	0.00	0.22		0.00	0.97	0.00	0.00	0.15	0.09	5
6	0.05	0.00	0.10	0.00	0.15		0.00	0.00	0.00	0.00	0.00	0.04	6
7	0.32	0.00	0.00	0.00	0.15		0.00	0.17	0.00	0.00	0.08	0.00	7
8	0.14	0.02	0.12	0.00	0.05		0.00	0.00	0.00	0.00	0.00	0.00	8
9	0.01	0.00	0.02	0.01	0.00		0.00	0.32	0.10	0.00	0.00	0.05	9
10	0.13	0.00	0.01	0.00	0.04		0.00	0.00	0.18	0.00	0.00	0.12	10
11	0.48	0.00	0.08	0.00	0.07		0.00	0.39	0.50	0.00	0.00	0.00	11
12	0.03	0.03	0.13	0.00	0.00		0.00	0.27	0.45	0.00	0.00	0.20	12
13	0.00	0.00	0.40	0.12	0.00		0.00	0.01	0.06	0.20	0.24	0.00	13
14	0.00	0.00	0.30	0.00	0.23		0.00	0.00	0.04	0.00	0.85	0.09	14
15	0.21	0.00	0.11	0.04	0.00		0.30	0.00	0.00	0.00	0.22	0.01	15
16	0.22	0.00	0.35	0.11	0.01		0.10	0.31	0.00	0.00	0.00	0.01	16
17	0.04	0.00	0.20	0.01	0.00		0.00	0.07	0.00	0.00	0.00	0.00	17
18	0.00	0.00	0.10	0.00	0.00		0.00	0.00	0.00	0.05	0.00	0.04	18
19	0.04	0.00	0.02	0.00	0.00		0.00	0.00	0.00	0.30	0.00	0.11	19
20	0.00	0.00	0.22	0.00	0.00		0.00	0.00	0.00	0.00	0.00	0.02	20
21	0.07	0.00	0.10	0.02	0.00		0.00	0.00	0.00	0.06	0.26	0.70	21
22	0.02	0.00	0.01	0.24	0.00		0.00	0.00	0.00	0.25	0.22	0.16	22
23	0.01	0.00	0.02	0.00	0.00		0.00	0.00	0.00	0.05	0.00	0.04	23
24	0.02	0.08	0.00	0.00	0.00		0.10	0.02	0.00	0.00	0.00	0.26	24
25	0.20	0.00	0.05	0.00	0.00		0.38	0.02	0.00	0.00	0.00	0.04	25
26	0.30	0.00	0.03	0.00	0.00		0.00	0.03	0.00	0.00	0.15	0.34	26
27	0.05	0.00	0.10	0.00	0.00		0.05	0.00	0.00	0.00	0.24	0.10	27
28	0.03	0.00	0.16	0.45	0.01		0.79	0.29	0.00	0.00	0.00	0.04	28
29	0.19	—	0.33	0.00	0.53		0.00	0.00	0.00	0.00	0.00	0.10	29
30	0.19	X	0.00	0.00	0.12		0.06	0.00	0.00	0.00	0.03	0.02	30
31	0.05	X	0.00	X	0.00	X	0.03	0.20	X	0.00	X	0.01	31
TOTAL	4.19	0.24	3.30	1.00	1.89	0.00	1.81	5.43	1.33	1.35	4.00	2.75	26.69
Days with "01 in. or more	26	4	25	8	12	—	8	17	6	8	14	24	152
Days with "04 in. or more	20	2	18	5	10	—	7	13	6	8	12	19	120
YEAR'S TOTAL													26.69

REGISTER OF RAINFALL IN 1922.

Kept at Admiralty Reservoir.
in the County of Pembroke.
by Officer in Charge of Works
Adm. Dockyard.

Lat. 51° 42' N Long. 4° 57' W.
Time of Observation 9.0 a.m.
Nearest Railway Station Pembroke Dock, G.W.R.
Diameter of Funnel of Rain Gauge eight in.
Height of top of Gauge above Ground one ft. — in.
" " " " Sea Level 89.7 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.00	0.28	0.30	0.27	0.00	0.00	0.14	0.00	0.04	0.00	0.04	0.00	1
2	0.03	0.25	0.15	0.10	0.10	0.00	0.25	0.04	0.00	0.00	0.12	0.00	2
3	0.09	0.13	0.16	0.25	0.15	0.00	0.18	0.28	0.19	0.03	0.12	0.00	3
4	0.09	0.03	0.28	0.00	0.18	0.00	0.02	0.00	0.00	0.24	0.02	0.00	4
5	0.06	0.00	0.16	0.05	0.00	0.00	0.89	0.00	0.00	0.15	0.47	0.00	5
6	0.05	0.00	0.28	0.02	0.00	0.00	0.11	0.00	0.00	0.00	0.09	0.00	6
7	0.05	0.00	0.61	0.00	0.00	0.00	0.46	1.55	0.00	0.00	0.12	0.00	7
8	0.10	0.00	0.01	0.06	0.00	0.01	0.77	0.28	0.00	0.00	0.01	0.05	8
9	0.05	0.00	0.06	0.00	0.00	0.22	0.00	0.00	0.00	0.00	0.14	0.00	9
10	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.06	0.00	0.12	0.26	0.00	10
11	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.03	0.03	0.00	0.00	0.05	11
12	0.00	0.03	0.00	0.18	0.00	0.15	0.08	0.48	0.98	0.00	0.00	0.02	12
13	0.33	0.00	0.00	0.41	0.00	0.00	0.32	0.00	0.30	0.00	0.00	0.00	13
14	0.24	0.13	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.76	14
15	0.56	0.10	0.00	0.40	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.11	15
16	0.00	0.11	0.00	0.10	0.83	0.00	0.00	0.67	0.19	0.00	0.00	0.29	16
17	0.25	0.70	0.00	0.00	0.02	0.00	1.08	0.00	0.00	0.00	0.00	0.20	17
18	1.45	0.14	0.00	0.00	0.05	0.00	0.00	0.00	0.82	0.00	0.03	0.16	18
19	0.10	0.03	0.04	0.00	0.01	0.00	0.05	0.00	0.17	0.00	0.00	0.57	19
20	0.57	0.45	0.04	0.00	0.00	0.00	0.68	0.00	0.00	0.00	0.00	0.00	20
21	0.05	0.03	0.00	0.00	0.02	0.00	0.13	0.01	0.00	0.00	0.00	0.67	21
22	0.00	0.30	0.00	0.05	0.21	0.19	0.00	0.15	0.00	0.00	0.19	0.40	22
23	0.00	0.05	0.00	0.00	0.00	0.00	0.00	0.00	0.07	0.00	0.00	0.31	23
24	0.00	0.00	0.33	0.03	0.00	0.32	0.00	0.21	0.00	0.00	0.00	0.28	24
25	0.03	0.12	0.14	0.26	0.00	0.36	0.00	0.00	1.04	0.00	0.00	0.02	25
26	0.05	0.07	0.02	0.10	0.00	0.00	0.25	0.19	0.75	0.00	0.02	0.10	26
27	0.51	0.34	0.17	0.11	0.00	0.00	0.00	0.02	0.01	0.00	0.00	0.18	27
28	0.17	0.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30	28
29	0.20		0.00	0.00	0.00	0.09	0.01	0.07	0.05	0.00	0.00	0.42	29
30	0.25	X	0.10	0.00	0.00	0.24	0.03	0.36	0.57	0.00	0.11	0.01	30
31	0.05	X	0.35	X	0.00	X	0.00	0.70	X	0.70	X	0.00	31
TOTAL	5.34	3.83	3.20	2.54	1.57	1.58	5.45	5.10	5.21	1.24	1.74	4.90	YEAR'S TOTAL
Days with 0.1 in. or more	24	19	17	16	9	8	17	16	14	5	14	19	178
Days with 0.1 in. or more	22	15	15	14	6	7	14	13	12	4	10	16	148

REGISTER OF RAINFALL IN 1923

Kept at Admiralty Reservoirs
in the County of Pembroke Dock.
by Officer in Charge of Works.
H. M. Rockyard.

Lat. 51° 42' N Long. 4° 57' W.Time of Observation 9 a.m.Nearest Railway Station Pembroke Dock G.W.R.Diameter of Funnel of Rain Gauge eight in.Height of top of Gauge above Ground one ft. - in." " " " Sea Level 89.7 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day.

An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.24	0.25	0.41	0.00	0.00	0.00	0.00	0.14	0.06	0.04	0.41	0.28	1
2	0.11	0.18	0.00	0.00	0.28	0.00	0.07	0.29	0.00	0.32	0.16	0.10	2
3	0.00	0.00	0.00	0.00	0.00	0.02	0.04	0.00	0.39	0.06	0.08	0.24	3
4	0.11	0.00	0.10	0.38	0.00	0.00	0.03	0.00	0.00	0.00	0.21	0.30	4
5	0.52	0.15	0.03	0.11	0.20	0.00	0.00	0.04	0.00	0.18	0.23	0.00	5
6	0.48	0.16	0.26	0.00	0.00	0.00	0.70	0.00	0.05	0.00	0.11	0.26	6
7	0.09	0.65	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.38	0.00	0.39	7
8	0.10	0.13	0.00	0.00	0.00	0.09	0.06	0.00	0.00	0.18	0.26	0.00	8
9	0.00	0.95	0.00	0.00	0.08	0.06	0.09	0.24	0.00	0.00	0.16	0.07	9
10	0.00	0.84	0.00	0.45	0.09	0.00	0.00	0.00	0.00	0.26	0.08	0.04	10
11	0.00	0.01	0.15	0.41	0.16	0.00	0.00	0.00	0.00	0.21	0.00	0.05	11
12	0.00	0.40	0.27	0.13	0.20	0.13	0.00	0.01	0.04	0.20	0.23	0.09	12
13	0.04	0.26	0.00	0.20	0.02	0.00	0.28	0.00	0.31	0.04	0.75	0.00	13
14	0.00	0.00	0.00	0.44	0.14	0.05	0.00	0.03	0.13	0.00	0.28	0.00	14
15	0.00	0.11	0.00	0.08	0.01	0.44	0.15	0.00	0.13	0.07	0.18	0.00	15
16	0.00	0.21	0.00	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.25	0.00	16
17	0.05	1.34	0.00	0.00	0.00	0.10	0.00	0.02	0.61	0.13	0.02	0.00	17
18	0.00	0.10	0.00	0.37	0.00	0.00	0.00	0.00	0.05	0.24	0.06	0.00	18
19	0.00	0.00	0.00	0.00	0.00	0.00	0.05	0.03	0.09	0.00	0.26	0.13	19
20	0.00	0.19	0.00	0.00	0.05	0.00	0.02	0.07	0.15	0.15	0.10	0.02	20
21	0.01	0.06	0.00	0.00	0.00	0.00	0.00	0.14	0.00	0.25	0.17	0.04	21
22	0.00	0.56	0.00	0.00	0.00	0.00	0.00	0.00	0.30	0.40	0.00	0.00	22
23	0.00	0.53	0.00	0.00	0.00	0.00	0.29	1.08	0.15	0.21	0.00	0.33	23
24	0.00	0.11	0.00	0.27	0.00	0.00	0.00	0.00	0.47	0.24	0.00	0.13	24
25	0.00	0.77	0.00	0.03	0.01	0.00	0.33	0.53	0.00	1.32	0.00	0.43	25
26	0.00	0.26	0.00	0.00	0.16	0.00	0.00	0.04	0.00	0.50	0.00	0.63	26
27	0.00	0.01	0.08	0.00	0.09	0.00	0.42	0.04	0.00	0.10	0.00	0.26	27
28	0.02	0.02	0.07	0.10	0.09	0.00	0.00	0.25	0.05	0.00	0.00	0.00	28
29	0.14	-	0.00	0.06	0.00	0.00	0.06	1.07	0.00	0.13	0.00	0.34	29
30	0.02	X	0.38	0.01	0.00	0.00	0.13	0.01	0.00	0.09	0.13	0.00	30
31	0.05	X	0.04	X	0.00	X	0.23	0.01	X	0.00	X	0.00	31
TOTAL	1.98	9.25	1.79	3.04	1.58	0.89	2.99	4.22	2.98	5.70	4.13	4.13	YEAR'S TOTAL 42.68
Days with 0.1 in. or more	14	24	10	14	14	7	17	19	15	23	20	19	196
Days with 0.1 in. or more	11	21	9	12	11	6	15	13	15	23	19	18	173

AIR MINISTRY.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. 100

River Drainage 100

Station No. 25

Kept at Admiralty Reservoirs,
Pembroke Dock.
in the County of PEMBROKE.

by Officer in charge of Works,
H.M. Dockyard.

Lat. 51°42'N. Long. 4°57'W.
Time of Observation 9-0 a.m.
Nearest Railway Station Pembroke Dock, G.W.R.
Diameter of Funnel of Rain Gauge Eight in.
Height of top of Gauge above Ground One ft. - in.
" " " " Sea Level 89.7 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

.41

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.09	0.05	0.03	0.00	0.04	0.07	0.00	0.08	0.00	0.05	0.09	0.05	1 RRR
2	0.04	0.00	0.09	0.00	0.07	0.18	0.47	0.00	0.00	0.02	0.62	0.04	2 205
3	0.31	0.00	0.08	0.00	0.05	0.04	0.05	0.00	0.00	0.61	0.00	0.01	3
4	0.02	0.00	0.14	0.00	0.00	0.58	0.61	0.36	0.00	0.00	0.00	0.26	4
5	0.00	0.00	0.13	0.00	0.00	0.39	0.22	0.03	0.00	0.00	0.00	0.86	5
6	0.00	0.00	0.23	0.00	0.04	0.00	0.38	0.00	0.00	0.18	0.00	0.05	6
7	0.24	0.00	0.00	0.00	0.39	0.13	0.06	0.07	0.04	0.08	0.00	0.00	7
8	0.25	0.00	0.00	0.00	0.02	0.48	0.00	0.00	0.87	0.46	0.00	0.12	8
9	0.30	0.21	0.00	0.00	0.00	0.00	0.00	0.00	0.61	0.01	0.00	0.07	9
10	0.28	0.10	0.00	0.19	0.14	0.34	0.00	0.00	0.03	0.44	0.12	0.05	10
11	0.35	0.02	0.00	0.04	0.02	0.37	0.00	0.00	0.24	1.14	0.24	0.00	11
12	0.43	0.00	0.00	0.37	0.13	0.09	0.00	0.02	0.05	0.01	0.07	0.00	12
13	0.44	0.00	0.00	0.03	0.40	0.00	0.00	0.07	0.10	0.00	0.00	0.00	13
14	0.34	0.00	0.00	0.59	0.35	0.00	0.00	0.00	0.13	0.00	0.00	0.55	14
15	0.03	0.00	0.00	0.02	0.04	0.00	0.00	0.26	0.02	0.00	0.06	0.38	15
16	0.27	0.10	0.00	0.00	0.00	0.00	0.05	0.65	0.22	0.00	0.00	0.31	16
17	0.42	0.00	0.00	0.00	0.00	0.00	0.00	0.34	0.21	0.00	0.00	0.00	17
18	0.20	0.13	0.00	0.00	0.00	0.03	0.50	0.11	0.11	0.00	0.00	0.10	18
19	0.16	0.00	0.00	0.00	0.02	0.03	0.00	0.07	0.00	0.39	0.01	0.08	19
20	0.14	0.00	0.00	0.00	0.09	0.00	0.50	0.05	0.36	0.00	0.00	0.08	20
21	0.61	0.00	0.03	0.00	0.06	0.25	0.79	0.25	0.13	0.63	0.02	0.02	21
22	1.15	0.00	0.10	0.00	0.17	0.00	0.21	0.07	0.10	0.12	0.00	0.00	22
23	0.06	0.00	1.12	0.00	0.12	0.00	0.00	0.00	0.37	0.00	0.08	0.41	23
24	0.22	0.00	0.32	0.02	0.24	0.00	0.00	0.05	0.30	0.00	0.17	0.27	24
25	0.09	0.09	0.00	0.15	0.05	0.00	0.00	0.03	0.80	0.00	0.00	0.28	25
26	0.09	0.09	0.00	0.41	0.00	0.06	0.13	0.02	0.02	0.22	0.64	0.64	26
27	0.02	0.00	0.05	0.33	0.00	0.03	0.00	0.03	0.00	0.10	0.30	0.60	27
28	0.00	0.05	0.00	0.17	0.00	0.00	0.81	0.03	0.00	0.30	0.33	0.28	28
29	0.00	0.00	0.00	0.00	0.00	0.00	0.02	0.61	0.00	0.09	0.35	0.01	29
30	0.02	X	0.00	0.17	0.15	0.00	0.00	0.22	0.30	1.05	0.23	0.71	30
31	0.01	X	0.00	X	0.07	X	0.00	0.33	X	0.34	X	0.43	31 1221
TOTAL	6.58	0.84	2.32	2.49	2.66	3.07	4.80	3.75	5.01	6.24	3.33	6.66	48.07
Days with 0.1 in. or more.	27	9	14	12	21	15	14	22	20	19	15	25	210
Days with 0.4 in. or more	22	8	9	10	18	12	14	16	17	16	13	22	175

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Register of Rainfall in 1925 .

3555

Kept at Admiralty Reserve

Pembroke Dock

in the County of Pembroke

Diameter of Funnel of Gauge eight in.

Height of top of Gauge above Ground one ft. in.

Ground Sea Level 89.7 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date
1	0.40	—	0.03	—	—	—	—	—	0.07	—	1.05	—	1
2	0.12	0.08	—	—	—	—	0.04	—	—	—	0.25	—	2
3	0.21	0.02	—	—	0.17	—	—	0.28	—	—	—	—	3
4	0.03	0.12	—	0.40	0.19	—	—	0.07	—	—	0.11	—	4
5	—	0.28	—	0.25	0.12	—	—	0.46	0.11	—	—	—	5
6	—	—	—	—	0.64	—	0.35	—	—	—	0.76	—	6
7	—	0.39	—	—	0.02	—	—	0.40	—	0.03	0.07	0.23	7
8	0.09	0.03	—	—	0.08	—	—	0.80	—	—	0.08	0.16	8
9	—	0.06	—	0.12	0.02	—	0.16	—	0.02	—	—	—	9
10	—	0.33	0.01	—	—	—	—	0.03	0.15	—	—	—	10
11	—	0.43	0.02	—	0.05	—	—	0.41	0.05	—	—	0.03	11
12	—	0.19	—	0.21	0.06	—	—	0.20	0.02	—	—	0.02	12
13	0.07	0.43	0.23	—	0.02	—	—	—	—	—	—	0.07	13
14	0.28	0.19	—	0.36	—	—	—	—	—	—	—	—	14
15	0.01	0.02	—	—	0.01	—	0.02	—	0.29	—	—	0.27	15
16	0.09	0.17	—	—	0.04	—	0.02	—	0.01	0.03	—	—	16
17	—	0.02	—	0.03	—	—	0.13	—	0.17	0.04	—	—	17
18	—	0.01	—	0.20	0.09	—	0.58	—	—	—	—	0.10	18
19	—	—	—	—	0.02	—	0.05	0.62	0.46	1.85	—	0.47	19
20	—	—	0.16	—	0.11	—	—	0.31	0.10	0.35	—	—	20
21	—	0.23	0.05	—	—	—	0.10	0.33	0.57	0.08	—	0.08	21
22	0.07	0.42	—	0.23	0.53	—	—	0.03	0.26	0.93	—	0.06	22
23	—	0.22	0.19	0.03	0.11	—	—	0.03	—	0.10	—	0.14	23
24	0.52	0.47	0.08	—	0.03	—	—	—	—	0.09	0.01	0.11	24
25	0.21	0.67	0.07	0.03	0.30	—	0.25	0.20	0.42	0.11	—	0.07	25
26	0.03	0.92	—	—	0.71	—	0.45	0.20	—	0.46	—	0.29	26
27	0.05	0.06	—	—	0.20	—	0.26	—	0.02	0.02	0.09	0.10	27
28	0.17	0.16	—	—	—	—	0.01	—	0.01	0.02	0.11	0.45	28
29	—	✓	—	0.12	0.30	—	0.01	—	0.04	0.49	0.14	0.04	29
30	—	✗	0.02	—	0.02	—	0.20	—	—	0.20	0.50	0.04	30
31	0.18	✗	0.06	✗	—	✗	—	—	✗	—	✗	0.02	31
TOTAL	2.53	5.12	0.92	1.98	3.84	—	2.63	4.27	2.77	5.09	3.17	2.75	YEAR'S TOTAL 35.07
Days with "01 in. or more.	16	24	11	11	23	—	15	15	17	15	11	19	177
Days with "04 in. or more.	13	19	7	8	16	—	11	12	12	12	10	16	136

(Signed)..... [P.T.O.]

IMPORTANT.

All communications must be addressed to THE DIRECTOR.

In reply to this letter quote


CIRC.C./MO7

Telegrams:—"WEATHER, LONDON."

Telephones:—

Kingsway Offices: REGENT 8000.

South Kensington Offices } KEN 100.
(Exhibition Road): }



METEOROLOGICAL OFFICE,

AIR MINISTRY,

ADASTRAL HOUSE, KINGSWAY,

LONDON, W.C.2.

22nd May, 1925.

Dear Sir,

As you are no doubt aware, the rainfall year is generally regarded as referring to the period between the morning observation on one January 1st and the morning observation on the following January 1st. In your return, observations are entered to the day of reading, instead of being "thrown back", and therefore to arrive at the total for last year we require the reading on the morning of January 1st of the present year.

I shall be much obliged if you will kindly enter this amount on the form hereunder and return it to this Office.

Yours faithfully,

The Officer-in-Charge,
Admiralty Reservoir,
H.M. Dockyard,
PEMBROKE.

E. J. W. Whipple
E. J. W. WHIPPLE

Superintendent.

BRITISH RAINFALL ORGANIZATION.

49

The Rainfall at Admiralty Res. measured on the morning of January 1st, 1925. Pembroke Dock

was 0.41"

Signed W. L. Holdsworth

✓ This form should be enclosed in the envelope herewith and returned to the Superintendent, Director,

~~British Rainfall Organization,~~

Meteorological Office,

Air Ministry,

Kingsway,

London, W.C.2.

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM-1090.

REGISTER OF RAINFALL IN 1926.

3555

Kept at Admiralty Reservoirs, Pembroke Dock
in the County of Pembroke

Diameter of Funnel of Gauge Eight in.
Height of top of Gauge above Ground 27.6 ft. — in.
" Ground " Sea Level 89.7 ft.

Contd. for No. D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.57	—	0.12	0.05	0.02	—	—	—	—	—	—	1
2	0.95	0.07	0.01	—	0.13	—	—	—	0.09	—	1.74	0.17	2
3	0.53	0.02	0.01	0.05	—	—	—	—	0.08	—	0.10	0.04	3
4	—	0.19	0.09	0.07	—	—	—	—	—	—	—	0.07	4
5	0.07	0.11	0.03	0.03	0.01	—	—	—	0.24	—	0.98	0.25	5
6	0.13	1.00	0.03	—	0.01	—	0.11	0.27	—	—	0.56	0.10	6
7	0.38	0.03	—	0.01	0.06	—	0.04	—	0.09	—	0.03	—	7
8	—	0.07	—	0.14	0.14	0.25	—	0.13	0.04	0.42	0.73	0.05	8
9	0.03	—	0.06	0.01	—	0.01	0.07	0.20	—	—	0.15	—	9
10	—	—	—	—	0.25	0.80	—	0.75	—	0.23	0.29	—	10
11	0.02	—	—	—	0.14	0.14	0.06	—	—	—	0.21	—	11
12	—	—	—	—	0.02	0.23	—	—	0.05	0.08	—	—	12
13	—	—	—	—	0.01	0.07	—	0.05	—	0.45	0.41	—	13
14	—	0.31	—	—	0.02	0.01	—	0.15	0.10	0.12	0.34	0.04	14
15	0.01	0.51	—	0.53	—	—	—	0.13	0.04	0.36	0.09	—	15
16	—	0.08	—	0.32	—	—	—	0.02	—	0.14	0.58	—	16
17	0.50	0.23	—	0.08	—	—	—	0.03	0.06	—	0.93	—	17
18	0.04	0.39	—	—	—	0.60	0.02	0.43	—	—	0.32	0.06	18
19	0.41	0.19	—	—	—	—	4.57	—	—	—	0.31	0.05	19
20	—	—	—	0.02	—	—	0.29	0.18	—	—	0.49	—	20
21	0.48	0.07	—	0.12	—	0.01	—	0.19	—	—	0.15	—	21
22	0.45	—	—	0.08	—	0.02	0.18	0.07	—	—	0.09	—	22
23	0.55	0.65	—	—	—	—	0.01	—	—	—	0.13	—	23
24	0.22	0.08	—	—	—	—	0.08	0.06	0.03	0.06	0.03	—	24
25	0.20	0.02	—	—	0.01	—	0.03	0.06	—	0.45	0.08	—	25
26	0.02	—	—	—	—	—	0.85	—	0.04	0.39	0.22	—	26
27	0.17	0.08	—	—	0.46	—	0.04	—	0.46	—	—	—	27
28	0.05	0.01	—	—	0.40	—	—	—	—	0.19	0.84	—	28
29	0.13	—	—	0.02	—	—	—	—	—	0.03	1.24	0.03	29
30	0.04	X	—	—	0.39	—	—	—	—	—	0.02	—	30
31	0.18	X	—	X	—	X	—	0.38	X	—	X	—	31
TOTAL	5.57	4.68	0.23	1.12	1.05	1.02	6.35	3.10	1.32	2.92	11.06	0.86	YEARS TOTAL
Days with "01 in. or more.	6.13	4.11	1.35	1.53	1.97	2.14	13	16	12	12	26	10	177
Days with "04 in. or more.	19	15	3	9	8	6	10	14	11	11	23	9	139

Please read the Notes and Instructions Overleaf.

Section **A**

for the entry of Daily Observations.

FOR OFFICIAL USE

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at Admiralty Reservoirs Pembroke Dock

in the County of Pembroke

Diameter of Funnel of Gauge eight ins

Height of top of Gauge above Ground one ft. — in.

„ Ground „ Sea Level 89.7 ft.

WD
Cor for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.21	0.17	0.69	—	0.04	—	0.01	—	0.40	—	—	1
2	0.03	0.77	—	—	—	—	0.08	—	0.17	0.22	0.68	—	2
3	0.40	—	—	0.25	0.20	—	—	—	—	—	0.08	—	3
4	0.02	0.15	—	0.04	0.26	0.11	0.34	—	—	—	0.10	0.05	4
5	0.17	0.06	—	0.21	0.08	—	0.52	—	—	—	0.02	—	5
6	0.08	0.10	0.22	0.48	—	0.09	0.10	0.14	—	—	0.29	0.48	6
7	0.03	—	0.31	—	—	—	0.18	0.10	0.19	—	0.97	0.22	7
8	—	—	—	—	—	0.10	0.09	0.05	—	—	—	—	8
9	0.01	—	—	0.44	0.22	—	0.13	0.29	—	—	—	0.20	9
10	—	—	0.07	—	0.04	—	—	0.11	0.09	—	0.30	0.02	10
11	0.04	—	—	0.01	—	—	—	0.15	0.20	—	0.85	—	11
12	0.02	—	—	—	—	—	—	0.44	—	—	0.22	—	12
13	0.22	—	—	—	—	—	—	0.13	0.02	—	—	—	13
14	0.33	—	—	0.08	—	—	0.22	0.60	0.19	0.07	—	0.04	14
15	0.05	—	—	0.08	0.08	—	0.12	0.04	0.85	—	—	0.02	15
16	—	—	0.01	—	0.47	—	—	0.23	0.03	—	—	—	16
17	0.20	—	—	—	0.30	1.00	—	—	0.46	—	0.05	—	17
18	0.10	0.03	0.06	—	—	0.06	—	0.24	—	—	0.54	—	18
19	0.04	—	—	—	—	0.31	—	0.03	0.20	0.07	0.20	—	19
20	0.02	0.58	0.01	—	—	—	0.09	0.91	0.02	—	0.42	—	20
21	0.52	—	—	—	—	0.36	0.15	0.28	0.05	—	0.22	0.64	21
22	0.16	0.36	0.11	—	—	—	0.02	0.30	0.40	0.48	—	0.94	22
23	—	0.41	0.65	0.02	—	0.36	—	0.02	0.20	0.06	0.05	0.26	23
24	0.02	0.07	0.14	—	—	0.10	0.10	—	—	—	0.37	0.23	24
25	1.22	0.15	0.22	—	—	—	0.17	0.12	0.20	0.28	—	—	25
26	0.29	0.21	0.18	—	—	0.09	0.36	—	0.07	—	—	0.20	26
27	0.11	0.21	0.06	—	—	0.11	0.26	—	0.05	0.19	—	—	27
28	0.03	0.19	—	—	—	0.01	0.08	0.32	—	0.26	0.07	—	28
29	0.79	X	0.44	—	—	0.07	0.10	0.26	0.37	0.48	—	—	29
30	0.10	X	0.12	—	—	0.12	0.49	—	—	0.17	0.25	—	30
31	0.04	X	—	X	—	X	0.08	0.09	X	0.03	X	0.24	31
TOTAL	5.25	3.46	3.29	1.61	1.69	2.89	3.69	4.85	4.16	2.31	5.68	3.54	YEARS TOTAL
	5.04	3.50	2.77	2.30	1.65	2.93	3.68	4.86	3.76	2.71	5.68	3.54	42.42
Days with "01 in. or more.	2627	14	15	129	89	1475	21	21	1819	1211	18	13	191
Days with "04 in. or more.	1819	13	13	87	89	1374	19	19	1516	110	17	11	166

Section



for the entry of Daily Observations.

3614
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Admiralty Reservoirs, Pembroke Dockin the County of PembrokeDiameter of Funnel of Gauge Eight insHeight of top of Gauge above Ground one ft. - in." Ground " Sea Level 89.7 ft.

July 1" high

July adjusted by sun this
662 agrees f. 923711/4
low for W.D.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	0.57	0.56	—	0.02	—	—	0.41	—	0.04	0.09	—	1
2	1.23	0.02	—	—	—	—	0.07	—	—	—	—	—	2
3	0.08	0.12	0.01	0.18	—	—	0.16	—	—	—	—	0.07	3
4	—	0.19	0.03	0.07	—	—	—	—	—	—	—	—	4
5	—	0.53	0.23	—	—	0.26	0.76	—	—	0.63	1.39	0.09	5
6	0.17	0.06	—	0.05	0.06	0.02	0.40	—	0.49	0.18	0.03	0.09	6
7	0.03	—	0.02	0.04	—	0.06	—	0.04	—	0.09	—	0.11	7
8	0.06	0.08	0.02	0.03	—	0.21	0.05	0.31	—	0.84	—	—	8
9	0.02	—	—	0.08	—	0.42	0.16	—	0.65	0.21	—	0.10	9
10	0.02	—	—	0.17	—	0.21	—	0.12	—	0.10	—	0.17	10
11	0.13	0.10	—	0.08	—	—	0.02	—	—	0.70	0.42	1.38	11
12	—	0.49	—	—	—	—	0.02	0.54	—	1.08	0.40	0.04	12
13	0.41	0.72	—	—	—	0.07	—	0.16	—	—	0.24	—	13
14	—	0.02	—	—	—	0.50	—	0.20	—	—	0.03	—	14
15	0.42	0.37	0.23	0.31	—	—	—	0.18	—	0.89	0.48	—	15
16	0.05	0.34	0.45	—	0.02	—	—	—	—	0.24	0.46	0.42	16
17	—	0.11	0.41	—	0.01	—	—	—	—	0.32	0.06	0.26	17
18	0.65	—	0.21	—	0.23	0.04	—	—	—	—	—	—	18
19	0.59	—	0.12	0.04	0.02	0.27	—	—	0.03	0.40	0.06	0.32	19
20	0.26	—	0.48	—	0.01	0.02	—	0.18	—	0.52	0.71	0.28	20
21	0.22	—	0.84	0.03	0.07	0.31	—	0.02	—	0.27	0.35	—	21
22	0.84	—	0.72	—	—	0.16	—	0.01	—	0.20	0.42	0.05	22
23	0.02	—	0.03	0.25	—	—	—	0.51	—	0.21	0.70	0.06	23
24	0.80	—	0.18	0.05	—	—	0.02	0.21	—	0.32	0.04	0.09	24
25	0.02	—	—	—	—	—	—	0.02	0.03	0.22	0.16	0.19	25
26	0.20	—	—	—	—	0.60	—	0.10	—	0.41	—	0.64	26
27	0.23	—	0.22	—	—	0.10	0.04	0.15	—	0.23	0.02	—	27
28	—	—	—	0.02	0.43	—	0.14	0.09	0.20	—	0.02	0.85	28
29	0.63	0.22	0.45	—	—	0.57	0.05	0.03	0.50	0.04	0.09	0.54	29
30	0.50	X	0.32	—	—	0.61	0.06	0.01	0.04	0.32	0.03	0.42	30
31	—	X	0.15	X	—	X	0.33	—	X	0.11	X	0.12	31
TOTAL	8.15	3.93	5.12	1.42	.85	4.43	2.19	2.88	1.98	8.32	6.11	6.29	YEAR'S TOTAL
Days with 0.1 in. or more.	28.24	15	20.19	14.15	9.8	17	14.15	19.18	7.8	24	24.20	21	204
Days with 0.4 in. or more.	18.19	13	15.14	11	4	15	14.12	14.13	5.6	24	16.15	21	167

REGISTER OF RAINFALL IN 1929 .

Kept at *Admiralty Reservoirs
Pembroke Dock*
in the County of *PEMBROKE*
Diameter of Funnel of Gauge *Eight* ins
Height of top of Gauge above Ground *One* ft. — in.
,, Ground ,, Sea Level *89.7* ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

17 ✓

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	0.58	—	0.01	—	—	—	—	0.21	0.66	—	0.29	I
2	—	0.67	—	0.01	—	0.10	—	0.04	—	0.82	—	0.38	2
3	—	0.10	—	—	—	0.22	—	0.37	0.28	0.25	—	0.35	3
4	—	0.03	—	—	0.10	—	0.01	0.72	0.65	0.04	0.02	0.38	4
5	—	—	—	0.13	0.98	0.02	0.15	—	—	0.26	—	0.69	5
6	—	0.16	—	—	0.72	0.36	0.50	0.24	—	0.40	0.82	—	6
7	—	0.29	—	—	0.15	0.06	—	—	—	1.09	0.07	0.76	7
8	—	—	—	—	0.26	—	—	—	—	0.27	0.46	0.35	8
9	0.33	0.20	—	—	—	—	—	0.10	—	0.46	—	1.06	9
10	0.06	0.03	—	—	—	—	—	0.09	—	—	0.02	0.29	10
11	—	0.25	—	—	0.04	—	—	0.04	—	0.09	0.34	0.37	11
12	—	0.20	—	—	0.49	—	0.02	—	—	—	1.05	0.11	12
13	—	—	—	0.03	0.04	0.41	—	—	—	—	—	0.03	13
14	—	—	—	—	0.15	0.32	—	—	—	—	—	0.23	14
15	—	—	—	—	0.10	—	—	—	0.02	—	—	0.07	15
16	0.09	0.30	—	—	—	0.17	—	0.05	—	—	0.85	—	16
17	—	—	—	0.05	—	—	—	—	—	—	—	—	17
18	0.10	—	—	0.06	—	—	0.03	—	—	0.32	0.07	—	18
19	0.03	—	—	—	—	—	—	—	0.02	0.46	1.56	—	19
20	—	—	—	—	—	—	—	—	—	0.06	0.72	0.29	20
21	—	0.08	0.35	—	—	—	—	0.05	—	0.29	0.47	0.87	21
22	—	—	0.05	—	0.04	—	0.24	0.05	—	—	0.90	0.14	22
23	0.11	0.04	—	—	0.30	—	0.02	0.06	—	—	0.58	0.09	23
24	—	0.03	—	—	0.35	—	—	—	—	0.56	0.47	0.94	24
25	—	—	0.22	—	—	—	—	—	—	0.42	0.62	0.52	25
26	—	0.05	0.02	0.10	—	—	—	—	—	0.20	0.51	0.08	26
27	—	—	—	0.02	—	—	—	—	—	—	0.79	0.80	27
28	0.06	—	—	0.41	0.25	—	0.67	0.32	—	0.18	0.14	0.08	28
29	0.74	—	—	0.15	—	—	0.54	—	0.07	0.08	0.67	0.50	29
30	0.11	×	—	0.03	—	—	—	—	0.04	0.16	0.45	0.20	30
31	0.06	×	—	×	—	×	0.24	—	×	—	×	0.07	31
TOTAL	1.69	3.01	0.64	1.00	3.97	1.66	2.42	2.13	1.29	7.07	11.58	9.94	46.57
Days with "or in. or more.	11	11	5	10	14	8	10	13	7	10	22	26	158
Days with "04 in. or more.	10	11	3	6	14	7	6	13	5	19	20	25	138

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at R.A.F. Reservoir, Penelope Dock
in the County of PEMBROKE

Diameter of Funnel of Gauge EIGHT in.
Height of top of Gauge above Ground ONE ft. — in.
,, Ground ,, Sea Level 89.4 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	0.18	0.06	-	0.12	-	-	0.10	0.82	-	-	-	-	I
2	0.15	-	0.02	0.04	-	-	-	0.19	-	-	-	0.11	2
3	0.26	0.14	-	0.31	-	-	-	-	0.06	1.18	-	-	3
4	0.39	-	0.58	0.42	-	-	-	-	0.04	0.50	0.02	-	4
5	0.04	0.21	0.07	0.07	0.21	-	-	0.06	0.06	0.48	0.06	-	5
6	0.19	-	0.52	-	-	-	-	-	0.58	-	-	0.04	6
7	0.14	-	-	-	-	-	0.02	-	-	0.40	0.62	-	7
8	0.23	-	-	0.73	-	-	-	0.14	-	0.02	-	-	8
9	0.45	-	0.20	0.08	0.12	0.15	-	-	-	-	-	-	9
10	0.71	-	0.03	-	0.12	-	-	0.68	-	-	-	-	10
11	0.09	-	0.14	0.19	-	-	-	-	0.39	0.06	-	-	11
12	0.16	-	0.04	0.04	0.48	-	-	-	0.52	-	-	-	12
13	0.27	-	-	0.07	0.31	-	0.16	0.12	0.41	0.16	0.06	-	13
14	0.53	0.12	0.41	-	0.20	0.09	0.14	-	-	1.25	0.09	-	14
15	0.03	0.04	0.18	-	-	-	0.11	-	0.58	0.56	-	(2.98)	15
16	0.12	-	0.07	-	-	-	0.50	-	-	0.32	-	0.98	16
17	0.03	-	-	-	0.36	-	0.22	0.20	1.06	0.25	-	-	17
18	0.07	-	0.06	-	-	-	0.03	0.14	0.66	-	0.69	-	18
19	-	-	0.10	-	0.05	0.18	-	-	-	0.70	0.47	0.44	19
20	0.11	-	0.06	-	-	0.09	0.67	1.50	-	0.08	0.58	-	20
21	0.15	-	0.19	-	0.19	0.88	-	-	0.66	-	0.43	-	21
22	0.10	-	0.20	-	-	0.25	-	0.65	0.09	-	-	-	22
23	0.09	-	0.09	0.18	-	-	-	-	-	-	0.18	0.65	23
24	0.29	-	-	-	-	-	-	-	-	0.09	0.23	-	24
25	-	0.28	-	0.05	-	-	0.19	-	0.54	0.25	0.30	-	25
26	0.35	-	-	-	-	-	0.36	-	1.08	-	0.06	-	26
27	0.05	-	0.05	-	-	-	0.67	-	0.32	-	-	-	27
28	0.09	-	0.14	-	0.06	-	-	-	-	-	-	2.00 + 0.00	28
29	0.15	X	0.23	-	-	-	-	0.24	-	0.07	-	0.42	29
30	0.12	X	0.09	-	0.08	-	0.11	-	-	0.09	-	0.57	30
31	0.96	X	0.30	X	-	X	-	-	X	-	X	-	31
TOTAL	6.50	0.85	3.77	2.30	2.18	1.64	3.28	4.74	7.05	6.46	3.79	7.21 ~~4.21~~	YEAR'S TOTAL ~~46.71~~
* Days with or in. or more.	29	6	22	12	11	6	13	11	15	17	13	8	163
* Days with or in. or more.	27	6	20	12	11	6	11	11	15	16	12	8	155

Exd. A.R.G.

FORM 1090, METEOROLOGICAL OFFICE
(formerly B.R.O. Form A.1.) REGISTERED

Kept at Pembroke Dock Count
in the County of Pembroke

by Mr J. H. Garnett

Pembroke Dock
County Salool

1921 - 1930

ORGANIZATION. 4 JAN 1922
4° 50' W
A.M.
Pembroke Dock G.W.R.
Rain Gauge 5" in.
above Ground 1 ft 0 in.
Sea Level 85 ft.
entered to the previous day.

Jan. 1, following.

IMPORTANT NOTE.—Rain should
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add
the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of
this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges,
and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers,"
sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden
Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.03	.13	-	.01	-	-	-	.04	-	.20	.15	1
2	-	-	-	-	-	-	-	-	-	.19	.045	.04	2
3	-	.01	.08	.17	-	-	-	.01	-	.58	.60	-	3
4	-	-	.06	-	.09	-	-	-	-	-	.015	.005	4
5	.08	.02	.07	-	-	-	-	.97	-	.005	.25	.11	5
6	.02	-	-	-	-	-	-	-	-	-	-	.07	6
7	.54	-	.01	-	-	-	-	-	-	-	.13	-	7
8	-	-	-	.23	.12	-	-	.01	-	-	-	-	8
9	-	.34	-	-	-	-	-	-	.13	-	-	.045	9
10	.25	-	-	.09	-	-	-	.31	.10	-	-	.14	10
11	.07	-	.07	-	-	-	-	-	.72	.005	-	-	11
12	.01	-	-	-	.05	-	-	-	.68	-	~~1.58~~	.25	12
13	-	.78	-	.03	-	-	.015	-	.13	.145	~~1.58~~	.005	13
14	.33	-	.12	-	-	-	.01	-	.09	-	~~1.58~~	.135	14
15	1.13	.01	.05	.17	-	-	.34	.01	-	-	.25	.01	15
16	-	.07	.025	-	-	-	-	.46	-	-	-	.015	16
17	-	.03	.30	-	-	-	-	.015	.005	-	-	-	17
18	.02	.01	-	-	-	-	-	-	-	.04	-	.055	18
19	.01	-	-	.02	-	-	-	-	-	.45	-	.17	19
20	.04	-	-	-	-	-	-	-	-	-	.015	.03	20
21	.15	-	-	-	-	-	-	.02	.03	.16	.36	.19	21
22	.12	.005	.01	.01	.01	-	-	-	.005	.25	.23	.18	22
23	.09	.80	-	-	-	-	-	-	-	.16	-	.06	23
24	.17	-	-	.01	-	-	-	.02	-	-	-	.31	24
25	.21	-	.05	.08	-	-	.03	-	-	-	-	.06	25
26	.07	-	-	-	-	-	-	.05	-	-	.19	.40	26
27	-	.02	-	-	.37	-	.21	.03	-	-	.32	.14	27
28	-	-	.12	.96	.03	-	-	.41	-	-	.01	.04	28
29	.58	-	-	-	.84	-	.08	.005	-	-	-	.12	29
30	.32	~~X~~	-	-	.17	-	-	.06	-	-	.03	.03	30
31	.09	~~X~~	-	~~X~~	.05	~~X~~	.17	.25	~~X~~	-	~~X~~	.02	31
TOTAL	4.31	2.125	1.095	1.77	1.74	0	.855	2.63	1.93	1.985	5.035	2.78	YEAR'S TOTAL 26.255
Days with 0.1 in. or more	21	14	13	10	10		7	14	8	8	16	24	14
Days with 0.1 in. or more	16	4	10	6	7		4	7	7	8	12	19	10

Exd. A.S.G.

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

(formerly B.R.O. Form A.1).

REGISTER OF RAINFALL IN 1921

Kept at Pembroke Dock County School

in the County of Pembroke

by Mr J. H. Garnett

Lat. 51° 41' N Long 4° 50' W

Time of Observation 9 A.M.

Nearest Railway Station Pembroke Dock G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.01	.03	.13	-	.01	-	-	-	.04	-	.20	.15	1
2	-	-	-	-	-	-	-	-	-	.19	.045	.04	2
3	-	.01	.08	.17	-	-	-	.01	-	.58	.60	-	3
4	-	-	.06	-	.09	-	-	-	-	-	.015	.005	4
5	.08	.02	.07	-	-	-	-	.97	-	.005	.25	.11	5
6	.02	-	-	-	-	-	-	-	-	-	-	.07	6
7	.54	-	.01	-	-	-	-	-	-	-	.13	-	7
8	-	-	-	.23	.12	-	-	.01	-	-	-	-	8
9	-	.34	-	-	-	-	-	-	.13	-	-	.045	9
10	.25	-	-	.09	-	-	-	.31	.10	-	-	.14	10
11	.07	-	.07	-	-	-	-	-	.72	.005	-	-	11
12	.01	-	-	-	.05	-	-	-	.68	-	~~1.58~~	.25	12
13	-	.78	-	.03	-	-	.015	-	.13	.145	~~.81~~	.005	13
14	.33	-	.12	-	-	-	.01	-	.09	-	~~.81~~	.135	14
15	1.13	.01	.05	.17	-	-	.34	.01	-	-	.25	.01	15
16	-	.07	.025	-	-	-	-	.46	-	-	-	.015	16
17	-	.03	.30	-	-	-	-	.015	.005	-	-	-	17
18	.02	.01	-	-	-	-	-	-	-	.04	-	.055	18
19	.01	-	-	.02	-	-	-	-	-	.45	-	.17	19
20	.04	-	-	-	-	-	-	-	-	-	.015	.03	20
21	.15	-	-	-	-	-	-	.02	.03	.16	.36	.19	21
22	.12	.005	.01	.01	.01	-	-	-	.005	.25	.23	.18	22
23	.09	.80	-	-	-	-	-	-	-	.16	-	.06	23
24	.17	-	-	.01	-	-	-	.02	-	-	-	.31	24
25	.21	-	.05	.08	-	-	.03	-	-	-	-	.06	25
26	.07	-	-	-	-	-	-	.05	-	-	.19	.40	26
27	-	.02	-	-	.37	-	.21	.03	-	-	.32	.14	27
28	-	-	.12	.96	.03	-	-	.41	-	-	.01	.04	28
29	.58	-	-	-	.84	-	.08	.005	-	-	-	.12	29
30	.32	~~X~~	-	-	.17	-	-	.06	-	-	.03	.03	30
31	.09	~~X~~	-	~~X~~	.05	~~X~~	.17	.25	~~X~~	-	~~X~~	.02	31
TOTAL	4.31	2.125	1.095	1.77	1.74	0	.855	2.63	1.93	1.985	5.035	2.78	YEAR'S TOTAL 26.255
Days with .01 in. or more	21	12	13	10	10		7	14	8	8	16	24	146
Days with .04 in. or more	16	4	10	6	7		4	7	7	8	12	19	100

REGISTER OF RAINFALL IN 1922.

Kept at County School, Pembroke Dock

in the County of Pembroke

by Mr. J. H. Garnett

Lat. 51° 41' N Long. 4° 50' W

Time of Observation 9 A.M.

Nearest Railway Station Pembroke Dock (G.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 85 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.005	.33	.38	.04	-	-	.245	-	.057	-	.037	-	1
2	.02	.34	.17	.25	.145	-	.25	.07	-	-	.13	-	2
3	.30	.15	.21	.32	.16	-	.22	.245	.18	.045	.145	-	3
4	.115	.03	.32	-	.20	-	.045	-	-	.25	.02	-	4
5	.065	.005	.23	.06	-	-	.96	-	-	.16	.49	.005	5
6	.065	-	.30	.025	-	-	.12	-	-	-	.115	-	6
7	.075	-	.81	.06	-	-	.45	1.45	-	-	.11	.01	7
8	.13	-	.025	.045	-	.01	.695	.25	-	-	.015	.035	8
9	.08	-	.065	-	-	.19	-	-	-	-	.28	.01	9
10	.015	-	.015	-	-	-	-	.06	-	.19	.215	-	10
11	-	-	-	.03	-	-	-	.04	.07	.007	-	.065	11
12	-	.04	-	.20	-	.19	.07	.565	1.22	-	-	.02	12
13	.37	-	-	.47	-	-	.325	.005	.31	-	-	.01	13
14	.24	.185	-	.245	-	-	-	-	.017	-	-	.83	14
15	.61	.13	-	.41	-	-	-	.055	.005	-	-	.08	15
16	-	.11	-	.30	.95	-	-	.76	.205	-	-	.38	16
17	.275	.65	-	-	.02	-	1.43	.005	-	-	-	.225	17
18	.179	.15	-	-	.065	-	-	-	.91	-	.04	.175	18
19	.105	.055	.04	-	.02	.03	.05	-	.16	-	-	.51	19
20	.65	.59	.005	-	.005	.005	.74	-	.005	-	-	.08	20
21	.045	.04	-	-	.02	-	.14	.018	-	-	-	.62	21
22	-	.405	-	.06	.22	.20	-	.16	-	-	.15	.385	22
23	-	.08	-	.01	-	.07	-	-	.08	-	-	.24	23
24	.05	.01	.39	.005	-	.26	-	.245	-	-	-	.18	24
25	.17	.15	.175	.285	-	.375	-	.005	1.14	-	-	.02	25
26	.05	.09	.045	.11	-	-	.28	.17	.71	-	.025	.10	26
27	.54	.38	.25	.19	-	.01	-	.05	.015	-	-	.15	27
28	.16	.60	-	-	-	-	.005	.005	-	-	-	.49	28
29	.09	-	-	-	-	.04	.015	.12	.13	-	-	(.285)	29
30	.275	X	.12	-	-	.32	.035	.305	.635	-	.12	.01	30
31	.05	X	1.00	X	-	X	-	.66	X	.79	X	-	31
TOTAL	6.34	4.52	4.55	3.115	1.805	1.70	6.075	5.243	5.849	1.442	1.892	4.945	47.48
Days with 0.1 in. or more	25	20	17	18	9	12	17	19	16	5	14	23	199
Days with 0.4 in. or more	23	18	15	15	6	8	15	16	13	5	11	16	162

REGISTER OF RAINFALL IN 1923.

Kept at County School Pembroke Dockin the County of Pembrokeby J. H. GarnettLat. 51° 41'Long. 4° 50' WTime of Observation 9 A.M.Nearest Railway Station Pembroke DockDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." " " " Sea Level 85 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.30	.22	.44	-	.01	-	-	.42	.09	-	-	.13	1
2	.01	.125	.02	-	.25	-	.05	.07	.005	.04	.40	.35	2
3	-	-	-	.045	.005	.025	.025	-	.48	.30	.155	.09	3
4	.205	-	.09	.39	-	-	.025	-	.005	.08	.065	.355	4
5	.41	.22	-	.01	.22	-	-	.04	.005	.02	.205	.37	5
6	.43	1.2	.225	-	-	-	.70	-	.045	.165	.22	.01	6
7	.075	.63	-	-	-	.005	.015	-	-	.01	.145	.28	7
8	.085	.29	-	-	-	.085	.035	.005	-	.405	-	.40	8
9	-	1.13	-	-	.08	-	.07	.225	-	.16	.26	.02	9
10	-	.99	-	.51	-	.065	-	-	.02	.02	.22	.04	10
11	-	.02	.13	.435	.275	-	-	-	.006	.225	.01	.03	11
12	-	.46	.32	.125	.20	.125	-	.02	-	.24	.005	.045	12
13	.04	.325	-	.19	.025	-	.385	.02	.03	.12	.375	.08	13
14	-	.005	-	.525	.105	.065	-	.01	.31	.05	.77	-	14
15	-	.03	-	.09	.015	.41	.13	-	.15	.005	.305	.01	15
16	.005	.32	-	-	.055	-	.01	.18	.11	.065	.125	-	16
17	.05	1.64	-	-	-	.11	-	.005	.015	.005	.26	.03	17
18	-	.115	-	.395	-	.03	-	-	.63	.155	.03	-	18
19	.015	.005	-	-	.005	-	.025	.015	.07	.265	.53	.005	19
20	.005	.21	-	-	.025	-	.01	.12	.08	.01	.34	.175	20
21	.01	.05	-	.005	.005	-	-	.11	.135	.16	.14	.02	21
22	-	.68	-	-	.01	-	.01	.115	.01	.26	.05	.03	22
23	.005	.59	.01	.01	.005	-	.01	1.12	.29	.48	-	.125	23
24	.01	.10	.01	.28	.01	-	.495	.02	.12	.19	-	.225	24
25	.01	.86	.005	.045	-	.01	.31	.54	.52	.25	.01	.13	25
26	.01	.28	.005	-	.215	-	-	.075	-	1.35	-	.435	26
27	-	.015	.06	-	.10	-	.41	.01	-	.61	.005	.595	27
28	.015	.05	.065	-	.01	-	.005	.51	.04	.115	-	.23	28
29	.14	-	-	.165	-	-	.04	.855	.015	-	-	.005	29
30	.03	X	.30	.015	-	-	.10	.015	-	.25	-	.37	30
31	.04	X	.105	X	-	X	.26	.01	X	.09	X	.005	31
TOTAL	1.88	10.57	1.785	3.235	1.625	.93	3.12	4.51	3.18	6.095	4.645	4.59	YEAR'S TOTAL
Days with 0.1 in. or more	16	24	12	15	16	9	20	22	21	28	21	27	23
Days with 0.1 in. or more	10	21	9	12	9	6	12	13	14	23	17	18	16

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No. _____

River Dist. _____

Station No. _____

Kept at County School, Pembroke Dock

in the County of Pembroke

by Mr J. H. Garnett M. Sc.

Lat. 51° 41' N. Long. 4° 50' W

Time of Observation 9 A.M.

Nearest Railway Station G.W.R. Pembroke Dock.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

.38

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.04	.04	-	.09	.05	-	.15	-	.07	.26	.08	1 <u>RRR</u>
2	.11	-	.07	-	.11	.16	.61	-	-	.03	.49	.04	2 <u>RRR</u>
3	.02	.005	.13	-	.04	.05	.06	.04	-	.50	.01	-	3
4	.31	-	.11	-	-	.04	.63	.39	-	-	-	.22	4
5	.03	-	.11	-	-	.38	.27	.10	-	-	-	.97	5
6	.02	-	.19	-	1.10	.35	.41	-	-	.17	-	.05	6
7	.34	-	.03	-	.43	-	.06	.07	.02	.09	-	-	7
8	.21	-	-	-	.05	.15	.01	-	.81	.53	-	.11	8
9	.38	.28	-	.04	-	.44	-	-	.62	.01	-	.06	9
10	.33	.53	-	.19	.71	-	.01	-	.04	.58	.15	.04	10
11	.31	.03	-	.04	-	.35	-	-	.23	1.12	.14	-	11
12	.52	-	-	.31	.13	.37	-	-	.05	.02	.03	.01	12
13	.50	-	-	.04	.43	.07	-	.07	.12	.01	.01	-	13
14	.31	-	-	.63	.30	.01	-	.04	.13	-	-	.61	14
15	.04	-	-	-	-	-	-	.22	.02	-	.09	.49	15
16	.28	-	.02	-	-	-	.06	.67	.24	-	-	.35	16
17	.43	-	-	-	-	-	-	.36	.22	-	-	.01	17
18	.20	.11	-	.02	-	-	.55	.12	.06	-	-	.11	18
19	.19	.02	-	-	-	.02	.01	.05	-	.46	.02	.10	19
20	.11	-	-	-	.25	-	.15	.10	.31	.01	-	.08	20
21	.63	-	.03	-	.08	.04	.82	.27	.14	.53	.02	.01	21
22	.95	-	.12	-	.12	.19	.23	.07	.11	.09	-	-	22
23	.03	-	1.11	-	.13	-	-	-	.38	-	.10	.46	23
24	.22	-	.36	-	-	-	.02	.07	.28	-	.16	.30	24
25	.08	.16	.01	-	.31	.02	-	-	.77	-	-	.35	25
26	.01	-	.05	.45	-	.01	.12	.04	.01	.16	.72	.66	26
27	.03	-	-	.23	-	.04	-	.05	-	.21	.30	.79	27
28	.01	.07	-	.33	-	.02	.80	.03	-	.30	.33	.26	28
29	-	-	-	-	-	-	.02	.43	-	.10	.43	.03	29
30	.02	X	-	.24	.24	.01	-	.24	.31	1.1	.20	.90	30
31	.04	X	-	X	.05	X	-	.24	X	.34	X	.44	31 <u>1307</u>
TOTAL	6.66	1.245	2.38	2.52	4.57	2.77	4.84	3.82	4.87	6.43	3.46	7.53	51.47
Days with .01 in. or more.	29	8	11	11	17	20	18	22	20	21	17	26	224
Days with .04 in. or more.	21	6	9	11	17	13	13	21	18	16	12	22	179

CIRC
C.1/M07

The Rainfall at **Pembroke Dock**
morning of January 1st, 1925

was .38 inches

Signed J H Garnett

This form should be enclosed in the envelope herewith
and returned to the Superintendent, ~~Director~~,

~~British Rainfall Organization,~~

Meteorological Office,

Air Ministry,

Kingsway,

London, W.C.2.

measured on the _____

AIR MINISTRY

Received 28 MAY 1925

Allocated to

with

enclosures

Section



for the entry of Daily Observations.

AIR MINISTRY.

FOR OFFICIAL USE.

Form 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3554

Register of Rainfall in 1925.

Sept at County School, Pembroke Dock
in the County of Pembroke

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " Ground " Sea Level 85 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

14

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	38	18	17	07	10	-	-	-	-	-	-	61	1
2	57	-	05	-	-	-	-	-	06	-	1.05	-	2
3	12	10	-	-	-	-	08	-	-	-	33	-	3
4	25	03	-	-	13	-	-	28	-	-	04	-	4
5	05	10	01	38	15	-	-	06	-	-	11	-	5
6	-	33	-	30	11	-	-	43	09	-	-	-	6
7	-	01	-	01	63	-	38	-	-	-	74	-	7
8	-	42	01	-	01	-	-	40	-	04	08	23	8
9	12	01	02	03	07	-	-	79	01	-	12	17	9
10	-	06	01	09	02	-	17	01	01	-	02	-	10
11	-	41	02	-	01	-	-	01	16	-	-	-	11
12	-	33	-	-	06	-	-	34	05	-	-	06	12
13	-	20	-	21	04	-	-	12	02	-	-	01	13
14	06	48	25	-	02	-	01	-	-	02	-	10	14
15	28	32	-	38	-	-	01	-	-	01	-	-	15
16	01	23	-	02	01	-	02	-	37	01	-	27	16
17	10	18	-	-	05	-	03	-	02	03	-	-	17
18	-	04	-	03	01	-	13	-	20	01	-	-	18
19	-	02	-	21	11	-	65	-	09	02	-	13	19
20	-	02	-	01	02	-	04	37	31	1.76	-	49	20
21	-	04	11	-	08	-	-	25	14	38	-	01	21
22	-	27	14	-	-	-	10	29	53	10	-	12	22
23	06	51	01	25	59	-	-	75	26	97	-	12	23
24	01	25	16	04	11	-	-	-	-	09	-	16	24
25	52	53	10	01	04	-	-	-	-	08	02	12	25
26	22	59	10	02	57	-	21	10	40	13	-	10	26
27	-	26	-	01	72	-	40	17	-	50	02	31	27
28	07	07	-	08	26	-	18	-	05	03	17	28	28
29	21	-	01	-	01	-	02	02	02	35	17	32	29
30	01	X	-	12	35	-	01	-	05	46	15	05	30
31	01	X	02	X	02	X	18	01	X	15	X	08	31
TOTAL	3.59	5.99	1.19	2.29	4.30	0	2.62	4.40	2.84	5.14	3.02	3.74	39.10
Days with "01 in. or more.	2.85	5.98	1.09	2.30	4.20	0.00	2.62	4.40	2.84	5.14	3.63	3.27	212
Days with "04 in. or more.	18	27	16	19	27	26	17	17	19	19	13	20	151

(Signed)

J. H. Garnett M.S.

[P.T.O.]

AIR MINISTRY, METEOROLOGICAL OFFICE.

SOUTH KENSINGTON, LONDON, S.W. 7.



QUERY FORM.

On examination of the return of observations made at

The County School, Pembroke Dock 1925.

the following queries arise by comparison of the readings with the charts, &c. The Director will be obliged if the book containing the original observations may be referred to and this paper returned, with the required information, as soon as possible.

QUERY.

A comparison of your rainfall return for 1925 with neighbouring stations shows that on the 14th Jan. the entry is not in good agreement with the places set out below

Stackpole Gardens	.09 in.
Pembroke Dock Co. School	.60 "
" " Admiralty Pier	.07 "

It is recommended that a value of .06 inch be adopted for that day. If you concur in this amendment the total for January will become 2.85 in. and the year 38.32 inches after "throwing back" the morning measurement to the previous day according to the general rule. We shall be glad to have your comments on this point.

H. S. Carter
2.7.26.

REPLY.

Dear Sir,

I am very sorry that the senior pupil responsible for taking the rainfall readings should have made what obviously is a serious error & written down .60" instead of .06". I have re-examined the record & found that the entry really was .60" not .06". I concur in your amendment

J. H. Garrett

N.B.—This paper should be folded so as to bring the printed address outside, and returned immediately. Sealing is unnecessary and defaces or causes a gap in the paper, which is to be filed in the Meteorological Office.

For use in M.O. 3.

1. The amendments indicated in red ink are adopted.....
2. Necessary corrections made in Monthly Return.....
3. " " " " Weekly (Form 3110).....

For use in M.O. 2.

4. Necessary corrections noted in Forecast Division.....

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

3554

Kept at County School, Pembroke Dock
in the County of Pembrokeshire

Diameter of Funnel of Gauge.....5.....in.
Height of top of Gauge above Ground.....1.....ft. 0.....in.
,, Ground ,, Sea Level 85.....ft.

*Fm 906 sent 10/3/27 re Aug 5.
Fm 906 sent 10/5
Aug 5th corrected by observer
see f. 768359/27.
corr'd for W.D.*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

0"

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.66	.005	.13	.085	.03	-	-	-	-	-	-	1
2	.79	.09	-	.01	.10	-	-	-	.45	.01	1.35	.15	2
3	.57	.06	.03	.045	-	-	-	-	.04	-	.17	.03	3
4	.005	.22	.13	.07	-	-	.005	-	-	No reading	-	.07	4
5	.09	.13	.03	.025	.025	-	-	.32	.25	-	.97	.18	5
6	.14	.99	.05	-	.05	-	.13	-	.01	-	.37	.11	6
7	.43	.02	-	.025	.07	-	.07	.095	-	.03	.19	-	7
8	-	.07	-	.14	.13	.26	-	.17	.04	.36	.75	-	8
9	.04	-	.09	.10	.01	.005	.10	.70	.12	.25	.14	.03	9
10	-	-	-	.02	.21	.88	-	.02	-	.01	.27	-	10
11	.02	-	-	-	.14	.21	.05	-	-	.025	.20	-	11
12	-	-	-	-	.025	.24	.005	-	.07	.09	-	-	12
13	-	-	-	-	.025	.06	-	-	-	.46	.48	-	13
14	-	.31	-	-	.03	.01	-	-	.09	.14	.35	.03	14
15	.04	.60	-	.69	-	-	-	-	.04	.35	.10	.01	15
16	.02	.10	-	.45	-	-	-	-	.01	.12	.46	-	16
17	.48	.30	-	.025	-	.02	-	.18	.05	-	.82	-	17
18	.09	.39	-	-	-	.60	.02	.48	-	-	.22	.09	18
19	.45	.20	-	-	-	-	3.59	-	-	-	.33	.06	19
20	-	.01	-	.07	-	.01	.35	.21	.03	-	.38	-	20
21	.25	.09	-	.09	-	-	-	.23	-	-	.13	-	21
22	.81	.01	-	.10	-	.025	-	.04	-	-	.20	.02	22
23	.57	.80	-	.005	-	-	.19	.02	-	.08	.05	-	23
24	.20	.08	-	-	.005	-	.09	.04	.04	.04	.04	-	24
25	.26	.02	-	-	.02	-	.05	.01	-	.28	.04	-	25
26	.03	-	-	-	-	-	.79	-	.06	.35	.18	-	26
27	.20	.10	-	-	.48	-	.03	-	.46	.01	.03	-	27
28	.09	.01	-	-	.40	-	-	-	-	.23	.10	.01	28
29	.19	-	-	.025	.005	-	-	-	-	.04	.11	.025	29
30	.04	X	-	-	.29	-	-	-	-	-	.03	-	30
31	.20	X	-	X	.03	X	-	-	X	-	X	-	31
TOTAL	.66	.005	.13	.085	.03	-	5.47	5.515	1.76	2.875	8.46	.815	YEARS TOTAL
Days with ".01 in. or more.	24	22	5	16	14	10	12	13	15	18	27	13	193
Days with ".04 in. or more.	21	16	4	10	9	6	10	10	12	13	25	6	142

Please read the Notes and Instructions Overleaf.

(Signed) J. H. Garnett

[P.T.O.]

Section **A** for the entry of Daily Observations.

3536
FOR OFFICIAL USE.

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at County School, Pembroke Dock

in the County of Pembrokeshire

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft. 0.....in.

„ Ground „ Sea Level.....85.....ft.

Suggested estimates
.75 for 1st Feb. and — for 16th May
Observer informed each GA file 768359/27
And agrees each GA
Cor for W.D

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	—	.51	.01	.66	—	.06	—	—	—	.31	—	—	1
2	.03	~~.75~~	.03	—	—	—	.09	—	.21	.45	.85	—	2
3	.04	.07	.16	.28	.23	—	—	—	—	—	.02	—	3
4	.14	.09	.09	.08	.25	.07	.44	—	—	—	—	—	4
5	.08	.07	.15	.25	.11	—	.55	—	—	—	—	.40	5
6	.03	—	.32	.48	—	.04	.09	.20	—	—	—	.21	6
7	.03	—	—	—	—	—	.18	.19	—	—	1.40	—	7
8	.01	—	—	.01	—	.09	.03	.20	—	—	—	.22	8
9	—	—	.16	.42	.21	—	.07	.27	.47	—	—	—	9
10	.02	—	—	.04	.06	—	—	.11	—	—	.35	—	10
11	.02	—	—	—	—	—	—	—	.22	—	.76	—	11
12	.13	—	—	.02	—	—	—	.61	—	—	—	—	12
13	.28	—	—	—	—	—	—	.07	.17	—	—	—	13
14	.03	—	—	.06	—	—	.12	.51	.03	—	—	.08	14
15	.02	—	.02	.09	.09	—	.13	—	.87	—	—	—	15
16	.19	.02	—	—	.47	—	—	.22	—	—	.22	—	16
17	.13	—	~~.55~~	—	.30	1.12	—	—	—	—	—	—	17
18	.04	.01	—	—	—	.06	—	.55	—	—	.53	—	18
19	.02	.42	—	—	—	.36	—	—	.72	.19	—	—	19
20	.48	.10	.1	—	—	—	.09	.60	.01	—	.31	—	20
21	.16	—	—	—	—	.39	.15	.51	—	—	—	.55	21
22	.02	.65	~~.44~~	—	—	—	.06	.27	.54	.46	—	1.06	22
23	.01	.08	~~.44~~	.03	—	.11	.06	—	.11	—	—	.25	23
24	1.04	.12	.53	—	—	.40	.16	—	—	—	.71	.22	24
25	.26	.17	.18	—	—	—	.02	.21	.18	.35	—	.01	25
26	.12	.27	—	—	—	.03	.32	—	—	.1	—	.17	26
27	—	.14	~~.07~~	—	—	.22	.25	—	.10	.09	—	—	27
28	.85	.17	.07	—	—	—	.07	—	—	.18	—	—	28
29	.09	—	.38	—	—	.06	.14	.58	.40	—	.35	—	29
30	.01	X	.12	—	—	.14	.40	—	—	.44	—	—	30
31	.17	X	.08	X	.06	X	—	.09	X	.34	X	.25	31
TOTAL	4.96	2.40	3.94	1.76	1.78	3.99	3.42	5.19	4.34	2.60	5.50	3.42	YEARS TOTAL
Days with .01 in. or more.	4.45	2.90	3.29	2.42	1.72	3.10	3.42	5.19	4.03	2.91	5.50	3.42	42.40
Days with .04 in. or more.	2829	16	18	1211	89	1413	20	16	1314	109	10	11	175
Days with .04 in. or more.	167	1312	15	98	89	1312	18	16	112	109	9	10	147

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Bourty School, Pembroke Dockin the County of PembrokeshireDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 0 in." Ground " Sea Level 85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

None

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	.45	.59	-	Trace	-	-	-	-	-	.11	-	1
2	1.21	-	-	.01	-	-	.06	-	-	-	-	-	2
3	-	.14	-	-	-	-	-	-	-	-	-	.01	3
4	-	.26	-	.29	-	-	-	-	-	-	.72	-	4
5	-	.51	-	-	-	.26	.32	-	.27	-	-	.13	5
6	.22	-	-	-	-	.02	.10	-	-	.64	.12	.08	6
7	.03	-	-	.05	-	.07	-	.35	-	.11	-	.15	7
8	-	.17	-	.51	-	-	-	-	-	-	-	.01	8
9	.02	.07	-	-	-	.63	-	-	.21	.70	-	.09	9
10	.01	-	-	-	-	.18	.25	-	.34	.17	-	.21	10
11	.14	-	-	-	-	-	-	.11	.40	.08	.50	1.44	11
12	-	-	-	-	-	-	-	.49	-	.88	.38	.03	12
13	.48	1.03	.33	-	-	.06	-	.34	-	1.09	.19	-	13
14	.21	-	-	.33	-	.46	-	-	-	.03	.25	-	14
15	.10	.31	-	-	-	-	-	.38	-	.54	.44	-	15
16	.05	.28	-	-	.12	-	-	-	-	.43	.53	.22	16
17	-	-	.21	-	-	-	-	-	-	.53	.20	.60	17
18	.50	.07	.07	.05	.24	-	-	-	-	.32	.04	-	18
19	.50	-	.53	-	-	.29	-	-	.02	.09	.30	.35	19
20	.29	-	.69	-	-	.02	-	-	-	.41	.33	.31	20
21	.21	-	-	.23	.08	.31	-	.20	-	.31	.53	-	21
22	1.90	-	-	.08	-	.11	-	-	-	.42	.26	.06	22
23	.04	-	-	-	-	-	-	.27	-	.22	.83	.12	23
24	1.00	-	-	-	-	-	-	-	-	.19	.10	.04	24
25	-	-	-	-	-	-	-	.42	-	.34	.15	.36	25
26	.24	-	-	-	.39	.73	-	.31	-	.32	-	.60	26
27	.23	-	-	-	.11	Trace	-	-	-	.44	.08	-	27
28	.48	-	-	-	-	-	.41	-	.24	.32	-	.87	28
29	.53	.21	1.95	-	-	.65	-	-	.44	-	.05	.55	29
30	.21	X	-	-	-	.67	.39	-	-	.03	.01	.40	30
31	.18	X	-	X	-	X	.52	-	X	.31	X	.05	31
TOTAL	9.23	3.64	3.78	1.55	.94	4.46	(2.05)	2.87	1.92	9.03	6.01	6.68	YEAR'S TOTAL
Days with .01 in. or more.	23	11	7	8	5	14	6	9	7	24	21	22	157
Days with .04 in. or more.	20	11	7	7	5	12	6	9	6	22	20	19	144

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at Pembroke Dock County School
in the County of Pembrokeshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
,, Ground ,, Sea Level 8.5 ft.

July 1st low
July 27-31 estimated.
Observer agrees. F. 768359/27

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.
14

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.61	-	-	-	-	-	-	.20	.54	-	.26	I
2	-	.59	-	-	-	.11	-	-	-	.78	-	.50	2
3	-	.22	-	-	-	.24	-	.55	-	.28	-	.42	3
4	-	.04	-	-	.13	.01	-	.32	.21	.02	-	.40	4
5	-	-	-	-	.77	-	.50	.21	.60	.58	-	.85	5
6	-	.19	-	-	.88	.33	.22	.41	-	.51	.91	-	6
7	.04	-	-	-	.05	.07	-	.15	-	.62	.10	.45	7
8	-	-	-	-	.33	-	-	-	-	.66	.39	.55	8
9	-	-	-	-	-	-	-	-	-	.06	-	1.70	9
10	.24	-	-	-	-	-	-	.13	-	-	.33	.41	10
11	-	.69	-	-	.25	-	-	.04	-	.08	.30	.38	11
12	-	.53	-	-	.39	-	-	-	-	-	.90	.38	12
13	-	-	-	-	-	.39	-	-	-	-	.02	.01	13
14	.63	-	-	-	.28	.28	-	.07	-	-	-	.04	14
15	-	-	-	-	.11	.22	-	-	-	-	.09	.15	15
16	.10	-	-	-	-	.02	-	-	-	.01	.68	-	16
17	-	-	-	-	-	-	-	.13	-	-	.12	-	17
18	.11	-	-	.26	-	-	-	.05	-	.47	-	-	18
19	.02	-	-	-	-	-	-	-	-	.11	1.64	-	19
20	-	-	-	-	-	-	-	-	.04	.32	.44	.40	20
21	-	.13	.12	-	-	-	.05	.05	-	.20	.35	.75	21
22	-	-	.20	-	.03	-	.11	.02	-	.03	.85	.11	22
23	.12	-	.10	-	.35	-	.09	.08	-	-	.50	.34	23
24	-	-	-	-	.33	-	-	-	-	.56	.50	.55	24
25	-	-	.10	-	-	-	-	.01	-	.53	.71	-	25
26	-	-	-	.11	-	-	-	-	-	.03	.56	.33	26
27	-	-	-	-	-	-	-	-	-	.02	.15	.53	27
28	.06	-	-	.23	.24	-	(1.21)	.16	-	.32	.73	.51	28
29	.86	-	-	.31	-	-	.10	.18	.15	.01	.65	.55	29
30	.17	X	-	.30	-	-	.14	-	-	.12	.41	.43	30
31	.14	X	-	X	-	X	-	-	X	.01	X	.23	31
TOTAL	2.49	3.00	.52	1.21	4.14	1.67	(2.42)	2.56	1.20	6.87	11.33	11.23	YEAR'S TOTAL
Days with .01 in. or more.	12	10	4	5	13	9	9	16	5	23	23	25	158
Days with .04 in. or more.	11	8	4	5	12	7	9	14	5	16	22	24	138

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Pembroke Dock County School

in the County of Pembroke

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

„ Ground „ Sea Level 85 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

50

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.14	.36	-	.16	-	-	-	-	-	.05	.21	-	1
2	.15	.49	-	.25	-	-	.10	.74	-	.14	.23	-	2
3	-	.09	-	.01	-	-	.12	.05	-	.06	.47	.09	3
4	-	.15	-	.29	-	.34	.22	.19	-	.29	Trace	-	4
5	.11	.20	.57	-	-	.05	-	-	.05	.39	.01	-	5
6	-	-	.04	.24	.11	-	-	.07	.21	.30	.04	-	6
7	-	-	.58	-	-	-	.02	-	.34	.38	-	.85	7
8	.14	-	-	-	-	-	-	-	-	.26	.71	.23	8
9	-	-	-	.62	-	.04	-	.08	.28	.01	.01	.16	9
10	.10	-	.20	-	-	.31	-	.05	.09	.01	.01	Trace	10
11	-	-	-	-	.54	-	-	.51	.29	.02	-	1.14	11
12	.09	-	-	.10	-	.22	-	.01	.13	.11	-	.24	12
13	-	-	.18	.13	.20	.11	-	-	.39	.05	-	.20	13
14	-	-	.10	.11	.15	-	.36	.14	.10	.04	-	Trace	14
15	.56	-	.17	-	-	-	.03	-	-	1.19	.12	.50	15
16	Trace	-	.40	-	-	-	.73	-	.49	.47	.02	.55	16
17	.14	.44	-	-	.04	-	.01	.02	.01	.28	.02	.05	17
18	.02	-	-	.01	-	-	-	.16	.98	.22	Trace	.20	18
19	-	-	-	-	-	.18	.05	.10	.78	.07	.68	.18	19
20	-	-	.12	.10	-	.31	.07	.01	.96	.75	.73	.04	20
21	.10	-	-	.03	.21	.50	.49	1.38	.08	.09	.08	-	21
22	.21	-	.15	-	-	.51	.01	.02	.13	.03	.32	-	22
23	.11	-	-	-	-	.12	-	.79	.06	.85	.18	.04	23
24	.05	-	.35	-	-	.21	-	-	.22	-	.73	.09	24
25	.20	-	-	-	-	-	-	-	-	.01	.23	.12	25
26	.29	.01	-	.18	.34	-	.07	-	-	.05	.21	.12	26
27	.31	-	-	-	-	.03	1.08	-	-	.07	.11	.10	27
28	-	-	.03	-	-	-	1.02	-	.11	.05	.01	.12	28
29	.25	-	.15	.21	-	-	.07	-	-	.04	-	.70	29
30	-	X	-	.43	-	-	.03	.15	-	.03	-	.27	30
31	.26	X	.18	X	-	X	-	.09	X	.07	X	1.13	31
TOTAL	3.23	1.74	3.22	2.87	1.59	2.93	4.48	4.56	5.70	6.38	5.00	7.12	YEAR'S TOTAL 48.82
*Days with or in. or more.	18	7	14	15	7	13	17	18	19	30	21	22	20
*Days with .04 in. or more.	17	6	13	12	7	12	12	14	18	24	15	22	172

40-9999

*See Instruction 2 (f) on other side.

(Signed) J. H. Garnett

[P.T.O.]

FORM 1090.

Diameter of Funnel of Gauge.....
 Height of top of Gauge above G.....
 " Ground " Se.....

THE MORNING M

An observer who does not con-
following year in the space on t

3615
FOR OFFICIAL USE
ORGANIZATION.

Sept Repulse
of 3615 A
sent
15/3

AY.	Jan. 1, following.
t of the	

PEMBROKE

INTERMEDIATE SCH

PEMBROKESHIRE

1926

[illegible]

* for month.

(Signed)

J. A. Lowmeyer Jr.

Section **A**

for the entry of

AIR MINIST

3615
FOR OFFICIAL USE.

ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at County Intermediate School
in the County of Sembroke

Diameter of Funnel of Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" Ground " Sea Level _____ ft.

*700 gals
estimated from
Aug + Sept
may + Sept
adjusted for
buc 21 sent
15/3*
3615A

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		.03					.34						1
2		.12										.10	2
3							.10						3
4			1.50			.32	.15						4
5		.93	.02			.32	.22				.49		5
6		.01	.03								.10	.24	6
7		.13										.03	7
8		.10				.02							8
9		.02					.33					.25	9
10							.12						10
11	2.20					.51	.04				.95	1.57	11
12		1.04				.23					.33	.07	12
13	.47	.03									.05		13
14		.32	.25		.06						.40		14
15	.50	.42	.32		.26								15
16		.01											16
17	.47	.02								3.00		.68	17
18	.54					.12	.11				.37	.01	18
19	.21		.80			.02	.02				.37	.33	19
20						.10	.33				.50	.22	20
21			1.38		.09						.12	.01	21
22	.87		.07		.20								22
23	.92										.78		23
24	.074			1.5		(+2.00)					.23	.20	24
25					.03	.10	.14				.08		25
26	.21				.21	.10	.30						26
27						.15							27
28		.23			~~.81~~			7.55					28
29	1.28	.53									.07		29
30	.044	X							3.05	3.33	.02		30
31	.42	X		X	.22	X			X		X	2.76	31
TOTAL	8.17	3.94	4.40	1.50	1.98	3.99	2.17	7.55	3.05	6.33	4.86	6.47	YEAR'S TOTAL
Days with .01 in. or more.	8.17	3.94	4.40	1.50	1.98	3.99	2.17	3.55	2.05	7.33	4.86	6.47	(48.06)

Section



for the entry of

FORM 1090.

METEOROLOGICAL

4112

PEMBROKE

COURT

STACK POLE

GARDENS

FOR OFFICIAL USE.

3551

ATION.

Kept at Stackpole
in the County of Pembs

Diameter of Funnel of Gauge...

Height of top of Gauge above G

Ground " " Se

1925 - 30

read the instructions
this form.

fill in section C

THE MORNING

DAY.

Jan. 1, following.

An observer who does not conf

following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	m.	
1	.52	-	.09	-	-	-	-	.06	.06	-	1.17	.03	1
2	.19	.10	-	-	-	-	.17	-	-	-	.35	.01	2
3	.19	.02	-	-	.23	-	-	.25	-	-	.09	-	3
4	.05	.03	-	.34	.13	-	-	.08	-	-	.10	-	4
5	.01	.31	-	.35	.24	-	-	.35	.12	-	-	-	5
6	-	.03	.02	.02	.48	-	.34	.05	-	-	.69	-	6
7	-	.43	-	-	.01	-	-	.30	-	.03	.22	.20	7
8	.11	.02	-	.03	.03	-	-	.53	-	-	.08	.16	8
9	.02	.04	-	.10	.02	-	.25	-	.07	-	.02	.04	9
10	-	.23	.03	-	-	-	-	-	.27	-	-	-	10
11	-	.41	.04	.01	.07	-	-	.24	.05	-	-	.04	11
12	-	.14	-	.22	.05	-	-	.22	.06	-	-	.03	12
13	.09	.50	.23	-	.03	-	-	-	-	-	-	.04	13
14	.28	.20	-	.41	-	-	.03	-	-	-	-	-	14
15	.02	.03	-	.04	-	-	-	-	.28	.07	-	.30	15
16	.09	.17	-	-	.07	-	-	-	.04	.03	-	.02	16
17	-	.04	-	.05	.06	-	.15	-	.16	.05	-	-	17
18	-	.05	-	.17	-	-	.32	-	-	.06	-	.24	18
19	-	.02	-	.03	.04	-	.16	.38	.48	2.31	-	.60	19
20	-	.04	.21	-	.15	-	-	.17	.16	.47	-	.03	20
21	-	.37	.14	-	-	-	.10	.31	.48	.11	-	.08	21
22	.08	.41	.02	.25	.44	-	.18	.73	.66	1.05	-	.25	22
23	-	.18	.17	.02	.11	-	-	.13	-	.07	-	.37	23
24	.56	.77	.08	.02	.03	-	-	-	-	.08	.03	.17	24
25	.26	.64	.10	.09	-	-	.23	.09	.43	.16	-	.14	25
26	.06	.15	-	-	.70	-	.36	.27	-	.35	.02	.32	26
27	.09	.08	-	.16	.13	-	-	.01	.04	.02	.10	.18	27
28	.18	.33	.01	-	-	-	.27	-	.05	.40	.22	.47	28
29	.02	-	-	.04	.42	-	-	-	.05	.39	.14	.08	29
30	-	X	.03	-	-	-	.61	-	-	.22	.60	.03	30
31	.17	X	.10	X	.05	X	-	-	X	.01	X	.08	31
TOTAL	2.99	5.74	1.27	2.35	3.49	-	3.17	4.17	3.46	5.88	3.83	3.91	4.02
Days with 01 in. or more.	19	27	14	18	21	0	13	17	17	18	14	24	202
Days with 04 in. or more.	15	21	9	12	16	0	12	16	17	14	11	18	161

(Signed)

F. G. Gailick

(P.T.O.)

Section



for the entry of

AIR MINISTRY.

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3551

Register of Rainfall in 1925.

Kept at *Stockholm Gardens*

in the County of *Pembrokeshire*

Diameter of Funnel of Gauge *6* in.

Height of top of Gauge above Ground *1* ft. *6* in.

Ground Sea Level *60* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.52	—	.09	—	—	—	—	.06	.06	—	1.17	.03	1
2	.19	.10	—	—	—	—	.17	—	—	—	.35	.01	2
3	.19	.02	—	—	.23	—	—	.25	—	—	.09	—	3
4	.05	.03	—	.34	.13	—	—	.08	—	—	.10	—	4
5	.01	.31	—	.35	.24	—	—	.35	.12	—	—	—	5
6	—	.03	.02	.02	.48	—	.34	.05	—	—	.69	—	6
7	—	.43	—	—	.01	—	—	.30	—	.03	.22	.20	7
8	.11	.02	—	.03	.03	—	—	.53	—	—	.08	.16	8
9	.02	.04	—	.10	.02	—	.25	—	.07	—	.02	.04	9
10	—	.23	.03	—	—	—	—	—	.27	—	—	—	10
11	—	.41	.04	.01	.07	—	—	.24	.05	—	—	.04	11
12	—	.14	—	.22	.05	—	—	.22	.06	—	—	.03	12
13	.09	.50	.23	—	.03	—	—	—	—	—	—	.04	13
14	.28	.20	—	.41	—	—	.03	—	—	—	—	—	14
15	.02	.03	—	.04	—	—	—	—	.28	.07	—	.30	15
16	.09	.17	—	—	.07	—	—	—	.04	.03	—	.02	16
17	—	.04	—	.05	.06	—	.15	—	.16	.05	—	—	17
18	—	.05	—	.17	—	—	.32	—	—	.06	—	.24	18
19	—	.02	—	.03	.04	—	.16	.38	.48	2.31	—	.60	19
20	—	.04	.21	—	.15	—	—	.17	.16	.47	—	.03	20
21	—	.37	.14	—	—	—	.10	.31	.48	.11	—	.08	21
22	.08	.41	.02	.25	.44	—	.18	.73	.66	1.05	—	.25	22
23	—	.18	.17	.02	.11	—	—	.13	—	.07	—	.37	23
24	.56	.77	.08	.02	.03	—	—	—	—	.08	.03	.17	24
25	.26	.64	.10	.09	—	—	.23	.09	.43	.16	—	.14	25
26	.06	.15	—	—	.70	—	.36	.27	—	.35	.02	.32	26
27	.09	.08	—	.16	.13	—	—	.01	.04	.02	.10	.18	27
28	.18	.33	.01	—	—	—	.27	—	.05	.40	.22	.47	28
29	.02	—	—	.04	.42	—	—	—	.05	.39	.14	.08	29
30	—	X	.03	—	—	—	.61	—	—	.22	.60	.03	30
31	.17	X	.10	X	.05	X	—	—	X	.01	X	.08	31
TOTAL	2.99	5.74	1.27	2.35	3.49	—	3.17	4.17	3.46	5.88	3.83	3.91	4.02
Days with .01 in. or more.	19	27	14	18	21	0	13	17	17	18	14	24	202
Days with .04 in. or more.	15	21	9	12	16	0	12	16	17	14	11	18	161
YEAR'S TOTAL													

(Signed) *F. G. Gaskin*

P.T.O.

Section

A

for the entry of Daily Observations.

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1926.

3550

Kept at Stackpole Gardens
in the County of Derbyshire

Circ E sent 29/4
Jan Nov corr by Okeover
f 690258/26

Diameter of Funnel of Gauge.....6".....in.
Height of top of Gauge above Ground.....1'.....ft.....6".....in.
" Ground " Sea Level.....6.0.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	~~78~~ 78 49	06	02	12	11	17			11		123	17	1
2	~~77~~	11	03		21				89		11	~~84~~	2
3	01	13	10									26	3
4	08	14	04	11					25		93	14	4
5	15	90	05	03	03			29	03		39	16	5
6	40	03						02		04	04	11	6
7	01	10		04	04		24	13		39	54		7
8	04		06	23		26				15	18		8
9	03			03			08	91			30		9
10					25	46	05				13		10
11					13	15			30	23			11
12						26		22		38	45		12
13		43			09	05			06	08	28		13
14		68			04	08		19			~~20~~ 13		14
15		12		65		~~25~~		09		44	123		15
16	60	18		42				03			123		16
17	10	52		02				24			25		17
18	34	20				65	3.80	11	13		24	18	18
19				11			26	14	03		38		19
20	49	05						26			11		20
21	68	02		15			40	08			24		21
22	35	68		11			03	04		28	04		22
23	26	09					04	08	08		03		23
24	26	01								55			24
25	03				02		51			40	21		25
26	20	12							47		10		26
27	15				46					31	86		27
28	17				23				05		78		28
29	10						03				03		29
30	23	X			33			40					30
31	60	X		X		X			X		X		31
TOTAL	655	457	30	202	197	238	553	329	160	328	924	108	YEARS TOTAL
Days with 01 in. or more.	24	19	6	12	12	8	10	16	11	11	25	7	161
Days with 04 in. or more.	20	16	4	9	10	8	8	14	9	11	23	7	139

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

8532

FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

Form 1090.

REGISTER OF RAINFALL IN 1927.

Kept at Stackpole Cops
in the County of Gloucestershire

Diameter of Funnel of Gauge..... 6 in.
Height of top of Gauge above Ground..... 6 ft. 6 in.
" Ground " Sea Level 6.0 ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.03	.75					.19		.11	.25	.62		1
2	.36			.22	.31						.08		2
3	.15	.12	.27	.06	.23		.34						3
4	.16	.10		.22	.04		.49						4
5	.15		.45	.51		.16	.11	.08			.33	.37	5
6	.05						.30	.09	.24		.96		6
7	.07					.07			.25				7
8	.05			.35	.10			.40	.10			.32	8
9			.21					.04	.06		.30	.07	9
10	.07				.06			.03	.25		.65		10
11	.05							.68	.03				11
12	.27							.09	.12				12
13	.15						.35	.45	.06	.17			13
14	.19			.13	.11		.28	.06	.86				14
15	.24				.61			.27	.03				15
16	.15				.31	.92			.50		.50		16
17			.12					.35	.17		.40		17
18	.05					.35		.04	.10				18
19		.47					.12	.75	.03	.05	.48		19
20	.61					.32	.27	.61	.09				20
21	.36		.10				.07	.47	.48	.59		.69	21
22		.22	.51	.02		.11	.13	.09	.34		.06	.90	22
23	.04	.25		.04		.35	.19			.10	.36	.35	23
24	.104		.24						.21			.45	24
25	.33	.15	.23				.30		.08	.29			25
26	.11	.40				.17	.24		.24	.04			26
27		.14					.14	.08			.14		27
28	.68		.39			.08	.13	.45	.67	.15			28
29	.25	.24	.13			.17	.30			.65			29
30	.03	X				.04	.08	.15	.27				30
31	.11	X	.61	X	.35	X			X		X	.88	31
TOTAL	5.78	284	326	155	212	273	403	5.18	5.19	229	488	353	YEARS TOTAL
Days with '01 in. or more.	26	10	11	8	9	11	18	19	23	9	12	8	164
Days with '04 in. or more.	24	10	11	7	9	11	18	18	20	9	12	8	157

Section



for the entry of Daily Observations.

3609
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at Stockport, Lancs.

Arith. corrected. Circ. D1 sent $\frac{20}{100}$.

in the County of Yambrake

Diameter of Funnel of Gauge 6 in.

Height of top of Gauge above Ground 1 ft. 6 in.

„ Ground „ Sea Level 60 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.19	.06					16						1
2				18								19	2
3		3.4	11				43						3
4		.26				35	36			67	75	11	4
5	.16	.39			15				43			18	5
6			21			10							6
7						25	15	38	15	65			7
8	.15	.32				33			75	26		12	8
9						19				11		34	9
10		.86		12				25			1.5	93	10
11	.25							20		99	43	04	11
12	.46	.79				0.4		50			33		12
13	.04	.05				36							13
14		.34	33	41						90	38		14
15	.37	.35	34		10					19	51	35	15
16			31		05					33	20		16
17	.61		11		33								17
18	.19	.04	11			40		38		54	34	81	18
19	.32	.09	45							35	37		19
20			75			34				17	45		20
21	.80		68			10				20	38	13	21
22	.04		05	34				53		35	71		22
23	.90		14					26		65			23
24								08	02	13	38	44	24
25	.28					88				37		57	25
26	.22		18		43			12		50			26
27	.19		06				15	15	25			1.20	27
28	.50	.24	63			42		19	28	04		39	28
29	.32					70	65			28		43	29
30	.04	X	08				57			18		09	30
31	.40	X	30	X		X			X	11	X		31
TOTAL	8.03	3.63	4.84	9.5	106	4.46	2.47	28.4	1.88	78.2	52.5	628	YEAR'S TOTAL 4951
Days with 0.1 in. or more.	20	13	17	4	5	13	7	11	6	21	13	16	
Days with 0.4 in. or more.	20	13	17	4	5	13	7	11	6	21	13	16	146

Section **A**

for the entry of Daily Observations. *Cond. for Air*
AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3691
FOR OFFICIAL USE.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

Kept at *Stackpole Gds*
in the County of *Pembroke*

Diameter of Funnel of Gauge *6* in.
Height of top of Gauge above Ground *40* ft. *6* in.
,, Ground ,, Sea Level *60* ft.

days

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1		57		12		26				74		80	1
2		08						33	14	08		05	2
3					06			54	49	32			3
4				18	54		14	05		31		95	4
5		27			93	46	45	32		132	80		5
6					06			02		06	12	61	6
7					23					76	32	62	7
8		31						13		08		82	8
9	31	11								32	40	32	9
10										15	38	40	10
11		96			76							06	11
12					25	43					75		12
13						22		15			03		13
14					31							34	14
15						20				10	87		15
16		05		08									16
17	22						04	24		25			17
18								06		17	164		18
19		09								06	57		19
20											50	98	20
21			38				25	10			61		21
22					25						57	37	22
23		15			34					62	27	50	23
24		10								39	84	51	24
25				22							71	2	25
26										06	69	34	26
27				41	25		36	15		20	120		27
28	86			10			88	10	12		26	105	28
29	11			25			15			21	22	27	29
30		X							65		27	08	30
31	64	X		X		X	25	31	X		X	09	31
TOTAL	214	269	38	136	398	157	252	250	140	620	1202	988	YEAR'S TOTAL
Days with "01 in. or more.	5	10	1	7	11	5	8	13	4	19	21	19	123
Days with "04 in. or more.	5	10	1	7	11	5	8	12	4	19	20	19	121

Section

A

for the entry of Daily Observations.

3780
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at Blackpole Gds.
in the County of Somerset

Diameter of Funnel of Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 6.0 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1							09	74		05	30		1
2	40				21					04	44		2
3		13	46		17			22		87		17	3
4	94				35		22	05	05	30	08		4
5				22	36			09		05			5
6	07		47		16		09	04	44	17		89	6
7	21									41	59	30	7
8	25				15			10	28	12			8
9			19	16	61				15	03			9
10	1.22		05	51	09	11		49	75	02		124	10
11	22		17		22				13			96	11
12	10			31						24			12
13	30		08	06	05	05	20	09	43	02		17	13
14	33	56	28	34						103	11		14
15		07	21				54		42	35		94	15
16	09									27			16
17	02			59			18		1.22	25		40	17
18			09				50	28	78	09		04	18
19				06		28	22	05	44	91	129		19
20	14		19			40		18	14	33	06		20
21			04			32				05	41	33	21
22	27		20			26		80		79			22
23	46				17	28				41		68	23
24		25							09	13	11		24
25					06						19	19	25
26						08	15			13		40	26
27							1.52					07	27
28	20		15							06		115	28
29								05		07		33	29
30		X	37	14				22				66	30
31	1.30	X	23	X		X	05		X	27	X		31
TOTAL	6.22	1.01	3.27	2.33	2.60	1.78	3.76	4.40	5.73	7.05	4.26	8.24	50.65
*Days with or in. or more.	17	4	15	9	12	8	11	14	14	26	11	16	157
*Days with or in. or more.	16	4	15	9	12	8	11	14	14	23	11	16	153

40-9999

*See Instruction 2 (f) on other side

(Signed) F. G. Garlick

[P.T.O.]

Kept at Penfford
in the County of _____

Diameter of Funnel of Gauge _____
Height of top of Gauge above Ground _____

THE MORNING

An observer who does not follow in the space
Reco

PENFFORD
COUNTY SCH.
PEMBROKESHIRE

1925

FOR OFFICIAL USE.

ZATION 3561 A

to read the instructions in this form.

ld fill in section C
es Time-Dec. 7.7.26
(£.702018726)

S DAY.

Jan. 1, following.

ry 1st of the
7.7.26
that long value
due to your being
sampled and

Date	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	148	2											1
2	04	17											2
3		02											3
4	29	02	01	14			28						4
5		22		92	16		03	73		03	01		5
6	02			01	44		61		58	01		04	6
7				02			73	02	01			62	7
8	13	59	05					04			159	39	8
9		11	01				43	122	14		05		9
10		54	04	15	11		04	25			01		10
11		54	09		13			47		02			11
12	01	21			07		03	61		02			12
13	15				01		02	01	09	12			13
14	63			7			03			01			14
15	01	69	23	03			03		37	02		101	15
16		24					06		06			03	16
17		19			2				22				17
18	16	1			1					2			18
19	01	02		25	09		183	12		185			19
20					2		02	13	15	78		73	20
21					01		21	34	73	21		12	21
22	09	95	22	37	41		01		66	171			22
23		2	11	04					12			65	23
24		5	01		19						11	07	24
25	71	6	03		01			18		149		13	25
26	03	37			145		203	34					26
27	06				39		88	07	72	15		78	27
28	28			5	06		01		08			209	28
29	01						12		39	241	123	53	29
30		X	1	03	99		04	03			51	06	30
31		X	12	X		X		1	X		X		31
TOTAL	371	615	168	305	629	02	653	654	609	906	642	725	6234
Days with .01 in. or more.	17	20	14	11	20	2	18	18	18	17	11	14	180
Days with .04 in. or more.	11	18	9	8	16	1	10	16	16	9	9	13	136

Kept at *Penfordd School*
in the County of *Pembroke*

Diameter of Funnel of Gauge *5* in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level *348.8* ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf. *Ref high values June-Dec. 7.7.26 (7.702018726)*

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.48	.2	.65			.99			.11	.02	2.31		1
2	.04	.17	.01	.03		.02		.16			.36		2
3		.04			.21		.14	.78	.01		.17		3
4	.29	.02	.01		.14			.28			.07		4
5		.22		.92	.16		.03	.73		.03	.01		5
6	.02			.01	.44		.61		.58	.01		.04	6
7					.02			.73	.02	.01		.62	7
8	.13	.59	.05						.04		1.59	.39	8
9		.11	.01				.43	1.22	.14		.05		9
10		.54	.04	.15	.11			.04	.25		.01		10
11		.54	.09		.13			.47		.02			11
12	.01	.21			.07		.03	.61		.02			12
13	.15				.01		.02	.01	.09	.12			13
14	.63			.7			.03			.01			14
15	.01	.69	.23	.03			.03		.37	.02		1.01	15
16		.24					.06		.06			.03	16
17		.19			.2				.22				17
18	.16	.1			.1					.2			18
19	.01	.02		.25	.09		1.83	.12		1.85			19
20					.2		.02	.13	1.5	.78		.73	20
21					.01		.21	.34	.73	.21		.12	21
22	.09	.95	.22	.37	.41		.07		.66	1.71			22
23		.2	.11	.04					.12			.65	23
24		.5	.01		.19						.11	.07	24
25	.71	.6	.03		.01			.18		1.49		.13	25
26	.03	.37			1.45		2.03	.34					26
27	.06				.39		.88	.07	.72	.15		.78	27
28	.28			.5	.06		.01		.08			2.09	28
29	.01						.12		.39	2.41	1.23	.53	29
30		X	.1	.03	.99		.04	.03			.51	.06	30
31		X	.12	X		X		.1	X		X		31
TOTAL	3.71	6.5	1.68	3.05	6.29	.02	6.53	6.54	6.09	9.06	6.42	7.25	62.34
Days with .01 in. or more.	17	20	14	11	20	2	18	18	18	17	11	14	180
Days with .04 in. or more.	14	18	9	8	16	1	10	16	16	9	9	13	136

ST ANNE'S HEAD MET. OFFICE.

ORGANIZATION. 3589
1921... 4114
Long 5° 11' W
Station
Gauge above Ground 10 in.
Sea Level 149 ft.

Kept at St. Ann's
in the County of Pembrokeshire
by Lightkeepers, for 1921-22, 26-1930

IMPORTANT NOTE.—Rain
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	18.6	0.4	1.0	-	-	-	-	23.3	0.4	-	3.9	-	1
2	11.0	-	-	-	0.3	-	-	7.9	-	3.5	0.7	4.5	2
3	2.2	1.8	3.2	-	3.6	-	-	-	-	15.7	8.1	-	3
4	8.2	-	0.2	-	1.3	-	-	9.6	-	-	6.4	-	4
5	0.4	-	1.2	-	5.6	-	-	19.4	-	0.2	6.1	0.9	5
6	3.0	-	2.9	-	3.7	-	-	-	-	0.1	0.3	1.2	6
7	9.0	-	1.6	-	4.3	-	-	1.2	-	-	0.4	-	7
8	3.5	0.8	1.0	-	0.6	-	-	-	-	-	1.9	-	8
9	0.7	-	0.3	-	-	-	-	8.5	4.4	-	0.2	0.2	9
10	6.2	-	1.3	-	0.8	-	-	-	2.1	-	-	3.6	10
11	7.0	-	3.7	-	1.2	-	-	1.9	17.5	-	-	-	11
12	6.9	0.3	9.4	-	-	-	-	5.1	13.0	-	-	4.4	12
13	-	0.7	7.7	1.9	0.4	-	-	0.6	1.0	2.4	10.4	-	13
14	0.1	-	5.2	1.2	7.1	-	-	-	2.2	-	16.1	1.7	14
15	1.4	-	3.6	-	-	-	3.2	-	-	-	1.8	0.6	15
16	1.4	-	5.3	2.2	0.9	-	0.4	7.3	-	-	0.8	0.2	16
17	4.6	-	3.8	3.2	-	-	0.5	2.1	-	-	-	-	17
18	-	-	0.6	0.3	-	-	-	-	-	2.6	-	0.9	18
19	0.6	-	3.5	-	0.2	-	-	-	-	5.8	-	2.0	19
20	0.1	-	-	-	-	-	-	-	-	-	0.3	0.7	20
21	1.0	-	0.6	0.1	-	-	-	0.4	-	2.2	5.5	2.8	21
22	0.6	-	-	6.2	-	-	0.4	-	-	2.7	3.1	2.9	22
23	0.2	0.2	-	-	-	-	0.5	-	-	7.2	-	-	23
24	0.5	1.6	-	-	-	-	1.9	0.3	-	-	-	5.0	24
25	4.3	-	2.2	-	0.5	-	6.7	-	-	-	-	1.8	25
26	4.3	-	-	-	0.2	-	-	0.8	-	-	5.4	8.5	26
27	2.3	-	1.9	-	-	-	0.7	1.1	-	-	1.3	1.7	27
28	0.5	-	5.3	11.4	1.2	-	23.0	10.3	-	-	-	1.2	28
29	2.0	-	12.5	-	10.3	-	-	0.4	-	-	-	1.8	29
30	3.4	X	-	-	2.0	-	0.7	1.3	-	-	0.6	3.8	30
31	2.3	X	-	X	-	X	0.8	2.6	X	-	X	0.2	31
TOTAL	106.3	5.8	78.0	26.5	44.2	0.0	38.8	104.1	40.6	42.4	73.3	50.6	YEAR'S TOTAL
Days with 0.2 mm. or more	27	7	23	7	18	0	11	19	7	9	19	22	169
Days with 1.0 mm. or more	20	2	19	6	10	0	4	14	6	8	12	15	116

Kept at St. Ann's Head M.O.
in the County of Pembroke
by Lightkeepers, for 10

Lat. 51°41' Long. 5°11'W
Time of Observation 7.45 P.M.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. 10 in.
" " " " Sea Level 149 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day, If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	18.6	0.4	1.0	-	-	-	-	23.3	0.4	-	3.9	-	1
2	11.0	-	-	-	0.3	-	-	7.9	-	3.5	0.7	4.5	2
3	2.2	1.8	3.2	-	3.6	-	-	-	-	15.7	8.1	-	3
4	8.2	-	0.2	-	1.3	-	-	9.6	-	-	6.4	-	4
5	0.4	-	1.2	-	5.6	-	-	19.4	-	0.2	6.1	0.9	5
6	3.0	-	2.9	-	3.7	-	-	-	-	0.1	0.3	1.2	6
7	9.0	-	1.6	-	4.3	-	-	1.2	-	-	0.4	-	7
8	3.5	0.8	1.0	-	0.6	-	-	-	-	-	1.9	-	8
9	0.7	-	0.3	-	-	-	-	8.5	4.4	-	0.2	0.2	9
10	6.2	-	1.3	-	0.8	-	-	-	2.1	-	-	3.6	10
11	7.0	-	3.7	-	1.2	-	-	1.9	17.5	-	-	-	11
12	6.9	0.3	9.4	-	-	-	-	5.1	13.0	-	-	4.4	12
13	-	0.7	7.7	1.9	0.4	-	-	0.6	1.0	2.4	10.4	-	13
14	0.1	-	5.2	1.2	7.1	-	-	-	2.2	-	16.1	1.7	14
15	1.4	-	3.6	-	-	-	3.2	-	-	-	1.8	0.6	15
16	1.4	-	5.3	2.2	0.9	-	0.4	7.3	-	-	0.8	0.2	16
17	4.6	-	3.8	3.2	-	-	0.5	2.1	-	-	-	-	17
18	-	-	0.6	0.3	-	-	-	-	-	2.6	-	0.9	18
19	0.6	-	3.5	-	0.2	-	-	-	-	5.8	-	2.0	19
20	0.1	-	-	-	-	-	-	-	-	-	0.3	0.7	20
21	1.0	-	0.6	0.1	-	-	-	0.4	-	2.2	5.5	2.8	21
22	0.6	-	-	6.2	-	-	0.4	-	-	2.7	3.1	2.9	22
23	0.2	0.2	-	-	-	-	0.5	-	-	7.2	-	-	23
24	0.5	1.6	-	-	-	-	1.9	0.3	-	-	-	5.0	24
25	4.3	-	2.2	-	0.5	-	6.7	-	-	-	-	1.8	25
26	4.3	-	-	-	0.2	-	-	0.8	-	-	5.4	8.5	26
27	2.3	-	1.9	-	-	-	0.7	1.1	-	-	1.3	1.7	27
28	0.5	-	5.3	11.4	1.2	-	23.0	10.3	-	-	-	1.2	28
29	2.0	-	12.5	-	10.3	-	-	0.4	-	-	-	1.8	29
30	3.4	~~X~~	-	-	2.0	-	0.7	1.3	-	-	0.6	3.8	30
31	2.3	~~X~~	-	~~X~~	-	~~X~~	0.8	2.6	~~X~~	-	~~X~~	0.2	31
TOTAL	106.3	5.8	78.0	26.5	44.2	0.0	38.8	104.1	40.6	42.4	73.3	50.6	YEAR'S TOTAL
Days with 0.2 mm. or more	27	7	23	7	18	0	11	19	7	9	19	22	610.6
Days with 1.0 mm. or more	20	2	19	6	10	0	4	14	6	8	12	15	169
													116

Kept at S. Ann's Head
in the County of Pembrokeshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	-	5.0	6.9	1.6	-	-	-	-	1.7	-	5.4	Trace	1
2	0.7	4.6	1.4	0.4	2.0	-	4.0	0.9	-	-	2.6	Trace	2
3	0.6	1.4	1.4	5.8	3.3	-	4.2	6.6	3.4	0.3	2.6	-	3
4	3.4	0.7	7.3	-	3.7	-	0.2	-	-	3.0	0.2	-	4
5	0.9	0.2	5.8	2.3	-	-	12.8	-	-	2.3	12.5	Trace	5
6	0.6	-	9.1	0.3	-	-	2.2	-	-	-	1.0	-	6
7	0.8	-	12.6	1.1	-	Trace	11.3	1.5	-	-	3.6	-	7
8	2.3	-	0.8	0.6	-	2.1	11.4	11.6	-	-	2.8	2.7	8
9	1.0	-	0.8	-	-	6.0	-	-	-	-	0.2	0.1	9
10	-	-	0.3	-	-	-	-	-	-	0.6	4.2	-	10
11	-	-	-	0.4	-	-	-	0.6	0.6	2.0	-	0.6	11
12	-	0.7	-	3.6	-	3.3	2.2	12.4	26.0	-	-	0.4	12
13	3.1	-	-	7.6	-	-	4.4	-	8.6	-	-	0.3	13
14	2.2	1.6	-	3.8	-	1.0	-	-	0.3	-	0.3	16.9	14
15	19.4	2.1	-	3.9	-	-	Trace	0.6	-	-	-	1.8	15
16	-	4.0	-	3.0	16.0	-	-	12.5	4.0	-	-	3.8	16
17	1.6	8.4	-	-	1.9	-	36.8	-	-	-	-	4.5	17
18	11.9	2.7	-	-	0.8	-	-	-	11.7	-	0.8	3.3	18
19	2.8	0.9	-	-	0.7	0.8	0.6	-	4.4	-	-	10.4	19
20	5.3	7.3	-	0.6	0.3	0.4	15.6	-	Trace	-	-	0.2	20
21	2.7	5.5	0.2	0.2	1.0	-	2.4	0.5	-	-	-	17.5	21
22	-	3.7	-	-	3.3	3.0	Trace	3.3	Trace	-	0.6	7.2	22
23	-	1.7	-	-	-	-	1.1	-	0.7	-	-	6.9	23
24	-	-	4.7	-	-	5.1	-	4.7	-	-	-	1.8	24
25	1.7	3.3	1.4	6.0	-	6.0	-	-	24.7	-	-	4.4	25
26	0.4	2.7	0.8	1.3	-	-	4.3	4.1	7.5	-	0.2	1.3	26
27	13.6	12.6	4.9	4.5	-	-	-	1.3	-	-	Trace	4.2	27
28	15.1	7.0	-	-	-	-	-	-	-	-	0.2	6.4	28
29	1.5	-	4.0	0.2	-	-	0.1	1.9	-	-	0.2	9.1	29
30	5.3	~~X~~	3.7	-	-	-	0.8	9.8	10.8	0.6	1.8	0.1	30
31	3.4	~~X~~	5.2	~~X~~	-	~~X~~	-	4.7	~~X~~	16.0	~~X~~	-	31
TOTAL	100.3	76.1	71.3	47.2	33.0	27.7	114.4	77.0	104.4	24.8	39.2	103.9	YEAR'S TOTAL 819.3
Days with 0.2 mm. or more	23	20	18	19	10	9	16	16	13	7	17	20	188
Days with 1.0 mm. or more	17	16	13	12	7	7	13	12	10	4	9	16	136

For Official use.

AIR MINISTRY.

Form 1091.

METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

County No.

River Div.

Station No. 4114

Kept at St. Ann's Head
in the County of Pembroke
by

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Records taken in Inches should be entered on Form 1090.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	15.9								7.5				1
2													2
3			8.2										3
4												6.5	4
5	17.6												5
6													6
7													7
8										19.0			8
9						12.6							9
10					9.9								10
11													11
12													12
13													13
14				13.6									14
15													15
16													16
17													17
18							45.5						18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28											27.8		28
29													29
30		X						14.0					30
31		X		X		X			X		X		31
TOTAL	138.4	96.8	14.4	43.9	48.5	45.4	73.8	73.6	33.0	87.5	224.9	20.5	YEAR'S TOTAL
Days with 0.2 mm. or more.	26	20	6	12	17	8	15	18	14	15	28	13	9007
Days with 1.0 mm. or more	22	18	4	8	8	8	7	17	12	14	26	6	150
	5.45	3.81	0.57	1.73	1.91	1.79	2.91	2.90	1.30	3.44	8.85	0.81	35.47

Section



for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1091.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

AIR MINISTRY.

Register of Rainfall in 1927.

3535

4114

Kept at St. Ann's Head
in the County of Pembroke

Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
" Ground " Sea Level ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Inches should be entered on Form 1090.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
1	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	1
2		14.0											2
3													3
4							10.2						4
5				13.1									5
6													6
7													7
8													8
9													9
10											28.1		10
11													11
12													12
13													13
14									18.1				14
15					9.5								15
16						22.7							16
17													17
18													18
19								16.8					19
20													20
21												16.0	21
22													22
23													23
24	21.5												24
25													25
26													26
27													27
28										8.2			28
29													29
30		X											30
31		X	17.1	X		X			X		X		31
TOTAL	122.7	70.3	69.2	37.8	37.3	62.0	63.2	114.5	95.1	57.7	132.8	71.7	934.3
Days with 0.2 mm. or more.	27	14	18	9	8	13	19	20	25	12	17	12	194
Days with 1.0 mm. or more.	22	13	15	7	6	11	13	19	21	12	16	10	165
	4.83	2.77	2.72	1.49	1.47	2.44	2.49	4.51	3.74	2.27	5.23	2.82	36.78

(Signed).....

P.T.O. 1927

Section **A**

for the entry of Daily Observations.

3612
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

414

Kept at St. Ann's Head

in the County of Penbroke

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan. in.	Feb. in.	March in.	April in.	May in.	June in.	July in.	August in.	Sept. in.	Oct. in.	Nov. in.	Dec. in.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8									.63				8
9													9
10													10
11													11
12													12
13								.72					13
14										.79			14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22											.67		22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X					.98						30
31		X		X		X			X		X		31
TOTAL	6.79	3.53	4.55	1.11	1.33	3.48	2.31	3.32	1.98	7.85	4.74	6.11	YEAR'S TOTAL 47.10
Days with ".01 in. or more.	24	16	20	15	8	20	12	19	9	25	18	22	208
Days with ".04 in. or more.	21	13	15	9	6	15	11	15	6	24	15	19	169



for the entry of Daily Observations.

3694
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1929.

4114

Kept at St Ann's Head
in the County of Pembrokeshire
Diameter of Funnel of Gauge in.
Height of top of Gauge above Ground ft. in.
„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3								68	98				3
4					66							95	4
5					66								5
6													6
7													7
8													8
9													9
10													10
11		88											11
12						34							12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20			27										20
21													21
22													22
23													23
24													24
25													25
26													26
27				34									27
28	61						106						28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	2.25	2.54	0.50	0.73	3.76	1.58	2.50	1.95	1.70	4.94	9.95	9.28	YEAR'S TOTAL
Days with 0.1 in. or more.	13	13	4	10	13	10	12	15	7	20	24	27	168
Days with 0.4 in. or more.	12	11	4	3	10	9	9	10	4	16	20	22	130

40-9999 57.1 64.4 12.8 18.6 95.6 40.2 63.6 49.6 43.1 125.4 252.7 235.8 1058.9

(Signed)..... P.T.O.

41.69

FORM 1090.

REGISTER OF RAINFALL IN 1930.

4114

Kept at St. Ann's Head
in the County of Pembroke

Diameter of Funnel of Gauge.....in.
Height of top of Gauge above Ground.....ft.....in.
,, Ground ,, Sea Level 142 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I													I
2													2
3													3
4			.44										4
5													5
6								1.01					6
7													7
8				.37									8
9													9
10	.87				.38							1.03	10
II													II
12													12
13													13
14										.87			14
15													15
16													16
17													17
18													18
19													19
20								1.03					20
21						.58							21
22													22
23											.56		23
24													24
25		.37											25
26													26
27							.96						27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	5.90	0.91	2.69	1.63	1.67	1.78	3.24	3.58	5.52	5.13	4.22	5.59	41.86
Days with .01 in. or more.	25	8	20	12	13	10	18	18	19	24	14	22	203
Days with .04 in. or more.	23	6	17	10	8	8	9	12	14	20	14	19	160
40-99.99	149.8	23.1	68.4	41.3	42.3	45.2	82.2	90.9	140.1	130.4	107.2	142.0	1062.9
							(Signed)						P.T.O.

Kept at 5th Dal
in the County of Pem
by P.D. Bulbro

ST. DAVIDS

PEMBROKESHIRE

1921, 1923-25

ANIZATION.

13' W
41.1 G.M.T
westward

Gauge 5 in.
Ground 1 ft. 0 in.
Sea Level 124 ft.
tered to the previous day.

ted to add
the end of
rain gauges,
Observers,"
2, Camden
Edinburgh.

Jan. 1, following.

--

Date	Jan.	Feb.	Mar.								Nov.	Dec.	Date
	in.	in.	in.								in.	in.	
1	.65	.10	nil								.24	nil	1
2	.42	nil	.13								.05	.17	2
3	.14	.03	.09	"	"	"	"	nil	"	.52	.60	Trace	3
4	.33	nil	.01	"	.11	"	"	.80	"	nil	nil	.02	4
5	nil	"	.23	"	.21	"	"	1.04	"	"	.23	.07	5
6	.11	"	.08	"	.13	"	"	nil	"	"	.06	.03	6
7	.10	"	.10	"	.07	"	"	.31	"	"	.08	nil	7
8	.15	.07	nil	"	nil	"	"	nil	"	"	.02	"	8
9	.03	nil	"	.07	"	"	"	"	.15	"	nil	.04	9
10	.11	"	.07	nil	Trace	"	"	"	.01	Trace	"	.14	10
11	.68	"	.10	"	.08	"	"	.11	.11	nil	"	nil	11
12	.04	.04	.47	"	nil	"	"	.12	.67	"	"	.18	12
13	nil	nil	.16	.10	.02	"	"	Trace	.06	.08	.67	nil	13
14	nil	"	.14	nil	.23	"	"	nil	.06	nil	.71	.06	14
15	.11	"	.62	.01	nil	"	.24	"	nil	"	.20	.03	15
16	.15	"	.06	.19	.06	"	.04	.62	"	"	nil	nil	16
17	.10	"	.14	nil	nil	"	nil	.01	"	"	"	"	17
18	nil	"	nil	.04	"	"	"	nil	"	Trace	Trace	.01	18
19	"	"	.16	nil	.02	"	"	"	"	.24	nil	nil	19
20	"	"	.05	.02	nil	"	"	"	"	nil	.09	.08	20
21	.06	"	.03	.01	"	"	"	"	"	.03	.06	.03	21
22	nil	"	.08	.24	"	"	"	"	"	¹² PU	.07	.10	22
23	"	.03	nil	.05	"	"	Trace	"	"	.17	nil	Trace	23
24	"	.15	"	nil	"	"	.12	"	"	nil	"	.18	24
25	.15	nil	.05	"	.07	"	.47	"	"	"	"	.10	25
26	.27	"	.02	"	nil	"	nil	"	"	"	.35	.21	26
27	.02	"	.06	"	"	"	.01	.05	"	"	.35	.09	27
28	.05	"	.28	.11	.04	"	1.43	.28	"	"	nil	nil	28
29	.07	.02	.07	nil	.30	"	nil	.20	"	"	"	.04	29
30	.13	~~X~~	nil	"	.12	"	.10	.08	"	"	"	.02	30
31	.09	~~X~~	"	~~X~~	nil	~~X~~	nil	.14	~~X~~	"	~~X~~	nil	31
TOTAL	3.96 ~~3.98~~	.44 ~~.42~~	3.20	.84	1.46	nil	2.41	5.26	1.06	1.42	378	1.60	YEAR'S TOTAL 25.435
Days with ".01 in. or more	22	67	23	10	13	nil	7	14	6	7	15	19	143
Days with ".01 in. or more	20	4	20	7	11	0	6	13	5	6	14	13	119

Kept at S^t Davids
in the County of Pembrokeshire
by P.D. Bulbrook, Chief Officer

Lat. 51° 52' N Long. 5° 13' W
Time of Observation 9.0 AM GMT
Nearest Railway Station Haverfordwest
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 124 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.65	.10	nil	nil	nil	nil	nil	1.20	nil	nil	.24	nil	1
2	.42	nil	.13	"	Trace	"	"	.30	"	.26	.05	.17	2
3	.14	.03	.09	"	"	"	"	nil	"	.52	.60	Trace	3
4	.33	nil	.01	"	.11	"	"	.80	"	nil	nil	.02	4
5	nil	"	.23	"	.21	"	"	1.04	"	"	.23	.07	5
6	.11	"	.08	"	.13	"	"	nil	"	"	.06	.03	6
7	.10	"	.10	"	.07	"	"	.31	"	"	.08	nil	7
8	.15	.07	nil	"	nil	"	"	nil	"	"	.02	"	8
9	.03	nil	"	.07	"	"	"	"	.15	"	nil	.04	9
10	.11	"	.07	nil	Trace	"	"	"	.01	Trace	"	.14	10
11	.68	"	.10	"	.08	"	"	.11	.11	nil	"	nil	11
12	.04	.04	.47	"	nil	"	"	.12	.67	"	"	.18	12
13	nil	nil	.16	.10	.02	"	"	Trace	.06	.08	.67	nil	13
14	nil	"	.14	nil	.23	"	"	nil	.06	nil	.71	.06	14
15	.11	"	.62	.01	nil	"	.24	"	nil	"	.20	.03	15
16	.15	"	.06	.19	.06	"	.04	.62	"	"	nil	nil	16
17	.10	"	.14	nil	nil	"	nil	.01	"	"	"	"	17
18	nil	"	nil	.04	"	"	"	nil	"	Trace	Trace	.01	18
19	"	"	.16	nil	.02	"	"	"	"	.24	nil	nil	19
20	"	"	.05	.02	nil	"	"	"	"	nil	.09	.08	20
21	.06	"	.03	.01	"	"	"	"	"	.03	.06	.03	21
22	nil	"	.08	.24	"	"	"	"	"	¹² PU	.07	.10	22
23	"	.03	nil	.05	"	"	Trace	"	"	.17	nil	Trace	23
24	"	.15	"	nil	"	"	.12	"	"	nil	"	.18	24
25	.15	nil	.05	"	.07	"	.47	"	"	"	"	.10	25
26	.27	"	.02	"	nil	"	nil	"	"	"	.38	.21	26
27	.02	"	.06	"	"	"	.01	.05	"	"	.35	.09	27
28	.06	"	.28	.11	.04	"	1.43	.28	"	"	nil	nil	28
29	.07	.02	.07	nil	.30	"	nil	.20	"	"	"	.04	29
30	.13	~~X~~	nil	"	.12	"	.10	.08	"	"	"	.02	30
31	.09	~~X~~	"	~~X~~	nil	~~X~~	nil	.14	~~X~~	"	~~X~~	nil	31
TOTAL	3.96 ~~3.98~~	.44 ~~.42~~	3.20	.84	1.46	nil	2.41	5.26	1.06	1.42	378	1.60	YEAR'S TOTAL 25.43
Days with ".01 in. or more	22	67	23	10	13	nil	7	14	6	7	15	19	143
Days with ".01 in. or more	20	4	20	7	11	0	6	13	5	6	14	13	119

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1923.

Kept at St. David's
in the County of Pembrokeshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	16	02											1
2	18												2
3													3
4													4
5	45												5
6	37												6
7	11												7
8	09												8
9													9
10													10
11													11
12													12
13													13
14													14
15	01												15
16													16
17	04												17
18													18
19													19
20													20
21	03												21
22													22
23	03												23
24													24
25													25
26													26
27													27
28													28
29	12												29
30	03	X											30
31	10	X		X		X			X		X		31
TOTAL													YEAR'S TOTAL
Days with 01 in. or more	162												
Days with 04 in. or more	10												

REGISTER OF RAINFALL IN 1924.

Kept at Brynmagor St David's
in the County of Gembrokeshire
by Coastguards

Lat. 51 52 30 Long. 5 15 15 W
Time of Observation 9 0 AM GMT
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. _____ in.
Sea Level 128 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.12	Trace	.03	Nil	.08	.33	.32	.04	Nil	.01	.20	.02	WPA
2	Trace	Nil	.11	Nil	Trace	Trace	.07	Nil	Nil	.72	Nil	Trace	2
3	.45	Nil	.11	Nil	- d -	.60	.13	.25	Nil	Trace	Nil	.46	3
4	.01	Nil	.4	Nil	.03	.20	.10	.01	Nil	Nil	Nil	.31	4
5	Trace	Nil	.18	Nil	Nil	Trace	.30	Nil	Nil	.43	Nil	.05	5
6	.25	Nil	Trace	Nil	.11	.12	.08	.15	Nil	.04	Nil	Nil	6
7	.25	Nil	Nil	Nil	.03	.47	Trace	Nil	.54	Nil	Nil	.26	7
8	.03	.12	Nil	Trace	Nil	Trace	Trace	Nil	.36	Nil	Nil	.10	8
9	.12	.03	Nil	.11	.17	.25	Trace	Nil	.01	.42	.17	.02	9
10	.42	Trace	Nil	.21	.03	.20	Trace	Nil	.03	.57	.07	Trace	10
11	.35	Nil	Nil	.15	.12	Trace	Nil	Nil	.09	Trace	Nil	Trace	11
12	.41	Nil	Nil	.32	.40	Nil	Nil	.15	.64	Trace	Trace	Nil	12
13	.37	Nil	Nil	.60	.25	Nil	Nil	Nil	.03	Trace	Nil	.46	13
14	.05	Nil	Nil	Trace	.02	Nil	Nil	.28	.01	Trace	Nil	.05	14
15	.16	.07	Trace	Nil	Nil	Nil	.08	.50	.14	Nil	Nil	.60	15
16	.20	Nil	Nil	Nil	Trace	Nil	.02	.25	.28	Nil	Nil	Trace	16
17	.18	.11	Nil	Nil	Nil	.05	.31	Trace	.01	Nil	Nil	.01	17
18	.12	Nil	Nil	Trace	.06	.03	.01	.03	Nil	.25	.04	.02	18
19	Trace	Nil	Nil	Nil	.03	.10	.07	Trace	.32	Trace	Nil	.02	19
20	.75	Nil	.02	Nil	.04	.16	.60	.05	.04	.25	.02	Trace	20
21	.62	Nil	.10	Nil	.02	Nil	.21	.07	.14	.08	Nil	Nil	21
22	Trace	Nil	.75	Nil	.12	Nil	Trace	Trace	.11	Nil	.02	.14	22
23	.14	Nil	.20	.07	.25	Trace	Trace	.03	.13	Nil	.10	.21	23
24	.03	.21	Trace	.15	.05	Nil	.12	.23	.40	Nil	Trace	.29	24
25	Trace	Nil	.02	.40	Nil	Trace	Trace	Nil	.02	.30	.32	.48	25
26	Trace	.04	Nil	.15	Trace	.01	Nil	Trace	Nil	.10	.30	.22	26
27	.02	.05	Nil	.10	Nil	Trace	.72	.04	Nil	.31	.18	.26	27
28	.01	.01	Nil	.06	Nil	Trace	.29	.34	Nil	.05	.20	Nil	28
29	.05	.01	Nil	.16	.02	.03	Nil	.02	.34	.47	.65	.47	29
30	.06	X	Nil	.07	.15	Nil	Nil	.32	Nil	.20	.09	.15	30
31	Trace	X	Nil	X	.07	X	.18	Trace	X	.30	X	.18	31
TOTAL	5.12	.65	1.56	2.45	2.05	2.55	4.61	2.76	3.64	4.66	2.36	4.66	38.59
Days with "01 in. or more	24	9	10	13	20	13	17	17	19	17	13	22	194
Days with ".04 in. or more	19	6	7	13	13	10	15	13	13	16	11	17	153

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1925.

Kept at St. Davids
in the County of Pembrokeshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C.2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.38	-	-	-	.03	Tn	-	-	.12				1
2	.18	.05	-	-	-	Tn	.20	.01	-				2
3	.03	-	-	.03	.16	-	-	.23	-				3
4	.18	-	.03	.38	.16	-	-	.21	Tn				4
5	.10	.16	-	.16	.10	-	-	.33	-				5
6	-	-	-	-	.15	-	.36	-	-				6
7	-	.26	-	-	.05	-	-	.62	-				7
8	.02	.02	-	.01	-	-	-	.46	Tn				8
9	-	.03	-	.12	.09	-	.12	.04	Tn				9
10	-	.57	-	-	.06	-	Tn	.05	.44				10
11	-	.18	-	-	.02	-	Tn	.24	Tn				11
12	-	.02	-	.16	.06	-	-	.14	-				12
13	.17	.21	.20	.01	.02	-	-	Tn	-				13
14	.12	.12	-	.23	Tn	-	.06	-	-				14
15	-	.10	-	.01	.10	-	.05	-	.25				15
16	.05	.09	-	-	.28	-	Tn	-	-				16
17	-	-	-	-	Tn	-	.13	-	Tn				17
18	-	.09	-	.13	.18	-	.20	-	-				18
19	-	.02	-	-	.01	-	.01	.22	.35				19
20	-	.44	.21	-	.06	-	Tn	.17	.20				20
21	-	.05	.12	-	Tn	-	.13	Tn	.38				21
22	.08	.44	-	.06	.30	-	.03	Tn	.46				22
23	-	.27	.10	.15	.41	-	-	Tn	-				23
24	.57	.16	.08	-	-	-	Tn	.08	Tn				24
25	.03	.04	.32	-	-	-	.13	.08	.30				25
26	-	.50	-	-	.70	-	.30	.05	-				26
27	.05	.28	-	.11	.03	-	.04	Tn	.03				27
28	.15	.05	-	-	-	-	.04	Tn	Tn				28
29	-	-	-	.08	.22	-	.01	-	Tn				29
30	-	X	-	-	Tn	-	.04	-	Tn				30
31	-	X	-	X	-	X	-	.01	X	X	X		31
TOTAL	2.11	4.15	1.06	1.64	3.19	-	1.85	2.94	2.53				YEAR'S TOTAL
Days with 01 in. or more	14	23	7	14	21	-	16	16	9				
Days with 04 in. or more	11	19	6	10	16	-	13	14	8				

FORM A. 1. METEOROLOGICAL
REGIS

SAUNDERSFOOT

ORGANIZATION.

1921.

Kept at HEAN CASTLE
in the County of PEMB
by LORD MERTHY

HEAN. CASTLE
PEMBROKE
1921 - 1930

Long 4.40
on 9.30 am
Station Saundersfoot
el of Rain Gauge 5 in.
auge above Ground 1 ft. 1 in.
Sea Level 206 ft.

IMPORTANT NOTE.—Rain measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.05	.10	.	.	.	.	.41	.05	.	.26	.08	1
2	.33	.01	.	.	.	.	.	.25	.	.16	.07	.	2
3	.06	.	.31	.	.05	.	.	.	.	.20	.61	.	3
4	.18	.	.	.	.05	.	.	.84	.	.	.02	.03	4
5	.	.	.	.	.22	.	.	1.05	.	.	.32	.11	5
6	.06	.	.02	.	.14	.	.	.06	.	.21	.	.09	6
7	.38	.	.25	.	.12	.	.	.14	.	.	.	.	7
8	.	.	.02	.	.20	.	.	.	.	.	.	.	8
9	.16	.	.03	.	.03	.	.	.34	.12	.02	.	.	9
10	.16	.	.15	.	.	.	.	.09	.06	.	.	.07	10
11	.51	.	.01	.	.	.	.	.11	.51	.	.	.	11
12	.04	.	.19	.	.	.	.	.27	.69	.	.	.24	12
13	.	.	.40	.	.	.	.04	.	.06	.18	.63	.06	13
14	.	.	.03	.40 pt over	.38	.	.	.	.03	.	.36	.16	14
15	.19	.	.39	.17	.	.	.21	.	.	.	.27	.03	15
16	.20	.	.08	.15	.	.	.02	.26	.	.	.09	.	16
17	.	.	.03	.	.	.	.	.	.	.	.	.14	17
18	.	.	.	.	.	.	.	.	.	.06	.	.	18
19	.04	.	.09	.	.04	.	.	.	.	.71	.	.03	19
20	.	.	.05	.	.	.	.	.	.	.	.	.05	20
21	.26	.	.	.	.	.	.	.	.01	.29	.26	.06	21
22	.	.	.13	.22	.	.	.04	.	.	.26	.19	.11	22
23	.06	.01	.	.05	.	.	.04	.	.	.29	.	.02	23
24	.02	.08	.	.	.	.	.05	.	.	.	.	.16	24
25	.	.	.	.	.	.	.72	.01	.	.	.	.04	25
26	.39	.	.	.	.	.	.	.04	.	.	.21	.12	26
27	.12	.	.16	.	.	.	.09	.06	.	.	.41	.03	27
28	.09	.	.33 pt over	.06	.	.	.98	.29	.	.	.	.08	28
29	.18	.	.	.	.52	.	.	.01	.	.	.	.13	29
30	.05	X	.	.	.08	.	.26	.03	.	.	.05	.19	30
31	.02	X	.	X	.	X	.04	.30	X	.	X	.21	31
TOTAL	4.00	0.15	2.77	1.05	1.83	.	2.49	4.56	1.53	2.38	3.75	2.24	YEAR TOTAL 26.75 ✓
Days with .01 in. or more	22	4	19	6	11	.	11	18	8	10	14	23	146 ✓
Days with .04 in. or more	20	2	13	6	10	.	10	15	6	9	13	18	122 ✓

REGISTER OF RAINFALL IN 1921

Kept at HEAN CASTLE SAUNDERSFOOTin the County of PEMBROKEby LORD MERTHYRLat. 51° 43' Long. 4° 40'Time of Observation 9.30 amNearest Railway Station SaundersfootDiameter of Funnel of Rain Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in." " " " Sea Level 206 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.50	.05	.10	.	.	.	.	.41	.05	.	.26	.08	1
2	.33	.01	.	.	.	.	.	.25	.	.16	.07	.	2
3	.06	.	.31	.	.05	.	.	.	.	.20	.61	.	3
4	.18	.	.	.	.05	.	.	.84	.	.	.02	.03	4
5	.	.	.	.	.22	.	.	1.05	.	.	.32	.11	5
6	.06	.	.02	.	.14	.	.	.06	.	.21	.	.09	6
7	.38	.	.25	.	.12	.	.	.14	.	.	.	.	7
8	.	.	.02	.	.20	.	.	.	.	.	.	.	8
9	.16	.	.03	.	.03	.	.	.34	.12	.02	.	.	9
10	.16	.	.15	.	.	.	.	.09	.06	.	.	.07	10
11	.51	.	.01	.	.	.	.	.11	.51	.	.	.	11
12	.04	.	.19	.	.	.	.	.27	.69	.	.	.24	12
13	.	.	.40	.	.	.	.04	.	.06	.18	.63	.06	13
14	.	.	.03	.40 pt no sun	.38	.	.	.	.03	.	.36	.16	14
15	.19	.	.39	.17	.	.	.21	.	.	.	.27	.03	15
16	.20	.	.08	.15	.	.	.02	.26	.	.	.09	.	16
17	.	.	.03	.	.	.	.	.	.	.	.	.14	17
18	.	.	.	.	.	.	.	.	.	.06	.	.	18
19	.04	.	.09	.	.04	.	.	.	.	.11	.	.03	19
20	.	.	.05	.	.	.	.	.	.	.	.	.05	20
21	.26	.	.	.	.	.	.	.	.01	.29	.26	.06	21
22	.	.	.13	.22	.	.	.04	.	.	.26	.19	.11	22
23	.06	.01	.	.05	.	.	.04	.	.	.29	.	.02	23
24	.02	.08	.	.	.	.	.05	.	.	.	.	.16	24
25	.	.	.	.	.	.	.12	.01	.	.	.	.04	25
26	.39	.	.	.	.	.	.	.04	.	.	.21	.12	26
27	.12	.	.16	.	.	.	.09	.06	.	.	.44	.03	27
28	.09	.	.33 pt sun	.06	.	.	.98	.29	.	.	.	.08	28
29	.18	.	.	.	.52	.	.	.01	.	.	.	.13	29
30	.05	X	.	.	.08	.	.26	.03	.	.	.05	.19	30
31	.02	X	.	X	.	X	.04	.30	X	.	X	.21	31
TOTAL	4.00	0.15	2.77	1.05	1.83	.	2.49	4.56	1.53	2.38	3.75	2.24	YEAR TOTAL 26.75 ✓
Days with ".01 in. or more	22	4	19	6	11	.	11	18	8	10	14	23	146 ✓
Days with ".04 in. or more	20	2	13	6	10	.	10	15	6	9	13	18	122 ✓

REGISTER OF RAINFALL IN 1922

Kept at Hean Bealle, Saundersfoot.
in the County of Pembrokeshire.
by Lord Merthyr.

Lat. 51° 43' N Long. W. 40
Time of Observation 10 a.m.
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" " " " Sea Level 206 ft.

21 MAR 1923

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1, following.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	22	31	.	.	.	.	30	.	18	.	02	.	1
2	14	40	14	.	.	01	28	11	07	.	10	.	2
3	18	19	20	39 snow	33	.	26	28	08	03	.	.	3
4	16 pt snow	.	17	.	18	.	12	.	.	11	.	.	4
5	09	.	15	11	.	.	68	.	.	03	37	02	5
6	04	.	38	01	.	.	14	.	.	.	27	.	6
7	09	.	85	10	.	01	38	29	.	.	.	05	7
8	12	.	09	.	.	02	43	125	.	.	14	.	8
9	17	.	06	01	.	23	.	.	.	.	26	.	9
10	.	.	.	.	.	.	.	05	.	.	13	.	10
11	07	.	.	01	.	.	.	07	10	05	.	17	11
12	06	.	.	21	.	17	09	45	151	.	.	07	12
13	32	.	.	45	.	02	25	.	18	.	.	15	13
14	12	07	.	27	.	.	.	.	.	.	.	60	14
15	36	33	.	40	.	.	.	.	03	.	.	37	15
16	.	09	.	22	75	.	.	83	.	.	.	20	16
17	52	51	.	.	01	.	112	.	.	.	.	30	17
18	36	11	.	.	10	.	.	.	80	.	.	11	18
19	24	09	.	.	04	10	05	.	38	.	.	57	19
20	36	50	.	.	01	.	52	.	.	.	.	14	20
21	02	06	.	.	.	.	11	02	.	.	.	41	21
22	.	31	.	.	23	12	.	15	.	.	.	.	22
23	.	05	.	02	.	03	.	.	03	.	21	.	23
24	09	.	72	01	.	20	.	26	.	.	08	39	24
25	12	14	.	35	.	31	.	.	45	.	.	05	25
26	06	17	12	11	.	01	23	07	48	.	.	15	26
27	61	33	26	01	.	.	.	09	.	.	.	22	27
28	22	72	.	.	.	.	.	.	.	.	.	36	28
29	09	X	.	.	.	01	03	15	.	.	04	28	29
30	11	X	11	.	.	31	02	30	67	.	06	.	30
31	14	X	30 pt snow	X	.	X	.	26	X	81	X	06	31
TOTAL	5.08	4.38	4.05	2.68	1.65	1.55	5.01	4.63	4.96	1.03	1.68	4.67	YEAR'S TOTAL
Days with 0.1 in. or more	27	17	13	16	8	14	17	16	13	5	11	20	177
Days with 0.1 in. or more	26	17	13	10	6	7	15	15	11	3	10	19	152

AIR MINISTRY.

FORM 1090

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1923.

Kept at Hean Castle, Saundersfoot
in the County of Pembroke
by Lord MeThyn

Lat. 51.43 Long. 4.40
Time of Observation 10 a.m.
Nearest Railway Station Saundersfoot
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 206 ft.

Rain should be measured daily at 9 a.m. (Greenwich Time) and the result entered to the previous day. An Observer who prefers not to conform to this almost universal rule, should insert the reading at 9 a.m. on January 1st of the following year in the space on the right of this paragraph.

Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, Meteorological Office, Air Ministry, Kingsway, London, W.C. 2, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.19	.14	.33	.	.06	.	.	.21	.	.07	.20	.62	1
2	.16	.15	.	.	.20	.	.07	.	.	.21	.17	.40	2
3	.06	.	.	.16	.02	.	.	.	.03	.09	.10	.28	3
4	.14	.	.03	.26	.	.	.	.02	.	.13	.09	.22	4
5	.38	.22	.09	.06	.84	.	.	.03	.	.06	.06	.	5
6	.26	.83	.08	.02	.	.	.	.	.	.05	.16	.54	6
7	.32	.41	.	.	.	.	.	.	.	.02	.26	.31	7
8	.15	.11	.	.	.	.22	.	.	.	.	.24	.	8
9	.	.81	.	.	.30	.06	.04	.15	.	.	.09	.	9
10	.	.40	.	.31	.20	.	.	.	.	.	.	.	10
11	.	.12	.06	.88	.09	.	.	.	.	.	.	.07	11
12	.	.48	.18	.05	.28	.27	.	.	.	.	.18	.	12
13	.	.30	.	.88	.12	.	2.25	.04	.83	1.48	1.32	.06	13
14	.	.	.	.	.	.	.	.02	.18	.	.20	.	14
15	.	.09	.	.	.06	.31	.12	.	.	.06	.21	.04	15
16	.	.30	.	.	.	.	.01	.18	.05	.10	.07	.	16
17	.	.90	.	.06	.07	.10	.	.	.79	.	.06	.03	17
18	.08	.13	.	.36	.02	.01	.	.	.05	.34	.05	.02	18
19	.12	.03	.	.06	.06	.	.	.01	.07	.	.21	.	19
20	.	.20	.	.	.07	.	.	.15	.08	.18	.	.	20
21	.03	.05	.	.	.	.	.	.	.11	.45	.	.	21
22	.	.47	.	.	.05	.	.02	.	.10	.45	.	.	22
23	.	.37	.	.	.03	.	.23	.81	.16	.31	.	.07	23
24	.	.08	.	.39	.	.	.20	.	.41	.41	.	.99	24
25	.	.76	.	.09	.02	.	.18	.66	.	.27	.	.70	25
26	.	.22	.03	.	.08	.	.08	.03	.	.06	.	.58	26
27	.	.09	.10	.	.13	.	.42	.03	.01	.09	.	.37	27
28	.	.08	.13	.08	.	.	.	.53	.02	.09	.	.	28
29	.05	.	.	.07	.	.	.	.83	.	.20	.	.31	29
30	.	X	.17	.	.	.	.19	.03	.	.	.16	.01	30
31	.42	X	.	X	.	X	.26	.	X	.	X	.	31
TOTAL	2.36	7.74	1.20	3.73	2.70	0.97	4.07	3.73	2.89	5.12	3.83	5.62	YEAR'S TOTAL 43.96
Days with '01 in. or more	13	25	10	15	19	6	13	16	14	21	18	18	18 8
Days with '04 in. or more	12	24	8	14	15	5	11	9	11	20	18	15	16 2

AIR MINISTRY.

FORM 1090. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1924.

County No.

River Dist.

Station No.

Kept at Hear Castle, Saundersfoot

in the County of Pembroke

by LORD MERTHYR

Lat. Long.

Time of Observation 10 a.m.

Nearest Railway Station Saundersfoot

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 206 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	-	-	06	32	53	07	-	06	56	06	1 RRW
2	-	-	-	-	24	06	12	-	-	39	04	-	2 EWS
3	17	-	-	-	-	18	77	23	-	-	-	-	3
4	-	-	-	-	-	59	02	24	-	22	10	1.23	4
5	-	-	09	-	-	14	39	-	-	66	10	06	5
6	-	-	-	-	33	-	-	09	26	21	-	05	6
7	-	-	-	-	-	56	-	-	65	07	-	21	7
8	06	27	-	03	16	-	-	-	61	39	-	-	8
9	35 (mm)	-	23	31	21	36	-	-	09	78	-	02	9
10	27	-	-	04	08	29	-	-	17	83	-	07	10
11	41	-	-	42	11	04	-	03	06	-	-	11	11
12	34	-	-	23	40	-	-	21	13	-	-	08	12
13	41	-	-	50	42	-	-	-	-	-	-	02	13
14	-	-	06	-	14	-	-	23	-	-	-	08	14
15	-	-	-	-	-	-	12	76	23	-	-	-	15
16	-	-	-	-	-	-	-	26	43	-	-	26	16
17	12	-	-	-	-	32	49	26	01	-	-	30	17
18	13	-	-	-	-	-	-	22	-	02	-	04	18
19	-	-	-	-	21	-	20	06	32	33	02	06	19
20	77	08	-	-	15	-	1.16	19	26	53	-	44	20
21	89	0	45	-	17	-	46	11	20	12	-	06	21
22	-	-	1.02	-	33	-	-	04	33	-	-	30	22
23	-	-	42	04	17	-	-	05	25	-	19	14	23
24	-	06	-	33	-	-	-	05	61	-	-	22	24
25	-	-	-	33	14	07	13	04	05	12	51	21	25
26	-	-	-	20	08	-	11	04	01	21	-	68	26
27	04	-	-	20	-	-	76	03	-	39	22	79	27
28	-	-	-	04	19	-	10	39	-	-	28	44	28
29	-	-	-	35	08	-	-	21	16	50	-	15	29
30	-	X	-	03	-	-	-	21	06	09	26	49	30
31	-	X	-	X	12	X	08	-	X	55	X	36	31 1178
TOTAL	3.96	41	2.17	3.05	3.79	2.93	5.46	4.02	4.79	6.47	2.28	6.95	YEARS TOTAL 46.38
Days with '01 in. or more.	12	3	6	14	20	11	15	23	20	19	10	27	180
Days with '04 in. or more.	12	3	6	12	20	11	14	21	18	18	9	25	170

Section



for the entry of Daily Observations. ✓✓ W W

FOR OFFICIAL USE.

FORM 1090.

METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

3557

Register of Rainfall in 1925.

Kept at Hean Castle, Saundersfoot
in the County of Pembrokeshire

Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
" Ground " Sea Level 206 ft.

Observers are requested to read the instructions printed overleaf before filling in this form.

Every Observer should fill in section C overleaf.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1. following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	.05	.05	-	.03	.02	-	.07	.06	-	.85	-	1
2	.06	.06	-	-	-	-	.04	.15	-	-	.13	-	2
3	-	.09	.03	-	.08	-	-	.10	-	.2	.21	.04	3
4	.08	-	-	-	.09	-	-	.06	-	-	.16	-	4
5	.09	.15	-	.45	-	-	-	.46	-	-	-	-	5
6	-	.06	-	-	.17	-	.31	-	.02	-	.48	-	6
7	-	.21	.01	-	.11	-	-	.31	-	-	-	.06	7
8	.13	.31	-	.07	.09	-	-	.63	-	-	.11	.05	8
9	.04	.26	.07	-	.10	-	.24	.02	-	-	-	-	9
10	.10	.26	-	-	.16	-	-	-	.19	-	-	-	10
11	.10	.41	.09	-	-	-	-	.25	-	-	-	.05	11
12	.21	.23	-	.43	.04	-	-	.25	-	-	-	-	12
13	.09	.09	-	-	-	-	-	-	-	.03	-	-	13
14	.08	.06	.04	.46	-	-	-	-	-	-	-	.04	14
15	-	-	-	.07	-	-	.02	-	.49	-	-	.37	15
16	.15	.07	-	-	.08	-	.07	-	.04	.05	-	.05	16
17	.07	.08	.11	.16	.16	-	.15	-	.12	-	-	.06	17
18	.14	.19	-	-	.70	-	.30	-	-	.28	-	.48	18
19	.09	.17	-	.16	.09	-	.16	.30	.50	2.02	-	.50	19
20	.02	.13	.10	.06	.04	-	-	.19	.57	.53	-	.10	20
21	.16	.16	-	.05	.06	-	.15	.19	.44	.51	-	-	21
22	.18	.38	.04	-	.46	-	-	-	.46	.53	-	-	22
23	.09	.63	.08	.07	-	-	-	.09	.10	.15	-	.07	23
24	.16	.98	.02	.11	.09	-	-	.11	-	-	-	.37	24
25	-	.65	-	.09	.10	-	.13	-	.36	.47	.04	.57	25
26	.19	.15	.16	.03	.52	-	.52	.24	-	.31	.26	.10	26
27	.06	.42	.01	-	.20	-	-	-	.06	.04	-	.22	27
28	.14	.28	-	.12	.06	-	.03	-	.03	.43	-	.50	28
29	-	-	.07	.10	.45	-	.03	-	.02	.26	-	.12	29
30	-	X	-	.14	.04	-	.09	-	-	.11	-	.14	30
31	.24	X	.03	X	-	X	.02	.03	X	-	X	.15	31 ⁹⁶⁰
TOTAL	2.69	6.53	0.91	2.57	3.93	.02	2.26	3.45	3.46	5.72	2.24	4.04	37.81
Days with .01 in. or more.	24	26	15	16	23	1	15	17	15	14	8	20	194
Days with .04 in. or more.	22	26	11	15	22	-	11	15	12	13	8	20	176

(Signed) pp Lord Merthyr J. J. Coles [P.T.O.]



Section A for the entry of Daily Observations.

FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1926.

Kept at HEAN CASTLE SAUNDERSFOOT

in the County of PEMBROKE

Diameter of Funnel of Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

Ground Sea Level 206 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.69	.21	-	-	-	-	-	-	.13	-	1.10	.16	1
2	.61	.26	.04	-	.13	-	-	-	.01	-	.10	-	2
3	.01	.43	.21	-	-	-	.10	-	-	-	.03	.10	3
4	.11	-	.06	.09	.04	-	-	-	.10	-	.88	.10	4
5	.15	.16	-	-	.06	-	.04	.17	.06	-	.43	.15	5
6	.31	.17	-	-	.06	-	.10	-	.10	-	.30	.02	6
7	.10	.08	-	.08	.05	.37	.06	-	.08	.83	.45	.05	7
8	.06	-	.02	.03	.16	-	.04	.09	-	.26	.15	-	8
9	-	-	.07	-	-	.55	-	.93	-	-	.25	.03	9
10	-	-	-	-	.17	.16	.09	.05	-	.03	.17	-	10
11	.06	-	-	-	.06	.21	-	.09	.10	.31	.07	-	11
12	-	-	-	-	.09	.03	-	.19	-	.31	.31	-	12
13	-	.40	-	-	.10	-	-	.05	.12	.20	.24	.02	13
14	.14	.60	-	.61	.07	-	-	.13	-	.20	.24	-	14
15	.26 ^[SNOW]	.14	-	.28	-	-	-	.12	-	.23	.48	-	15
16	.08	.32	-	.02	-	.10	-	.07	.09	-	.68	-	16
17	.16 ^[SNOW]	.34	-	-	-	.65	-	.32	-	-	.32	.10	17
18	.33	.22	-	.08	-	-	-	.01	.05	-	.40	.12	18
19	.16	.02	-	.15	-	-	2.75	.19	-	-	.32	-	19
20	.26	-	-	.11	-	-	.23	.22	-	-	.24	-	20
21	.50	.02	-	-	-	.05	.03	-	-	-	.22	.03	21
22	.18	.71	-	-	-	-	.11	.06	-	-	.16	-	22
23	.41	-	-	-	-	-	.05	.05	.06	-	.01	-	23
24	.21	-	-	-	-	-	.26	-	-	.59	.02	-	24
25	.28	-	-	.06	-	-	.27	-	-	.20	.28	-	25
26	.26	-	-	.09	.37	-	-	-	.20	.05	.04	-	26
27	.02	-	-	-	.12	-	-	-	-	-	.47	-	27
28	.13	.06	-	.04	.13	-	-	-	-	-	1.00	.02	28
29	.10	.07	-	-	.32	-	-	-	-	-	.05	-	29
30	.25	X	-	-	.09	-	-	.20	-	-	-	-	30
31	.40	X	.25	X	.07	X	-	-	X	-	X	-	31
TOTAL	6.23	4.21	.65	1.64	2.09	2.12	4.13	2.94	1.20	3.21	9.41	.90	YEAR'S TOTAL 38.73
Days with 01 in. or more.	27	17	6	12	17	8	13	17	12	11	29	12	181
Days with 04 in. or more.	25	15	5	10	17	7	12	16	11	10	26	7	161

Please read the Notes and Instructions Overleaf.

Section

A

for the entry of Daily Observations.

3539
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

Kept at HEARN CASTLE SAUNDERSFOOT

in the County of PEMBROKE

Diameter of Funnel of Gauge.....5.....in.

Height of top of Gauge above Ground.....1.....ft.....1.....in.

„ Ground „ Sea Level 206.....ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.10	.52	.06	-	-	-	.08	-	.08	.74	.85	-	1
2	.30	.04	.03	.27	.21	-	.16	-	-	.02	.08	-	2
3	.06	.13	.18	-	.25	.04	.20	-	-	-	.15	-	3
4	.14	-	.08	.16	.10	-	.45	-	-	-	.07	-	4
5	.10	.11	.25	.38	-	.21	.04	.20	-	-	.28	.30	5
6	.10	.09	.31	.16	-	-	.13	-	.20	-	.27	.56	6
7	.10	-	-	.09	-	-	-	.14	.15	-	-	-	7
8	.04	-	-	.27	.12	-	-	.81	.07	-	-	-	8
9	-	-	-	.02	-	-	-	.05	-	-	.35	-	9
10	-	-	-	-	-	-	-	.13	.22	-	.12	.05	10
11	.02	-	-	-	.02	-	-	.73	-	-	-	.04	11
12	.25	-	-	-	-	-	-	.10	.19	-	.04	.06	12
13	.16	-	-	.09	-	-	.21	.45	-	-	-	.10	13
14	.16	-	-	-	.16	-	1.00	.10	.89	-	-	-	14
15	-	-	.04	-	.56	-	-	.21	-	-	.21	-	15
16	.20	-	-	-	.34	1.04	-	-	.62	-	-	-	16
17	.20	-	-	-	-	.06	-	.32	.09	-	-	-	17
18	-	-	.06	-	-	.40	-	.03	.08	.02	.89	-	18
19	.03	.40	.01	-	-	-	.05	.89	.03	-	.20	-	19
20	.24	.21	-	-	-	.39	.40	.45	.08	-	.40	.35	20
21	.39	.49	.10	-	-	-	.06	.40	.49	.54	-	.65	21
22	.09	.24	.76	.15	.05	.12	.06	.01	.21	.10	.08	.41	22
23	.13	.01	.21	-	-	.43	-	-	.13	-	.40	.23	23
24	.98	-	.22	-	-	-	.07	.11	.14	.21	-	-	24
25	.20	.04	.26	-	-	.07	-	-	-	.18	-	.46	25
26	.21	.21	-	-	-	.08	.27	-	.11	-	.03	-	26
27	.01	.24	.05	-	-	.16	.06	.23	-	.34	.02	-	27
28	.71	.04	.37	-	-	.09	.11	.24	.59	.05	.44	-	28
29	.11	-	.16	-	-	.22	.42	-	-	.27	-	-	29
30	.11	X	.07	-	-	.10	.11	.05	.41	.26	-	.06	30
31	.18	X	.55	X	.04	X	.24	-	X	-	X	-	31
TOTAL	5.32	2.77	3.77	1.59	1.85	3.41	4.12	5.65	4.78	2.23	4.88	3.27	YEARS TOTAL
Days with ".01 in. or more.	27	14	19	9	10	14	19	20	19	11	18	12	192
Days with ".04 in. or more.	24	13	17	8	9	14	19	18	18	9	16	12	173

Section

A

for the entry of Daily Observations.

3616
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1928.

Kept at HEARN CASTLE, SAUNDERSFOOT.in the County of PEMBROKEDiameter of Funnel of Gauge 5 in.Height of top of Gauge above Ground 1 ft. 1 in." Ground " Sea Level 206 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.10	-	-	-	-	-	.23	-	-	-	.01	-	1
2	-	.10	.07	.06	-	-	-	-	-	-	.01	.07	2
3	-	.27	-	.25	-	-	-	-	-	-	.20	-	3
4	-	.43	-	.05	-	.50	.20	-	-	1.80	.21	.08	4
5	.17	.35	-	-	.13	.13	.28	-	.79	.12	-	.10	5
6	-	.04	-	-	-	.19	-	.04	-	.25	-	.09	6
7	.11	.10	-	-	-	.22	-	.33	.26	.25	-	.10	7
8	-	.08	-	-	-	.55	.15	-	.33	.13	-	.20	8
9	.06	.06	-	.30	-	.50	-	-	-	.15	-	.38	9
10	.10	.20	-	.18	-	-	-	.03	-	.51	.42	.58	10
11	-	.45	-	-	-	-	-	.51	-	.84	.50	.02	11
12	.62	.22	-	-	-	.05	-	.14	-	-	.28	-	12
13	-	.05	-	.03	-	.39	-	.42	-	.16	.08	-	13
14	.22	.25	.39	.19	.01	-	-	.18	-	.80	.35	-	14
15	.13	.47	-	-	.05	.08	-	-	-	.26	.52	.30	15
16	-	.10	.79	.04	.02	-	-	-	-	.38	.21	.11	16
17	.89	-	-	-	.24	.02	-	-	-	-	.09	-	17
18	.81	-	.25	.03	.08	.25	-	-	-	.54	.10	.13	18
19	.10	-	.50	-	.13	-	-	.10	-	.25	.50	.37	19
20	.27	-	.72	-	-	.30	-	.02	-	.24	.46	-	20
21	.65	-	.60	-	-	-	.01	-	-	.24	.33	.02	21
22	.04	-	.05	.15	-	-	-	.40	-	.19	.71	.12	22
23	.81	-	.12	-	-	-	-	.13	-	.60	.09	.12	23
24	.10	-	-	-	-	-	-	.14	-	.25	.12	.40	24
25	.52	-	-	-	-	.66	-	.19	-	.29	.10	.56	25
26	.47	-	.15	-	.38	.09	.06	.40	-	.30	.05	-	26
27	.04	-	.04	-	.02	-	.07	.19	.30	-	-	.84	27
28	.13	.13	.44	-	-	.73	-	.06	.45	.05	.12	.37	28
29	.12	.56	.22	-	-	.44	.10	-	-	.22	.01	.18	29
30	.12	X	.10	-	-	-	.54	-	-	.22	.05	.16	30
31	.76	X	.02	X	-	X	.41	-	X	.10	X	.16	31
TOTAL	8	3.34	3.86	4.46	1.28	5.10	2.05	3.28	2.13	9.14	5.52	5.46	51.68
Days with .01 in. or more.	23	17	15	10	9	16	10	16	5	25	24	23	193
Days with .04 in. or more.	23	17	14	8	6	15	9	14	5	25	21	21	178

REGISTER OF RAINFALL IN 1929 .

Kept at HEARN CASTLE SAUNDERSFOOT,
in the County of PEMBROKE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 1 in.
,, Ground ,, Sea Level 206 ft.

Feb 11 low
400

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.
Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	-	.65	-	-	-	.13	-	.02	-	.66	-	.39	I
2	-	.06	-	-	-	.25	.02	.19	.53	.13	-	.24	2
3	-	.07	-	-	.15	-	-	.48	-	.06	-	.29	3
4	-	-	-	.10	.60	-	.17	-	-	.32	-	.38	4
5	.06	.10	-	-	.68	.35	.47	.24	-	1.83	.93	.06	5
6	-	-	-	-	-	.06	-	-	-	.01	-	.43	6
7	-	-	-	-	.32	-	-	-	-	.83	.35	.65	7
8	-	.20	-	-	-	-	-	.25	-	.12	.01	1.15	8
9	.20	-	-	-	.04	-	.02	-	.02	-	.04	.21	9
10	-	.25	-	-	-	-	.03	.04	-	-	.65	.30	10
11	-	-	-	-	.34	-	-	-	.01	-	.88	.15	11
12	-	-	-	.05	.30	.48	-	-	-	-	.03	.07	12
13	-	-	-	-	.15	.17	-	.05	-	-	-	.03	13
14	.14	.01	-	-	-	.11	-	-	-	-	.12	.09	14
15	-	-	-	-	-	-	.02	-	-	-	.65	-	15
16	-	-	-	.19	-	-	-	.26	-	-	-	-	16
17	-	-	-	.09	-	-	-	-	-	.47	.11	-	17
18	-	-	-	-	-	-	-	-	-	.35	1.51	-	18
19	-	-	-	-	-	-	-	.01	-	.08	.49	.16	19
20	-	.04	.52	-	-	-	-	.10	-	.25	.35	.62	20
21	-	-	-	-	.03	-	.17	.04	-	.04	.30	.22	21
22	-	-	-	-	.22	-	.02	.13	-	-	.43	.24	22
23	-	.10	-	-	.26	-	-	.02	-	.58	.09	-	23
24	-	-	.30	.02	-	-	-	-	-	.53	1.00	.23	24
25	-	.02	-	.07	-	-	-	-	-	.08	.62	.25	25
26	-	-	-	.33	-	-	-	-	-	-	.17	.22	26
27	.10	-	-	.14	.34	-	.30	.13	-	.31	.94	.30	27
28	.83	-	-	-	-	-	.72	.08	.04	.07	.59	.71	28
29	.13	-	-	.02	-	-	-	-	-	.21	.58	.51	29
30	.19	X	-	-	-	-	.20	-	.72	-	.10	.12	30
31	.47	X	.03	X	-	X	.04	-	X	-	X	.10	31
TOTAL	2.12	1.50	0.85	1.01	3.43	1.55	2.18	2.04	1.32	6.93	10.94	8.12	41.99
Days with -or in. or more.	8	10	3	9	12	7	12	15	5	19	23	26	149
Days with -or in. or more.	8	8	2	7	11	7	7	12	3	18	21	25	129

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at HEAN CASTLE, SAUNDERS FOOT
in the County of PEMBROKE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
,, Ground ,, Sea Level 206 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	23	-	-	28	-	-	01	62	-	-	-	-	I
2	10	-	-	05	-	-	18	21	-	-	-	-	2
3	36	18	-	18	-	-	05	20	-	96	-	-	3
4	22	19	19	22	08	-	-	03	01	39	08	-	4
5	22	-	02	17	-	-	-	24	05	05	07	-	5
6	12	-	60	-	10	-	04	02	30	14	-	100	6
7	20	-	-	-	09	-	-	-	-	39	30	65	7
8	15	-	-	59	-	-	-	12	27	-	-	-	8
9	70	-	16	14	22	22	-	30	01	-	04	01	9
10	79	-	05	-	44	01	-	40	24	09	-	115	10
11	10	-	13	19	-	01	-	05	21	17	-	35	11
12	11	-	03	-	09	-	01	18	10	-	-	26	12
13	28	-	09	18	-	-	35	11	-	06	-	07	13
14	44	14	37	-	34	-	03	-	-	102	-	08	14
15	-	-	12	-	-	-	75	-	-	49	25	89	15
16	01	-	11	-	-	-	-	06	67	19	-	-	16
17	01	-	02	-	30	-	-	16	103	20	-	43	17
18	-	-	05 1/2	-	-	-	05	12	71	30	55	04	18
19	-	-	05 1/2	-	02	33	26	10	75	86	70	04	19
20	09	-	-	-	05	34	55	136	-	18	13	-	20
21	10	-	25	-	-	50	-	81	46	03	26	-	21
22	23	-	15	11	-	19	-	-	05	85	10	-	22
23	09	-	-	-	-	30	-	-	17	03	56	14	23
24	40	-	-	08	-	-	-	-	05	16	26	-	24
25	25	19	-	07	-	01	06	-	17	09	05	21	25
26	50	-	-	02	-	-	51	-	06	10	13	23	26
27	-	-	03	-	-	06	61	-	-	10	-	40	27
28	16	-	14	-	07	-	03	-	-	06	-	40	28
29	19	-	-	-	-	-	-	15	-	02	-	12	29
30	05	X	19	-	-	-	-	05	-	-	-	91	30
31	55	X	14	X	-	X	-	-	X	32	X	11	31
TOTAL	6.65	0.70	2.92	2.28	1.80	1.97	3.49	5.29	5.31	6.95	3.68	7.49	48.53
* Days with or in. or more.	27	4	20	13	11	10	15	20	18	25	14	20	197
* Days with or in. or more.	25	4	16	12	10	7	11	18	16	22	14	19	179

METEOROLOGIC
REGIS

L ORGANIZATION.

1921.

Kept at Tenbyin the County of Pembrokeby Miss Truscott

1921-22 26-1930

Long 42° 42' Wation 91. G.M.T.

y Station

unnel of Rain Gauge in.of Gauge above Ground ft. in." " Sea Level 64 ft.

the result entered to the previous day.

IMPORTANT NOTE.—Rain

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.71	0.02	0.09	-	-	-	-	0.69	0.02	-	0.13	0.12	1
2	0.23	-	-	-	-	-	-	0.20	-	0.16	0.08	0.06	2
3	0.21	0.04	0.34	-	0.05	-	-	-	-	0.25	0.57	-	3
4	0.11	-	-	-	0.03	-	-	0.86	-	-	0.01	0.04	4
5	0.01	-	0.07	-	0.25	-	-	1.26	-	-	0.30	0.10	5
6	0.07	-	-	-	0.13	-	-	-	-	0.02	-	0.10	6
7	0.46	-	0.17	-	0.23	-	-	0.20	-	-	0.08	0.01	7
8	0.19	0.01	0.12	-	0.05	-	-	-	-	-	-	-	8
9	0.01	-	-	-	0.11	-	-	0.30	0.07	0.02	-	0.01	9
10	0.58	-	0.16	0.02	0.02	-	-	0.11	0.24	0.01	-	0.09	10
11	0.60	-	-	-	0.05	-	-	0.14	0.39	-	-	-	11
12	0.01	-	0.31	-	-	-	-	0.45	0.63	-	-	0.21	12
13	0.01	0.02	0.37	0.15	0.01	-	0.03	0.01	0.11	0.17	0.81	-	13
14	0.01	-	0.60	0.10	0.32	-	-	-	0.05	-	0.33	0.15	14
15	0.07	-	-	0.05	-	-	0.01	-	-	-	0.36	0.02	15
16	0.41	-	0.05	0.21	-	-	0.05	0.25	-	-	0.05	0.03	16
17	0.07	-	0.19	0.01	-	-	-	0.01	-	-	-	-	17
18	0.01	-	0.02	-	-	-	-	-	-	0.03	-	0.03	18
19	0.02	-	0.24	-	0.04	-	-	-	-	1.08	-	0.09	19
20	0.03	-	0.04	-	-	-	-	-	-	0.01	0.01	0.03	20
21	0.13	-	0.02	0.06	-	-	-	0.03	-	0.14	0.28	0.19	21
22	-	-	0.05	0.34	-	-	0.02	-	-	0.37	0.15	0.28	22
23	0.03	-	-	0.04	-	-	0.01	-	-	0.12	-	0.07	23
24	0.10	0.07	-	-	-	-	0.06	0.01	-	-	-	0.10	24
25	0.05	-	0.12	-	-	-	0.64	0.02	-	-	-	0.15	25
26	0.29	-	0.07	-	-	0.01	-	0.03	-	-	0.07	0.35	26
27	0.03	-	0.14	-	-	0.02	0.12	0.04	-	-	0.44	0.28	27
28	0.14	-	0.48	0.06	0.01	-	0.93	0.34	-	-	0.01	0.05	28
29	0.12	-	0.18	-	0.52	-	0.01	0.06	-	-	-	0.05	29
30	0.29	X	-	-	0.09	-	0.07	0.03	-	-	0.03	0.11	30
31	0.10	X	-	X	-	X	0.01	0.33	X	-	X	0.01	31
TOTAL	5.10	0.16	3.83	1.04	1.91	0.03	1.96	5.37	1.51	2.38	3.71	2.72	YEAR'S TOTAL
Days with 0.1 in. or more	30	5	21	10	15	2	12	21	7	12	17	26	29.72
Days with 0.4 in. or more	20	2	19	8	11	0	6	14	6	7	13	19	178.5
													12.5

REGISTER OF RAINFALL IN 1921.

Kept at Penby M.O.in the County of Pembrokeby Miss Trustat, for the CorporationLat. 51° 40' Long. 4° 42' WTime of Observation 9.6 A.M.T.

Nearest Railway Station _____

Diameter of Funnel of Rain Gauge _____ in.

Height of top of Gauge above Ground _____ ft. _____ in.

" " " " Sea Level 64 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.

If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.71	0.02	0.09	-	-	-	-	0.69	0.02	-	0.13	0.12	1
2	0.23	-	-	-	-	-	-	0.20	-	0.16	0.08	0.05	2
3	0.21	0.04	0.34	-	0.05	-	-	-	-	0.25	0.57	-	3
4	0.11	-	-	-	0.03	-	-	0.86	-	-	0.01	0.04	4
5	0.01	-	0.07	-	0.25	-	-	1.26	-	-	0.30	0.10	5
6	0.07	-	-	-	0.13	-	-	-	-	0.02	-	0.10	6
7	0.46	-	0.17	-	0.23	-	-	0.20	-	-	0.08	0.01	7
8	0.19	0.01	0.12	-	0.05	-	-	-	-	-	-	-	8
9	0.01	-	-	-	0.11	-	-	0.30	0.07	0.02	-	0.01	9
10	0.58	-	0.16	0.02	0.02	-	-	0.11	0.24	0.01	-	0.09	10
11	0.60	-	-	-	0.05	-	-	0.14	0.39	-	-	-	11
12	0.01	-	0.31	-	-	-	-	0.45	0.63	-	-	0.21	12
13	0.01	0.02	0.37	0.15	0.01	-	0.03	0.01	0.11	0.17	0.81	-	13
14	0.01	-	0.60	0.10	0.32	-	-	-	0.05	-	0.33	0.15	14
15	0.07	-	-	0.05	-	-	0.01	-	-	-	0.36	0.02	15
16	0.41	-	0.05	0.21	-	-	0.05	0.25	-	-	0.05	0.03	16
17	0.07	-	0.19	0.01	-	-	-	0.01	-	-	-	-	17
18	0.01	-	0.02	-	-	-	-	-	-	0.03	-	0.03	18
19	0.02	-	0.24	-	0.04	-	-	-	-	1.08	-	0.09	19
20	0.03	-	0.04	-	-	-	-	-	-	0.01	0.01	0.03	20
21	0.13	-	0.02	0.06	-	-	-	0.03	-	0.14	0.28	0.19	21
22	-	-	0.05	0.34	-	-	0.02	-	-	0.37	0.15	0.28	22
23	0.03	-	-	0.04	-	-	0.01	-	-	0.12	-	0.07	23
24	0.10	0.07	-	-	-	-	0.06	0.01	-	-	-	0.10	24
25	0.05	-	0.12	-	-	-	0.64	0.02	-	-	-	0.15	25
26	0.29	-	0.07	-	-	0.01	-	0.03	-	-	0.07	0.35	26
27	0.03	-	0.14	-	-	0.02	0.12	0.04	-	-	0.44	0.28	27
28	0.14	-	0.48	0.06	0.01	-	0.93	0.34	-	-	0.01	0.05	28
29	0.12	-	0.18	-	0.52	-	0.01	0.06	-	-	-	0.05	29
30	0.29	~~X~~	-	-	0.09	-	0.07	0.03	-	-	0.03	0.11	30
31	0.10	~~X~~	-	~~X~~	-	~~X~~	0.01	0.33	~~X~~	-	~~X~~	0.01	31
TOTAL	5.10	0.16	3.83	1.04	1.91	0.03	1.96	5.37	1.51	2.38	3.71	2.72	YEAR'S TOTAL
Days with 0.1 in. or more	30	5	21	10	15	2	12	21	7	12	17	26	29.72
Days with 0.4 in. or more	20	2	19	8	11	0	6	14	6	7	13	19	178
													125

Kept at Jenby
in the County of Pembroke
by Miss D. G. Driscoll

Lat. 51°40' Long. 4°42'W
Time of Observation 9h 17h.
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 10 ft.
" " " " Sea Level 87 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day.
If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "Rules for Rainfall Observers," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1, or to THE SUPERINTENDENT, Meteorological Office, 10, Rothesay Place, Edinburgh.

Jan. 1. following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.02	0.35	0.14	0.05	-	-	0.30	-	0.17	-	0.03	0.01	1
2	-	0.45	0.11	0.23	0.17	-	0.27	0.04	-	Trace	0.06	-	2
3	0.21	0.18	0.22	0.33	0.09	-	0.04	0.32	0.15	0.08	0.08	-	3
4	0.22	0.05	0.21	0.02	0.24	-	0.36	0.02	-	0.12	-	0.01	4
5	0.04	-	0.35	0.02	-	-	0.67	-	-	0.03	0.56	0.01	5
6	0.07	-	0.15	0.05	-	-	0.32	-	-	-	0.09	-	6
7	0.09	-	0.84	0.11	-	0.02	0.15	0.19	-	0.02	0.19	0.02	7
8	0.12	-	0.01	0.05	-	0.02	0.57	0.33	-	-	0.04	0.13	8
9	0.16	-	0.06	0.01	-	0.18	0.01	-	-	-	0.20	-	9
10	-	-	0.01	-	-	-	-	0.13	-	0.01	0.17	0.01	10
11	-	-	-	-	0.02	-	-	0.08	0.09	0.01	-	0.14	11
12	-	0.03	-	0.28	-	0.19	0.05	0.44	1.02	-	-	0.06	12
13	0.43	-	-	0.25	-	0.02	0.32	-	0.12	-	0.01	0.12	13
14	0.14	0.12	-	0.58	-	-	-	-	0.03	-	0.01	0.54	14
15	0.48	0.18	-	0.20	-	-	-	0.06	-	-	-	0.16	15
16	-	0.16	-	0.48	0.83	-	-	0.72	0.17	-	-	0.22	16
17	0.30	0.37	-	-	0.01	-	1.14	-	-	-	-	0.44	17
18	0.46	0.11	0.10	-	0.14	-	-	0.02	0.90	-	0.02	0.09	18
19	0.19	0.08	-	-	0.05	-	0.05	-	0.12	-	-	0.71	19
20	0.31	0.57	-	-	0.03	0.04	0.50	-	-	-	-	0.10	20
21	0.10	0.08	-	-	0.02	0.02	0.06	0.01	-	-	-	0.55	21
22	-	0.34	-	-	0.25	0.07	-	0.22	-	-	0.14	0.22	22
23	-	0.12	-	0.03	-	0.09	-	-	0.03	-	-	0.06	23
24	0.10	-	0.42	0.02	-	0.13	-	0.20	-	-	-	0.22	24
25	0.13	0.17	0.16	0.40	-	0.29	-	-	0.49	-	0.01	0.19	25
26	0.13	0.18	-	0.12	-	0.01	0.28	0.06	0.72	-	0.02	0.35	26
27	0.37	0.39	0.28	0.02	-	0.04	-	0.15	0.12	-	-	0.12	27
28	0.24	0.74	-	-	-	0.01	-	-	-	-	-	0.28	28
29	0.07	-	-	-	-	-	0.03	0.10	0.07	-	0.02	0.31	29
30	0.24	~~X~~	0.13	-	-	0.29	0.06	0.35	0.82	-	0.10	0.04	30
31	-	~~X~~	0.85	~~X~~	-	~~X~~	-	0.36	~~X~~	0.79	~~X~~	0.10	31
TOTAL	4.62	4.67	4.04	2.23	1.85	1.42	1.18	3.79	5.02	1.06	1.75	5.21	YEAR'S TOTAL 41.86
Days with "01 in. or more	23	19	16	19	11	15	18	19	15	7	17	27	206
Days with "04 in. or more	22	18	14	13	7	9	16	15	13	3	10	22	162

Copied from Pm. 3204.

FORM 1090.

AIR MINISTRY.
METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.
REGISTER OF RAINFALL IN 1926.

County No. _____
River Dist. _____
Station No. _____

Kept at Tenby
in the County of Pembrokeshire
by _____

Lat. _____ Long. _____
Time of Observation _____
Nearest Railway Station _____
Diameter of Funnel of Rain Gauge _____ in.
Height of top of Gauge above Ground _____ ft. _____ in.
" " " " Sea Level _____ ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1									0.20				1
2													2
3													3
4			0.15									0.25	4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12								0.35					12
13													13
14													14
15				0.70									15
16													16
17						0.67							17
18							2.13						18
19													19
20													20
21													21
22		0.74											22
23													23
24										0.64			24
25													25
26					0.38								26
27													27
28											1.63		28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	(5.75)	4.33	0.59	2.05	1.79	2.14	3.69	2.06	1.16	2.87	9.63	1.02	YEAR'S TOTAL (37.08)
Days with .01 in. or more.	25	20	8	15	15	8	11	19	15	14	27	15	192
Days with .04 in. or more.	20	20	5	12	12	7	10	16	13	10	23	6	154
	110.0	15.0	52.1	45.5	54.4	93.7	52.3	29.5	72.9	244.6	25.9		

Form 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1927.

3534

Kept at Penby

in the County of Pembroke

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft. 10 in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Records taken in Millimetres should be entered on Form 1091.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.45							.88		1
2													2
3													3
4							.49						4
5													5
6				.45									6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14									1.01				14
15													15
16					.99	1.09							16
17													17
18													18
19								.99					19
20													20
21										.66		.92	21
22		.52											22
23			.73										23
24													24
25	1.19												25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
TOTAL	4.35	2.87	3.07	2.01	1.90	3.02	3.34	5.57	4.76	2.51	4.97	3.54	41.94
Days with ".01 in. or more.	26	17	16	14	8	15	20	21	24	13	18	15	207
Days with ".04 in. or more.	18	14	14	10	6	11	14	20	19	11	17	12	169

Please read the Notes and Instructions Overleaf

Section

A

for the entry of Daily Observations.

3611
FOR OFFICIAL USE.

FORM 1090.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1928.

Kept at Tenby

in the County of Pembrokeshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

„ Ground „ Sea Level ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following.

Please read the Notes and Instructions Overleaf.

Date.	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.11												1
2													2
3													3
4										1.31			4
5									.63				5
6													6
7													7
8													8
9													9
10													10
11													11
12		.78											12
13													13
14				.40									14
15													15
16													16
17													17
18													18
19													19
20			.89										20
21													21
22								.56			.85		22
23													23
24													24
25													25
26					.31								26
27												1.08	27
28						.77							28
29													29
30		X											30
31		X		X		X	.67		X		X		31
TOTAL	8.82	4.11	4.76	1.42	0.84	4.66	2.22	3.00	1.84	8.03	5.44	6.51	YEARS TOTAL
Days with ".01 in. or more.	28	18	20	13	12	18	14	17	8	23	20	23	214
Days with ".04 in. or more.	23	13	15	9	5	14	9	14	5	21	17	20	165

FORM 1090.

REGISTER OF RAINFALL IN 19 29 .

Kept at TENBY
in the County of PEMBROKE
Diameter of Funnel of Gauge 5 in.
Height of top of Gauge above Ground — ft 10 in.
,, Ground ,, Sea Level 64 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Jan. 1, following.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
I	—	.62	—	TR	—	.16	—	.01	—	.41	—	.34	I
2	—	.09	—	TR	—	.10	TR	.35	.36	.13	.06	.41	2
3	—	.05	—	—	.09	TR	—	.53	TR	.04	—	.33	3
4	—	—	—	.11	.68	.02	.30	—	TR	.34	—	.53	4
5	—	.21	—	—	.43	.32	.56	.30	—	1.13	1.08	.10	5
6	TR	.15	—	—	TR	.04	—	.03	—	.06	.05	.55	6
7	—	—	—	—	.24	.01	—	—	—	.44	.38	.64	7
8	—	.08	—	TR	—	.04	—	.20	—	.04	.01	.86	8
9	.28	.08	—	—	—	—	—	.01	TR	—	.42	.74	9
10	.03	.20	—	—	.10	—	.01	.05	—	.06	.21	.28	10
11	.01	.48	—	—	.43	—	.01	—	—	—	.91	.10	11
12	—	—	—	.04	TR	.34	—	TR	—	—	.02	.02	12
13	—	—	—	.01	.25	.25	—	.04	—	—	TR	.20	13
14	—	.05	—	—	.11	.03	—	—	.01	—	.21	.06	14
15	.01	.05	—	TR	—	.16	—	.03	TR	.02	.95	—	15
16	—	—	—	.11	—	—	—	.13	—	TR	.16	—	16
17	.06	—	—	.14	—	—	—	.04	—	.50	—	.01	17
18	.01	—	—	TR	—	—	TR	—	—	.31	1.43	—	18
19	TR	—	—	—	—	—	—	—	—	.01	.56	.34	19
20	TR	.03	.38	—	—	—	—	.08	TR	.34	.41	.41	20
21	.01	.01	.14	—	.01	—	.21	.02	—	.01	.40	TR	21
22	.09	.01	—	—	.24	—	.01	.04	—	TR	.52	.49	22
23	—	.15	—	—	.26	TR	—	TR	—	.33	.34	.48	23
24	—	—	.15	TR	—	—	—	.02	—	.41	.91	.41	24
25	—	—	.01	.04	—	—	—	—	—	.04	.89	TR	25
26	TR	.12	—	TR	—	—	—	—	TR	—	.11	.41	26
27	.05	—	—	.39	.24	—	.15	.14	—	.31	.93	.35	27
28	.49	—	—	.09	—	—	.99	—	.03	.03	.51	.41	28
29	.20	X	—	.02	—	—	TR	.03	TR	.16	.45	.25	29
30	.15	X	—	.01	—	—	.23	—	.62	—	.34	.09	30
31	.54	X	TR	X	—	X	.05	.04	X	—	X	.15	31
TOTAL	2.23	2.38	0.41	1.02	3.44	1.52	2.52	2.18	1.02	5.48	12.56	9.59	YEAR'S TOTAL 45.25
Days with or more.	23	16	4	30	12	31	30	19	24	21	25	22	36.17
Days with or more.	8	12	3	4	11	8	4	12	2	14	23	24	135

Section

A

for the entry of Daily Observations.

3782
FOR OFFICIAL USE.

AIR MINISTRY.—METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

FORM 1090.

REGISTER OF RAINFALL IN 1930 .

Kept at

Tenby

in the County of

Pembrokeshire

Diameter of Funnel of Gauge.....in.

Height of top of Gauge above Ground.....ft.....in.

Ground ,, Sea Level ft.

INS

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

Jan. 1, following.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1													1
2													2
3										96			3
4		27											4
5													5
6			60										6
7													7
8				57									8
9													9
10					47							111	10
11													11
12													12
13													13
14													14
15													15
16													16
17									110				17
18													18
19													19
20						45		143					20
21													21
22													22
23											71		23
24													24
25													25
26													26
27							106						27
28													28
29													29
30		X											30
31	92	X		X		X			X		X		31
TOTAL	6.42	.72	3.33	2.42	1.85	1.53	4.06	5.19	5.86	6.64	4.80	7.59	50.71
Days with or in. or more.	28	6	19	16	3	9	17	21	21	30	19	24	213
Days with or in. or more.	24	5	15	13	10	7	13	16	17	21	13	23	177

40-9999170.7 18.3 84.6 61.5 44.0 38.9 103.1 131.8 148.8 174.7 121.9 192.8 1294.1

(Signed)

P.T.O.

FORM 1090.

REGISTER OF RAINFALL IN 1930.

Kept at TENBY
in the County of PEMBROKE
Diameter of Funnel of Gauge 8 in.
Height of top of Gauge above Ground 10 ft. 10 in.
,, Ground ,, Sea Level 78 ft.

THE MORNING MEASUREMENT IS CREDITED TO THE PREVIOUS DAY.

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Jan. 1, following

Please read the Notes and Instructions Overleaf.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	20	01	—	33	—	TR	—	65	—	01	61	—	1
2	12	—	—	04	TR	—	18	03	—	01	35	04	2
3	45	15	—	23	10	—	24	26	—	96	03	—	3
4	34	24	43	21	—	—	TR	18	01	35	01	—	4
5	04	—	TR	20	13	—	—	30	04	10	01	—	5
6	04	—	60	—	TR	—	03	01	35	09	TR	90	6
7	25	—	—	—	TR	—	—	TR	—	43	69	51	7
8	12	—	—	54	—	—	—	10	25	04	01	15	8
9	56	—	18	22	12	13	—	05	01	—	02	TR	9
10	49	—	TR	01	44	03	—	48	33	03	—	11	10
11	14	—	13	15	—	TR	TR	04	48	21	—	24	11
12	13	—	01	01	26	—	—	04	18	01	—	25	12
13	26	—	09	10	04	—	41	11	21	01	—	13	13
14	41	09	38	01	29	—	04	—	TR	95	01	06	14
15	—	04	24	TR	TR	—	69	TR	34	48	14	05	15
16	01	—	01	—	—	—	TR	02	14	32	—	24	16
17	02	—	—	TR	26	—	06	23	110	16	—	46	17
18	01	—	09	—	—	01	01	05	81	06	54	04	18
19	—	—	03	TR	01	28	38	11	52	63	69	06	19
20	14	—	03	—	01	45	54	143	32	24	11	01	20
21	08	—	21	—	02	20	—	01	20	06	24	TR	21
22	23	—	14	10	—	15	—	89	04	18	19	—	22
23	09	—	08	11	—	20	01	—	16	02	11	08	23
24	35	—	—	05	—	—	—	—	02	03	09	06	24
25	04	16	TR	08	05	—	08	TR	23	04	19	24	25
26	34	—	—	TR	TR	08	18	TR	01	11	10	16	26
27	—	—	06	—	TR	TR	106	—	TR	05	TR	04	27
28	24	—	11	—	TR	—	05	TR	—	06	—	10	28
29	19	X	—	—	TR	—	02	13	—	02	—	12	29
30	03	X	23	—	09	—	05	01	—	02	—	18	30
31	92	X	22	X	—	X	—	—	X	24	X	04	31
TOTAL	642	042	333	242	185	153	406	519	548	664	480	759	5063
*Days with or in. or more.	4	1	4	3	3	2	4	5	4	9	8	1	46
*Days with or more.	28	5	15	13	10	7	13	16	14	21	13	23	181